

Non-Confidential Business Information

Certification Test Report

Hearth and Home Technologies Wood-Fired Freestanding Room Heater Model: 57ST-ACC-C

Prepared for: Hearth and Home Technologies
1445 North Highway
Colville, WA 99114

Prepared by: OMNI-Test Laboratories, Inc.
13327 NE Airport Way
Portland, OR 97230
(503) 643-3788

Test Period: May 15, 2017 – June 8, 2017

Report Date: July 7, 2017
Revised Report Date: August 31, 2022

Report Number: 0061WS092E

All data and information contained in this report are confidential and proprietary to Hearth and Home Technologies. Its significance is subject to the adequacy and representative character of the samples and to the comprehensiveness of the tests, examinations, or surveys made. The contents of this report cannot be copied or quoted, except in full, without specific, written authorization from Hearth and Home Technologies and OMNI-Test Laboratories, Inc. No use of the OMNI-Test Laboratories, Inc. name, logo, or registered mark (O-TL) is permitted, except as expressly authorized by OMNI-Test Laboratories, Inc. in writing.


-Report Edition Number (Ed 003) 08/31/22 -

Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114

AUTHORIZED SIGNATORIES


This report has been reviewed and approved by the following authorized signatories:

Technician:



Riley Tiegs, Technician
OMNI-Test Laboratories, Inc.

Evaluator:



Ken Morgan, Technical Services Director
OMNI-Test Laboratories, Inc.

TABLE OF CONTENTS

PREFACE.....	(3 pages)
1. SAMPLING PROCEDURES AND TEST RESULTS	4
Introduction.....	5
Individual Run Summaries.....	6
Individual Run Summaries.....	7
<u>Summary Tables</u>	
Table 1 - Particulate Emissions Results.....	8
Table 2 - Particulate Emissions Results (First Hour).....	8
Table 3 – B415.1 Efficiency and CO Emissions	9
Table 4 - Test Facility Conditions	9
Table 5 - Fuel Measurements and Crib Descriptions - Pretest	10
Table 6 - Fuel Measurements and Crib Descriptions - Test	10
Table 7 - Dilution Tunnel Gas Measurements and Sampling Data	11
Table 8 – Average Temperature Data.....	11
Table 9 - Pretest Configurations	12
Table 10 - Test Configurations	13
2. PHOTOGRAPHS/APPLIANCE DESCRIPTION/DRAWINGS.....	15
Appliance Description	18
Fuel Photographs	19
3. TEST DATA BY RUN	23
Run 1	24
Run 2	38
Run 3	50
Run 4	62
Run 5	74
Run 6	86
Run 7	98
Run 8	110
4. QUALITY ASSURANCE/QUALITY CONTROL	122
Sample Analysis.....	125
Calibrations – EPA Method 28R, ASTM E2515, ASTM E2780	141
Example Calculations	163
5. LABELING, & OWNER'S MANUAL	179
Appendix A Revision History	

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Section 1

Sampling Procedures and Test Results

INTRODUCTION

Hearth and Home Technologies retained *OMNI* to perform U.S. Environmental Protection Agency (EPA) certification testing on the 57ST-ACC-C wood stove. The 57ST-ACC-C wood stove is a freestanding-type room heater. The firebox is constructed of mild steel. Usable firebox volume was measured to be 2.95 cubic feet and the stove is vented through a 6" collar located on the top of the appliance near the rear of the firebox.

The testing was performed at Hearth & Home Technologies. The altitude of the laboratory is 1635 feet above sea level. The unit was received in good condition and logged in on May 15, 2017, then assigned and labeled with *OMNI* ID #2187. *OMNI* representative Bruce Davis conducted the certification testing and completed all testing by June 8, 2017.

This report is organized in accordance with the EPA-recommended outline and is summarized in the Table of Contents immediately preceding this section. The results in this report are limited to the item submitted.

SAMPLING PROCEDURE

The 57ST-ACC-C wood stove was tested in accordance with the U.S. EPA 40 CFR Part 60, Subpart AAA – Standards of Performance for New Residential Wood Heaters using EPA Method 28R, ASTM E2515 and ASTM E2780. Particulate emissions were measured using sampling trains consisting of two filters (front and back).

The model 57ST-ACC-C was tested for thermal efficiency and carbon monoxide (CO) emissions in accordance with CSA B415.1-10.

Efficiency results were calculated using spread sheet Version 2.2 created 12/14/2009 and distributed by CSA. Example calculations for CSA B415.1 were not provided by CSA; spreadsheet is protected from modifications by means of a password.

SUMMARY OF RESULTS

The weighted average emissions of the four test runs included in the results indicate a particulate emission rate of 1.8 grams per hour. Tests number 5, 6, and 7 were fan confirmation tests to confirm operation of the appliance without the optional fan in operation. Two additional tests were conducted to eliminate an outlier and use two thirds of the tests for certification. An additional test was conducted in category 3 with intent to improve weighted average results by re-dispersing the weighting. The 57ST-ACC-C results are within the emission limit of 2.0 g/hr. for affected facilities manufactured on or after May 15, 2020.

Proportionality results for all eight test runs were acceptable. Quality check results for each test run are presented in Section 2 of this report.

INDIVIDUAL RUN SUMMARIES

- Run 1 -** Attempted category 2 burn rate at primary air setting of 0.68" open. Observed burn rate of 0.95 kg/hr. (category 2). No sampling anomalies occurred, so this test run is valid and appropriate for inclusion in the weighted average.
- Run 2 -** Attempted category 3 burn rate at primary air setting of 0.75" open. Observed burn rate of 0.96 kg/hr. (category 2). No sampling anomalies occurred, so this test run is valid and appropriate for inclusion in the weighted average.
- Run 3 -** Attempted category 3 burn rate at primary air setting of 1.50" open. Observed burn rate of 1.42 kg/hr. (category 3). A negative filter weight was found on emissions sampling train B, this negative weight is caused by filter material being transferred to an O-ring gasket. Positive weight on the O-ring contains both emissions and filter material. To prevent the filter paper from being counted as emissions, the negative filter weight is used to calculate total particulate catch. No additional sampling anomalies occurred, so this test run is valid and appropriate for inclusion in the weighted average.
- Run 4 -** Attempted category 4 burn rate at primary air setting of fully open, boost air was locked open. Observed burn rate of 3.13 kg/hr. (category 4). A negative filter weight was found on emissions sampling train A, this negative weight is caused by filter material being transferred to an O-ring gasket. Positive weight on the O-ring contains both emissions and filter material. To prevent the filter paper from being counted as emissions, the negative filter weight is used to calculate total particulate catch. No additional sampling anomalies occurred, so this test run is valid and appropriate for inclusion in the weighted average.
- Run 5 -** Attempted category 2 burn rate at primary air setting of 0.68" open. Observed burn rate of 1.04 kg/hr. (category 2). No sampling anomalies occurred, the appliance was operated without the fan in operation as a fan confirmation test so this test run is not used in the weighted average. Emission results were found to be greater than ± 1 g/hr. of category 2 results generated with the blower operating. Two additional tests were conducted to use only two thirds of the data for certification.
- Run 6 -** Attempted category 2 burn rate at primary air setting of 0.70" open. Observed burn rate of 1.11 kg/hr. (category 2). No sampling anomalies occurred, the appliance was operated without the fan in operation as a fan confirmation test so this test run is not used in the weighted average.
- Run 7 -** Attempted category 2 burn rate at primary air setting of 0.715" open. Observed burn rate of 1.09 kg/hr. (category 2). A negative filter weight was found on emissions sampling train A, this negative weight is caused by filter material being transferred to an O-ring gasket. Positive weight on the O-ring contains both emissions and filter material. To prevent the filter paper from being counted as

emissions, the negative filter weight is used to calculate total particulate catch. No additional sampling anomalies occurred, the appliance was operated without the fan in operation as a fan confirmation test so this test run is not used in the weighted average.

Run 8 - Attempted category 3 burn rate at primary air setting of fully open. Observed burn rate of 1.88 kg/hr. (category 3). A negative filter weight was found on emissions sampling train A and B, this negative weight is caused by filter material being transferred to an O-ring gasket. Positive weight on the O-ring contains both emissions and filter material. To prevent the filter paper from being counted as emissions, the negative filter weight is used to calculate total particulate catch. No additional sampling anomalies occurred, so this test run is valid and appropriate for inclusion in the weighted average.

CATEGORY 1 BURN RATE RATIONALE

EPA Method 28 section 8.1.1.3.2 states the following:

Evidence that a wood heater cannot be operated at a burn rate less than 0.80 kg/hr shall include documentation of two or more attempts to operate the wood heater in burn rate Category 1 and fuel combustion has stopped, or results of two or more test runs demonstrating that the burn rates were greater than 0.80 kg/hr. when the air supply controls were adjusted to the lowest possible position or settings... NOTE: After July 1, 1990, if a wood heater cannot be operated at a burn rate less than 0.80 kg/hr., at least one test run with an average burn rate of 1.00 kg/hr. or less shall be conducted.

The U.S. Environmental Protection Agency Applicability Determination Index, under Control Number WDS-109, states the following regarding this requirement of Method 28:

The purpose of this requirement is to ensure that a good-faith effort has been made to achieve a Category 1 burn rate. However, if the air supply control is tamper-proof, EPA will accept one test as adequate documentation that the stove cannot achieve a Category 1 burn rate. Note that this applies only to stoves which do not reach the low burn rate because of limits on the air supply; manufacturers of stoves which cannot sustain a burn rate at lower air settings will still be required to submit documentation of two or more attempts. In all cases, a test series consisting of at least four runs is required.

As the Run Notes in Section 5 and Table 1.1a in Section 1 of this report show, run 1 was operated at a burn-rate of less than 1.0 kg/hr. with a combustion air inlet opening of 0.68". The primary air control was designed and manufactured with a stop that provides a fixed opening of 0.68" when the control is set to the minimum position. See attached drawings of the primary air controls in the QC report. The air controls for this heater are tamper-proof. When tested in accordance with EPA Method 28 the heater cannot be induced to operate at a burn rate less than 0.80 kg/hr therefore Run 1 fulfills the requirements of the standard.

Table 1 – Particulate Emissions

Run	Burn Rate (kg/hr. dry)	ASTM E2515 Emissions Corrected ¹ (g/hr.)	ASTM E2515 Emissions Uncorrected ¹ (g/hr.)
1	0.95	3.29	n/a
2	0.96	1.19	n/a
3	1.42	0.73	0.75
4	3.13	5.49	5.52
*5	1.04	18.99	n/a
*6	1.11	1.07	n/a
*7	1.09	0.95	n/a
8	1.88	1.38	n/a

Weighted particulate emission average of 5 test runs:
 1.8 grams per hour (Corrected¹).
 1.8 grams per hour (Uncorrected¹)

*Fan confirmation run excluded from weighted average results

¹Corrected refers to gravimetric analysis that takes negative filter weights as a negative value in cases where filter residue was transferred to (stuck to) O-ring gaskets to account for the mass transfer. An “n/a” denotes there were no negative filter weights and therefore no “corrections” were performed. Uncorrected refers to gravimetric analysis where negative filter weights are taken as zero, thus reporting a higher value by over-reporting of transferred filter material. The uncorrected values were added to this revision of this report in response to a request by the US EPA in a deficiency letter dated 08/24/2022.

Table 2 – Particulate Emissions (First Hour)

Run	ASTM E2515 Emissions – First Hour (g/hr.)
1	18.32
2	4.18
3	2.46
4	10.32
5	12.39
6	5.40
7	4.40
8	4.30

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Table 3 – B415.1 Efficiency and CO Emissions

Run	Heat Output (BTU/hr)	HHV Efficiency (%)	LHV Efficiency (%)	CO Emissions (g/MJ Output)	CO Emissions (g/kg Dry Fuel)	CO Emissions (g/min)	CO Emissions (g/hour)
1	12,772	72.2	78.0	9.18	131.23	2.06	123.53
2	13,173	73.8	79.7	7.90	115.54	1.83	109.77
3	20,439	78.0	84.3	4.90	75.77	1.76	105.60
4	38,284	66.3	71.7	7.11	93.45	4.78	286.96
5*	12,683	66.4	71.7	15.87	208.54	3.54	212.12
6*	14,917	72.9	78.8	7.77	112.21	2.04	122.20
7*	14,881	73.9	79.8	7.10	103.89	1.86	111.39
8	24,995	71.9	77.7	4.22	60.04	1.85	111.12
Weighted average HHV efficiency of 5 test runs: 74.0%.							
Straight average CO Emissions of 5 test runs: 2,456 g/min, 147,396 g/hour							

*Fan confirmation tests excluded from weighted average results

Table 4 – Test Facility Conditions

Run	Room Temperature (°F)		Barometric Pressure (Hg)		Air Velocity (ft/min)	
	Before	After	Before	After	Before	After
1	79	81	28.34	28.38	<50	<50
2	76	78	28.07	28.16	<50	<50
3	81	81	28.37	28.39	<50	<50
4	83	83	28.50	28.55	<50	<50
5	76	78	28.56	28.49	<50	<50
6	79	84	28.57	28.41	<50	<50
7	78	87	28.35	28.15	<50	<50
8	82	79	28.11	28.16	<50	<50

*Model: 57ST-ACC-C
 Hearth and Home Technologies
 1445 North Highway
 Colville, WA 99114*

Table 5 – Fuel Measurement and Crib Description Summary – PRETEST

Run	Pretest Fuel Weight (Starting weight in lbs)	Pretest Moisture (Dry basis - %)	Coal Bed Weight (lbs)
1	7.3	21.27	4.4
2	6.7	19.57	4.6
3	8.0	23.0	4.4
4	20.7	21.24	4.4
5	7.0	21.37	4.3
6	7.1	23.17	4.6
7	6.5	24.23	4.4
8	18.2	22.7	4.4

Table 6 – Fuel Measurement and Crib Description Summary – TEST

Run	Test Fuel Wet Basis (lbs)	Firebox Volume (ft ³)	Fuel Loading Density Wet Basis (lbs/ft ³)	Test Fuel Dry Basis (lbs)	Piece Length (in)	2x4s Used	4x4s Used
1	19.1	2.92	6.54	16.1	18	4	2
2	19.3	2.92	6.61	16.3	18	4	2
3	19.3	2.92	6.61	16.1	19	4	2
4	18.9	2.92	6.47	15.5	19	4	2
5	18.7	2.92	6.40	15.6	19	4	2
6	18.9	2.92	6.47	15.8	19	4	2
7	19.0	2.92	6.51	16.0	18	4	2
8	18.7	2.92	6.40	15.6	18	4	2

Table 7 – Dilution Tunnel Gas Measurements and Sampling Data Summary

Run	Length of Test (min)	Average Dilution Tunnel Gas Measurements		
		Velocity (ft/sec)	Flow Rate (dscf/min)	Temperature (°F)
1	460	16.98	178.9	87
2	460	16.71	174.8	87
3	310	16.83	174.5	97
4	135	16.57	166.2	119
5	410	16.48	174.8	87
6	390	15.65	163.1	96
7	400	16.09	165.8	97
8	225	16.25	166.3	100

Table 8 - Average Temperature Data

Run	Beginning Surface Temperature Average ^a	Ending Surface Temperature Average ^a	Surface Delta T ^b
1	363	265	98
2	370	267	103
3	385	292	93
4	489	458	31
5	399	330	69
6	451	345	106
7	436	342	94
8	440	360	80

a. All temperatures are in degrees F.

b. Represents the difference between beginning and ending average surface temperatures.

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Table 9 – Pretest Configuration

Run	Combustion Air	Fuel Added	Fuel Removed	Time (min)
1	Fully Closed	2.9	0	60
2	0.75"	2.5	0	60
3	1.50"	2.2	0	65
4	Fully Open	18.3	0	72
5	Fully Closed	2.6	0	75
6	0.70"	2.4	0	60
7	0.715"	2.2	0	66
8	Fully Open	15.9	0	88

Table 10 – Test Configurations

Run	Five-Minute Startup Procedures	Combustion Air
1	<u>Fuel Loading</u> : Fuel loaded by 44 seconds. <u>Door</u> : Closed by 50 seconds. <u>Primary Air</u> : Fully open until 5:00 then immediately set to test setting. <u>Secondary</u> : Air opening is fixed without adjustment. <u>Fan</u> : Off for the first 30 minutes then turned to high for remainder of test. <u>Boost Air</u> : Boost air locked open at 0 minutes, then timed air activated at 5 minutes.	Air set at mechanical stop, measured at 0.68"
2	<u>Fuel Loading</u> : Fuel loaded by 80 seconds. <u>Door</u> : Closed by 90 seconds. <u>Primary Air</u> : Fully open until 5:00 then immediately set to test setting. <u>Secondary</u> : Air opening is fixed without adjustment. <u>Fan</u> : Off for the first 30 minutes then turned to high for remainder of test. <u>Boost Air</u> : Boost air locked open at 0 minutes, then timed air activated at 5 minutes.	0.75"
3	<u>Fuel Loading</u> : Fuel loaded by 47 seconds. <u>Door</u> : Closed by 95 seconds. <u>Primary Air</u> : Fully open until 5:00 then immediately set to test setting. <u>Secondary</u> : Air opening is fixed without adjustment. <u>Fan</u> : Off for the first 30 minutes then turned to high for remainder of test. <u>Boost Air</u> : Boost air locked open at 0 minutes, then timed air activated at 5 minutes.	1.50"
4	<u>Fuel Loading</u> : Fuel loaded by 47 seconds. <u>Door</u> : Closed by 60 seconds. <u>Primary Air</u> : Fully open entire test. <u>Secondary</u> : Air opening is fixed without adjustment. <u>Fan</u> : On high for the entire test. <u>Boost Air</u> : Boost air locked open for entire test.	Air set to mechanical stop fully open.
5	<u>Fuel Loading</u> : Fuel loaded by 50 seconds. <u>Door</u> : Closed by 80 seconds. <u>Primary Air</u> : Fully open until 5:00 then immediately set to test setting. <u>Secondary</u> : Air opening is fixed without adjustment. <u>Fan</u> : Off for the entire test. <u>Boost Air</u> : Boost air locked open at 0 minutes, then timed air activated at 5 minutes.	Air set at mechanical stop, measured at 0.68"
6	<u>Fuel Loading</u> : Fuel loaded by 40 seconds. <u>Door</u> : Closed by 50 seconds. <u>Primary Air</u> : Fully open until 5:00 then immediately set to test setting. <u>Secondary</u> : Air opening is fixed without adjustment. <u>Fan</u> : Off for the entire test. <u>Boost Air</u> : Boost air locked open at 0 minutes, then timed air activated at 5 minutes.	0.70"

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

7	<p><u>Fuel Loading:</u> Fuel loaded by 50 seconds. <u>Door:</u> Closed by 57 seconds. <u>Primary Air:</u> Fully open until 5:00 then immediately set to test setting. <u>Secondary:</u> Air opening is fixed without adjustment. <u>Fan:</u> Off for the entire test. <u>Boost Air:</u> Boost air locked open at 0 minutes, then timed air activated at 5 minutes.</p>	0.715"
8	<p><u>Fuel Loading:</u> Fuel loaded by 35 seconds. <u>Door:</u> Closed by 40 seconds. <u>Primary Air:</u> Fully open entire test. <u>Secondary:</u> Air opening is fixed without adjustment. <u>Fan:</u> On high for the entire test. <u>Boost Air:</u> Boost air locked open at 0 minutes, then timed air activated at 5 minutes.</p>	Air set to mechanical stop fully open.


*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Section 2

Photographs/Appliance Description/Drawings

Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114

Example of ASTM E2515-11 Dilution Tunnel



Prior to testing, sample point and traverse point locations are verified to ensure placement is within specifications. Collection hood, tunnel diameter, and mixing section length are also verified to be within specifications.

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Hearth and Home Technologies

31M-ACC-C

Test Dates: February 13, 2017 – February 16, 2017



*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Hearth and Home Technologies
31M-ACC-C

Run 1 – Fuel



Run 1 – Newly Loaded Stove



Run 2 – Fuel



Run 2 – Newly Loaded Stove



*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Hearth and Home Technologies
31M-ACC-C

Run 3 – Fuel



Run 3 – Newly Loaded Stove



Run 4 – Fuel



Run 4 – Newly Loaded Stove




*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Run 5 – Fuel



Run 5 – Newly Loaded Stove



Run 6 – Fuel



Run 6 – Newly Loaded Stove



*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Run 7 – Fuel



Run 7 – Newly Loaded Stove



Run 8 – Fuel



Run 8 – Newly Loaded Stove



*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

WOOD HEATER DESCRIPTION

Appliance Manufacturer: Hearth and Home Technologies

Wood Stove Model: 57ST-ACC-C

Type: Freestanding

WOOD HEATER INFORMATION

Materials of Construction: The unit is constructed primarily of mild Steel. The firebox is lined with fire brick that measures 4.5 x 9 x 1.25" thick. The feed door has a 17.61" x 11.49" glass panel and 3/4" gasket.

Air Introduction System: Primary combustion air enters the appliance through an opening located on the right side of the firebox near the top and front of the appliance. A control arm extends out the face of the unit, pushing the control downwards closes off the air opening. Air used for secondary has no user controls, combustion enters a manifold near the rear of the appliance and is channeled to four air tube mounted in the top of the firebox directly under the baffle. A third air source is located on the right side of the appliance near the bottom of the firebox. The control for this air source extends out the front of the appliance near the bottom right. Pushing the control in and releasing locks the control open providing combustion air to openings in the rear of the firebox and to an opening located in the front of the firebox near the floor. If this control is pushed in and then pulled out it activates a timer that slowly closes these openings over a time of approximately 22 minutes.

Combustion Control Mechanisms: All control mechanisms are manually controlled; the timer mechanism is manually set and once closed will not open again until manually reset.

Combustor: N/A.

Internal Baffles: A noncombustible baffle board is located above the secondary air tubes mounted in the top of the firebox. A ceramic wool blanket is used on top of the baffle for additional insulation.

Other Features: An optional fan is located in the center of the rear shield.

Flue Outlet: The 6" diameter flue outlet is in the top of the unit near the rear of the firebox.

Similar Models: None

WOOD HEATER OPERATING INSTRUCTIONS

Specific Written Instructions: See Section 5 of this report. All markings and instruction materials were reviewed for content prior to printing.

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Section 3

Test Data by Run

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Run 1


EPA Weighted Average Emissions

EPA Method 28

Client: Hearth & Home
 Stove Model: 57ST-ACC-C
 Test Dates: 5/15/17 - 6/8/17
 Project Number: 0061WS092E
 Tracking Number: 2187

Status: Final
 Stove Type: Non-Catalytic Stove

Weighted Averages	Emissions (g/hr):	1.8
	HHV Efficiency (%):	74.0
	LHV Efficiency (%):	80.0



Run #	1	Run #	4
Burn Rate (dry kg/hr)	0.95	Burn Rate (dry kg/hr)	3.13
Category	2	Category	4
LHV Efficiency (%)	78	LHV Efficiency (%)	71.7
HHV Efficiency (%)	72.2	HHV Efficiency (%)	66.3
Emissions (g/hr)	3.29	Emissions (g/hr)	5.49
Weighting Factor	0.338	Weighting Factor	0.110
	20.40%		6.64%

Run #	2
Burn Rate (dry kg/hr)	0.96
Category	2
LHV Efficiency (%)	79.7
HHV Efficiency (%)	73.8
Emissions (g/hr)	1.19
Weighting Factor	0.378
	22.78%

Run #	3
Burn Rate (dry kg/hr)	1.42
Category	3
LHV Efficiency (%)	84.3
HHV Efficiency (%)	78
Emissions (g/hr)	0.73
Weighting Factor	0.551
	33.24%

Run #	8
Burn Rate (dry kg/hr)	1.88
Category	3
LHV Efficiency (%)	77.7
HHV Efficiency (%)	71.9
Emissions (g/hr)	1.38
Weighting Factor	0.281
	16.93%

Wood Heater Conditioning Data - ASTM E2780/ ASTM E2515

Manufacturer: Hearth & Home
 Model: 57ST-ACC-C
 Tracking No.: 2187
 Project No.: 0061WS092E
 Test Date: 15-May-17
 Technician: B. Davis
 Operation Category: II - III

Operated for 50 hours at a medium burn rate using fuel from 19 to 25% moisture.

Elapsed Time (hr)	Flue Gas Temp (° F)	Fuel Weight (lbs)
0	331.0	9.5
1	259.0	5.1
2	153.0	1.0
3	133.0	0.9
4	552.0	16.0
5	361.0	3.1
6	356.0	8.6
7	296.0	5.7
8	166.0	1.6
9	147.0	0.9
10	140.0	0.8
11	133.0	0.8
12	131.0	0.8
13	578.0	15.9
14	360.0	2.4
15	472.0	12.1
16	292.0	3.3
17	199.0	1.2
18	185.0	1.1
19	184.0	1.0
20	416.0	11.1
21	280.0	4.3
22	176.0	1.2
23	154.0	0.9
24	150.0	0.9
25	460.0	13.1

Elapsed Time (hr)	Flue Gas Temp (° F)	Fuel Weight (lbs)
26	425.0	8.4
27	375.0	6.6
28	267.0	3.5
29	349.0	6.9
30	204.0	1.3
31	370.0	7.0
32	293.0	3.9
33	212.0	1.3
34	205.0	1.2
35	387.0	8.1
36	377.0	8.0
37	219.0	2.0
38	186.0	0.9
39	374.0	10.0
40	327.0	7.5
41	213.0	2.9
42	271.0	4.5
43	375.0	8.5
44	269.0	5.4
45	268.0	4.5
46	177.0	1.5
47	164.0	1.0
48	339.0	7.6
49	271.0	5.4
50	397.0	4.2

Technician Signature: _____

Wood Heater Test Results - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home
 Model: 57ST-ACC-C
 Project No.: 0061WS092E
 Tracking No.: 2187
 Run: 1
 Test Date: 05/15/17

Burn Rate	0.95 kg/hr dry
Average Tunnel Temperature Average Gas Velocity in Dilution Tunnel - vs Average Gas Flow Rate in Dilution Tunnel - Qsd	87 degrees Fahrenheit 16.98 feet/second 10733.5 dscf/hour
Average Delta p Total Time of Test	0.068 inches H2O 460 minutes

	AMBIENT	SAMPLE TRAIN 1	SAMPLE TRAIN 2	FIRST HOUR FILTER (TRAIN 1)
Total Sample Volume - Vm Average Gas Meter Temperature Total Sample Volume (Standard Conditions) - Vmstd	79.405 cubic feet 80 degrees Fahrenheit 73.388 dscf	64.360 cubic feet 86 degrees Fahrenheit 59.297 dscf	58.696 cubic feet 87 degrees Fahrenheit 53.496 dscf	8.331 cubic feet 86 degrees Fahrenheit 7.676 dscf
Total Particulates - m _n Particulate Concentration (dry-standard) - C _r /C _s	0 mg 0.000000 grams/dscf	18.7 mg 0.00032 grams/dscf	15.9 mg 0.00030 grams/dscf	13.1 mg 0.00171 grams/dscf
Total Particulate Emissions - E _T Particulate Emission Rate Emissions Factor	0.00 grams 0.00 grams/hour	25.95 grams 3.38 grams/hour 3.55 g/kg	24.46 grams 3.19 grams/hour 3.34 g/kg	18.32 grams 18.32 grams/hour 6.30 g/kg
Difference from Average Total Particulate Emissions		0.75 grams	0.75 grams	
	Dual Train Comparison Results Are Acceptable			

FINAL AVERAGE RESULTS	
Complete Test Run	
Total Particulate Emissions - E _T	25.20 grams
Particulate Emission Rate	3.29 grams/hour
Emissions Factor	3.44 grams/kg
First Hour Emissions	
Total Particulate Emissions - E _T	18.32 grams
Particulate Emission Rate	18.32 grams/hour
Emissions Factor	6.30 grams/kg

QUALITY CHECKS	
Filter Temps < 90 °F	OK
Filter Face Velocity (47 mm)	OK
Dryer Exit Temp < 80°F	OK
Leakage Rate	OK
Ambient Temp (55-90°F)	OK
Negative Probe Weight Eval.	OK
Pro-Rate Variation	OK
Train Precision ≤ 7.5%	2.96
Train Precision ±0.5 g/kg	0.20
Stove Surface ΔT	OK

Technician Signature: _____

Wood Heater Preburn Data - ASTM E2780

Run:	1	Coal Bed	
Manufacturer:	Hearth & Home	Range	3.8
Model:	57ST-ACC-C	(lb):	4.8
Tracking No.:	2187	(min)	(max)
Project No.:	0061WS092E		
Test Date:	05/15/17		
Beginning Clock Time:	10:45	Technician Signature:	

Wood Heater Test Data - ASTM E2780 / ASTM E2515

Run:	1	Manufacturer:	Hearth & Home	PM Control Modules:	371, 372	Avg. Tunnel Velocity:	16.98 ft/sec.																															
Model:	57ST-ACC-C	Dilution Tunnel MW(dry):	29.00 lb/lb-mole	Initial Tunnel Flow:	177.3 scfm	Technician Signature:																																
Tracking No.:	2187	Dilution Tunnel MW(wet):	28.78 lb/lb-mole	Average Tunnel Flow:	178.9 scfm																																	
Project No.:	0061WS092E	Dilution Tunnel H ₂ O:	2.00 percent	Post-Test Leak Check (1):	0.000 cfm @ 11 in. Hg																																	
Test Date:	05/15/17	Dilution Tunnel Static:	-0.612 "H ₂ O	Post-Test Leak Check (2):	0.000 cfm @ 14 in. Hg																																	
Beginning Clock Time:	11:51	Tunnel Area:	0.19635 ft ²	Average Test Piece Fuel Moisture:	20.08 Dry Basis %																																	
Meter Box Y Factor:	1.001 (1) 0.993 (2) 0.997 (Amb)	Pitot Tube Cp:	0.99																																			
Barometric Pressure:	Begin 28.34 Middle 28.36 End 28.38 Average 28.36 °Hg	Velocity Traverse Data																																				
OMNI Equipment Numbers:	<table border="1"> <thead> <tr> <th></th> <th>Pt.1</th> <th>Pt.2</th> <th>Pt.3</th> <th>Pt.4</th> <th>Pt.5</th> <th>Pt.6</th> <th>Pt.7</th> <th>Pt.8</th> <th>Center</th> </tr> </thead> <tbody> <tr> <td>Initial dP</td> <td>0.060</td> <td>0.066</td> <td>0.060</td> <td>0.060</td> <td>0.052</td> <td>0.056</td> <td>0.064</td> <td>0.054</td> <td>0.068</td> </tr> <tr> <td>Temp:</td> <td>88</td> <td>88</td> <td>88</td> <td>88</td> <td>88</td> <td>88</td> <td>88</td> <td>88</td> <td>88</td> </tr> </tbody> </table> V_{strav} 16.99 ft/sec V_{scen} 18.10 ft/sec F_p 0.938 °F									Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center	Initial dP	0.060	0.066	0.060	0.060	0.052	0.056	0.064	0.054	0.068	Temp:	88	88	88	88	88	88	88	88	88
	Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center																													
Initial dP	0.060	0.066	0.060	0.060	0.052	0.056	0.064	0.054	0.068																													
Temp:	88	88	88	88	88	88	88	88	88																													

Elapsed Time (min)	Particulate Sampling Data										Temperature Data (°F)										Stack Gas Data											
	Gas Meter 1 (ft ³)	Gas Meter 2 (ft ³)	Sample Rate 1 (cfm)	Sample Rate 2 (cfm)	Orifice dH 1 ("H ₂ O)	Meter 1 Temp (°F)	Meter 1 Vacuum (in. Hg)	Orifice dH 2 ("H ₂ O)	Meter 2 Temp (°F)	Meter 2 Vacuum (in. Hg)	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Firebox Top	Firebox Bottom	Firebox Back	Firebox Left	Firebox Right	Avg. Stove Surface Temp	Catalyst Exit Temp	Stack	Filter 1	Dryer Exit 1	Filter 2	Dryer Exit 2	Ambient	Draft ("H ₂ O)	CO ₂ (%)	CO (%)	
0	0.000	0.000			1.140	74.000	-0.020	0.30	74	-3.9	88	0.068		19.1		172	512	200	448	481	363	N/A	145	83	72	83	72	79	-0.022	2.01	0.66	
10	1.377	1.093	0.14	0.11	1.560	75.000	-0.490	1.11	76	-1.3	90	0.068	101	88	18.2	-0.9	291	493	265	397	438	377	N/A	324	84	72	85	72	78	-0.063	8.71	0.87
20	2.749	2.150	0.14	0.11	1.550	78.000	-0.490	1.11	79	-1	101	0.068	101	85	16.1	-2.1	662	472	300	400	439	455	N/A	518	87	73	87	72	77	-0.081	15.41	0.94
30	4.123	3.249	0.14	0.11	1.540	80.000	-0.470	1.11	81	-1	96	0.068	100	88	14.5	-1.6	621	455	326	410	446	452	N/A	335	87	73	87	73	77	-0.067	6.16	1.13
40	5.509	4.404	0.14	0.12	1.620	81.000	-0.530	1.11	82	-1.1	93	0.068	100	92	13.6	-0.9	354	440	200	402	428	365	N/A	302	87	74	87	73	78	-0.059	6.73	0.83
50	6.917	5.550	0.14	0.11	1.610	83.000	-0.530	1.11	83	-1.1	91	0.068	101	91	12.6	-1	301	426	176	389	410	340	N/A	290	87	75	87	74	77	-0.062	6.96	0.47
60	8.331	6.731	0.14	0.12	1.610	84.000	-0.530	1.11	84	-1.1	94	0.068	102	94	11.4	-1.2	381	413	175	399	396	353	N/A	371	87	76	87	74	77	-0.069	10.32	0.64
70	9.750	7.988	0.14	0.13	1.620	85.000	-0.520	1.11	85	-1.1	94	0.068	102	99	10.2	-1.2	399	401	179	429	401	362	N/A	353	87	76	87	75	77	-0.066	11.66	0.43
80	11.166	9.258	0.14	0.13	1.610	86.000	-0.520	1.12	86	-1.2	96	0.068	102	100	8.9	-1.3	413	392	188	461	426	376	N/A	350	88	77	88	75	79	-0.066	11.51	0.74
90	12.584	10.488	0.14	0.12	1.610	86.000	-0.520	1.12	86	-1.2	97	0.068	102	97	7.6	-1.3	443	384	197	490	444	392	N/A	360	88	77	89	76	81	-0.068	11.87	0.62
100	13.997	11.703	0.14	0.12	1.600	87.000	-0.520	1.11	87	-1.2	97	0.068	102	96	6.5	-1.1	422	377	204	504	465	394	N/A	328	89	78	89	77	82	-0.062	9.11	0.7
110	15.417	12.948	0.14	0.12	1.610	88.000	-0.510	1.11	88	-1.2	95	0.068	102	98	5.7	-0.8	379	368	203	509	478	387	N/A	291	89	78	90	77	81	-0.058	8.39	0.6
120	16.836	14.211	0.14	0.13	1.610	88.000	-0.510	1.11	88	-1.2	91	0.068	101	99	5.2	-0.5	280	364	201	508	486	368	N/A	228	88	78	89	77	80	-0.051	5.1	0.81
130	18.256	15.453	0.14	0.12	1.610	88.000	-0.510	1.12	89	-1.2	91	0.068	101	97	4.7	-0.5	238	363	203	502	487	359	N/A	203	88	78	88	77	81	-0.046	4.78	0.88
140	19.676	16.703	0.14	0.13	1.610	89.000	-0.510	1.11	89	-1.2	90	0.068	101	98	4.4	-0.3	214	364	202	487	481	350	N/A	183	87	78	88	78	82	-0.042	3.88	0.89
150	21.098	17.964	0.14	0.13	1.610	89.000	-0.500	1.12	90	-1.2	90	0.068	101	98	4.1	-0.3	197	366	200	471	468	340	N/A	171	87	78	87	78	82	-0.039	4.15	0.86
160	22.518	19.223	0.14	0.13	1.610	90.000	-0.500	1.11	90	-1.2	89	0.068	101	98	3.9	-0.2	188	367	197	457	453	332	N/A	163	87	78	87	78	82	-0.038	5.72	1.16
170	23.942	20.494	0.14	0.13	1.620	90.000	-0.510	1.12	90	-1.2	88	0.068	101	99	3.7	-0.2	178	369	195	447	443	326	N/A	158	86	78	86	78	81	-0.036	5.25	1.37
180	25.350	21.789	0.14	0.13	1.620	89.000	-0.500	1.12	90	-1.2	85	0.068	100	101	3.6	-0.1	168	370	190	439	436	321	N/A	152	85	77	85	77	80	-0.036	5.21	1.46
190	26.754	23.092	0.14	0.13	1.630	89.000	-0.500	1.13	90	-1.2	84	0.068	99	101	3.5	-0.1	164	370	189	435	429	317	N/A	150	84	77	84	77	79	-0.036	5.62	1.66
200	28.163	24.400	0.14	0.13	1.630	88.000	-0.510	1.12	90	-1.2	84	0.068	100	102	3.3	-0.2	163	370	187	429	421	314	N/A	146	83	76	83	76	78	-0.034	5.34	1.63
210	29.559	25.699	0.14	0.13	1.630	88.000	-0.500	1.13	89	-1.7	84	0.068	99	101	3.1	-0.2	160	369	185	423	414	310	N/A	142	83	76	82	76	78	-0.033	4.94	1.5
220	30.961	27.011	0.14	0.13	1.630	88.000	-0.500	1.13	89	-1.1	84	0.068	99	102	3.0	-0.1	158	368	182	417	407	306	N/A	143	83	76	82	76	78	-0.034	4.99	1.79
230	32.359	28.344	0.14	0.13	1.620	88.000	-0.500	1.12	89	-1.2	84	0.068	99	104	2.9	-0.1	156	367	180	412	400	303	N/A	140	83	75	82	75	78	-0.033	4.91	1.87
240	33.756	29.683	0.14	0.13	1.630	88.000	-0.500	1.12	89	-1.2	84	0.068	99	104	2.7	-0.2	154	365	178	408	393	300	N/A	138	82	75	82	75	78	-0.032	4.67	1.93
250	35.156	31.002	0.14	0.13	1.630	88.000	-0.500	1.13	89	-1.2	83	0.068	99	102	2.6	-0.1	150	363	174	402	386	295	N/A	134	82	75	82	75	77	-0.031	4.78	1.72
260	36.556	32.303	0.14	0.13	1.620	87.000	-0.510	1.13	89	-1	83	0.068	99	101	2.5	-0.1	147	362	174	395	379	291	N/A	130	82	75	81	75	77	-0.031	4.73	1.73
270	37.954	33.584	0.14	0.13	1.620	87.000	-0.510	1.13	88	-1	84	0.068	99	100	2.3	-0.2	147	361	174	389	373	289	N/A	130	82	74	82	74	79	-0.031	4.71	1.62
280																																

Wood Heater Test Data - ASTM E2780 / ASTM E2515

Run:	<u>1</u>	Manufacturer:	Hearth & Home	PM Control Modules:	<u>371, 372</u>	Avg. Tunnel Velocity:	<u>16.98</u> ft/sec.
Model:	57ST-ACC-C	Dilution Tunnel MW(dry):	<u>29.00</u> lb/lb-mole	Initial Tunnel Flow:	<u>177.3</u> scfm	Technician Signature:	<u>Brian K. D.</u>
Tracking No.:	<u>2187</u>	Dilution Tunnel MW(wet):	<u>28.78</u> lb/lb-mole	Average Tunnel Flow:	<u>178.9</u> scfm		
Project No.:	<u>0061WS092E</u>	Dilution Tunnel H ₂ O:	<u>2.00</u> percent	Post-Test Leak Check (1):	<u>0.000</u> cfm @ <u>11</u> in. Hg		
Test Date:	<u>05/15/17</u>	Dilution Tunnel Static:	<u>-0.612</u> "H ₂ O	Post-Test Leak Check (2):	<u>0.000</u> cfm @ <u>14</u> in. Hg		
Beginning Clock Time:	<u>11:51</u>	Tunnel Area:	<u>0.19635</u> ft ²	Average Test Piece Fuel Moisture:	<u>20.08</u> Dry Basis %		
Meter Box Y Factor:	<u>1.001</u> (1)	Pitot Tube Cp:	<u>0.99</u>				
Background Sample Volume:	<u>79.405</u> cubic feet						
Barometric Pressure:	Begin	Middle	End	Average			
	<u>28.34</u>	<u>28.36</u>	<u>28.38</u>	<u>28.36</u> °Hg			
OMNI Equipment Numbers:							

Velocity Traverse Data

	Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center
Initial dP	<u>0.060</u>	<u>0.066</u>	<u>0.060</u>	<u>0.060</u>	<u>0.052</u>	<u>0.056</u>	<u>0.064</u>	<u>0.054</u>	<u>0.068</u>
Temp:	<u>88</u>	<u>88</u>	<u>88</u>	<u>88</u>	<u>88</u>	<u>88</u>	<u>88</u>	<u>88</u>	<u>88</u>
V _{strav}	<u>16.99</u>	ft/sec	V _{scent}	<u>18.10</u>	ft/sec	F _p	<u>0.938</u>		

Elapsed Time (min)	Particulate Sampling Data										Temperature Data (°F)										Stack Gas Data											
	Gas Meter 1 (ft ³)	Gas Meter 2 (ft ³)	Sample Rate 1 (cfm)	Sample Rate 2 (cfm)	Orifice dH 1 ("H ₂ O)	Meter 1 Temp (°F)	Meter 1 Vacuum ("Hg)	Orifice dH 2 ("H ₂ O)	Meter 2 Temp (°F)	Meter 2 Vacuum ("Hg)	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Firebox Top	Firebox Bottom	Firebox Back	Firebox Left	Firebox Right	Avg. Stove Surface Temp	Catalyst Exit Temp	Stack	Filter 1	Dryer Exit 1	Filter 2	Dryer Exit 2	Ambient	Draft ("H ₂ O)	CO ₂ (%)	CO (%)	
370	<u>51.845</u>	<u>46.573</u>	0.14	0.13	<u>1.63</u>	<u>87</u>	<u>-0.51</u>	<u>1.11</u>	<u>88</u>	<u>-1</u>	<u>84</u>	<u>0.068</u>	99	105	<u>1.1</u>	<u>-0.1</u>	<u>146</u>	<u>344</u>	<u>178</u>	<u>357</u>	<u>364</u>	<u>278</u>	N/A	<u>128</u>	<u>83</u>	<u>74</u>	<u>83</u>	<u>74</u>	<u>80</u>	<u>-0.030</u>	<u>4.58</u>	<u>1.76</u>
380	<u>53.240</u>	<u>47.923</u>	0.14	0.14	<u>1.62</u>	<u>87</u>	<u>-0.52</u>	<u>1.12</u>	<u>88</u>	<u>-1</u>	<u>85</u>	<u>0.068</u>	99	105	<u>0.9</u>	<u>-0.2</u>	<u>145</u>	<u>344</u>	<u>179</u>	<u>355</u>	<u>360</u>	<u>277</u>	N/A	<u>128</u>	<u>83</u>	<u>74</u>	<u>83</u>	<u>74</u>	<u>81</u>	<u>-0.031</u>	<u>4.78</u>	<u>1.88</u>
390	<u>54.628</u>	<u>49.263</u>	0.14	0.13	<u>1.61</u>	<u>86</u>	<u>-0.52</u>	<u>1.12</u>	<u>87</u>	<u>-1.2</u>	<u>85</u>	<u>0.068</u>	99	105	<u>0.8</u>	<u>-0.1</u>	<u>144</u>	<u>344</u>	<u>180</u>	<u>354</u>	<u>356</u>	<u>276</u>	N/A	<u>126</u>	<u>84</u>	<u>74</u>	<u>83</u>	<u>74</u>	<u>81</u>	<u>-0.030</u>	<u>4.33</u>	<u>1.71</u>
400	<u>56.018</u>	<u>50.604</u>	0.14	0.13	<u>1.62</u>	<u>86</u>	<u>-0.51</u>	<u>1.11</u>	<u>87</u>	<u>-1.2</u>	<u>85</u>	<u>0.068</u>	99	105	<u>0.7</u>	<u>-0.1</u>	<u>143</u>	<u>342</u>	<u>179</u>	<u>351</u>	<u>353</u>	<u>274</u>	N/A	<u>124</u>	<u>84</u>	<u>74</u>	<u>83</u>	<u>74</u>	<u>81</u>	<u>-0.030</u>	<u>4.62</u>	<u>1.82</u>
410	<u>57.419</u>	<u>51.941</u>	0.14	0.13	<u>1.62</u>	<u>86</u>	<u>-0.52</u>	<u>1.13</u>	<u>87</u>	<u>-1.2</u>	<u>85</u>	<u>0.068</u>	100	104	<u>0.6</u>	<u>-0.1</u>	<u>142</u>	<u>341</u>	<u>179</u>	<u>347</u>	<u>350</u>	<u>272</u>	N/A	<u>123</u>	<u>84</u>	<u>74</u>	<u>84</u>	<u>74</u>	<u>81</u>	<u>-0.030</u>	<u>4.42</u>	<u>1.74</u>
420	<u>58.817</u>	<u>53.286</u>	0.14	0.13	<u>1.61</u>	<u>86</u>	<u>-0.51</u>	<u>1.12</u>	<u>87</u>	<u>-1.2</u>	<u>85</u>	<u>0.068</u>	100	105	<u>0.4</u>	<u>-0.2</u>	<u>141</u>	<u>339</u>	<u>178</u>	<u>344</u>	<u>348</u>	<u>270</u>	N/A	<u>123</u>	<u>84</u>	<u>74</u>	<u>84</u>	<u>74</u>	<u>82</u>	<u>-0.030</u>	<u>4.57</u>	<u>1.8</u>
430	<u>60.206</u>	<u>54.635</u>	0.14	0.13	<u>1.62</u>	<u>86</u>	<u>-0.52</u>	<u>1.12</u>	<u>87</u>	<u>-1.2</u>	<u>85</u>	<u>0.068</u>	99	105	<u>0.3</u>	<u>-0.1</u>	<u>140</u>	<u>338</u>	<u>179</u>	<u>341</u>	<u>345</u>	<u>269</u>	N/A	<u>123</u>	<u>84</u>	<u>74</u>	<u>84</u>	<u>74</u>	<u>82</u>	<u>-0.029</u>	<u>4.67</u>	<u>1.8</u>
440	<u>61.595</u>	<u>55.987</u>	0.14	0.14	<u>1.62</u>	<u>86</u>	<u>-0.52</u>	<u>1.13</u>	<u>87</u>	<u>-1.2</u>	<u>85</u>	<u>0.068</u>	99	106	<u>0.2</u>	<u>-0.1</u>	<u>140</u>	<u>337</u>	<u>180</u>	<u>339</u>	<u>342</u>	<u>268</u>	N/A	<u>123</u>	<u>84</u>	<u>74</u>	<u>84</u>	<u>74</u>	<u>82</u>	<u>-0.030</u>	<u>4.29</u>	<u>1.62</u>
450	<u>62.978</u>	<u>57.341</u>	0.14	0.14	<u>1.62</u>	<u>86</u>	<u>-0.52</u>	<u>1.12</u>	<u>87</u>	<u>-1.2</u>	<u>85</u>	<u>0.068</u>	99	106	<u>0.1</u>	<u>-0.1</u>	<u>140</u>	<u>336</u>	<u>180</u>	<u>336</u>	<u>340</u>	<u>266</u>	N/A	<u>122</u>	<u>84</u>	<u>74</u>	<u>84</u>	<u>74</u>	<u>82</u>	<u>-0.029</u>	<u>4.73</u>	<u>1.79</u>
460	<u>64.360</u>	<u>58.696</u>	0.14	0.14	<u>1.62</u>	<u>86</u>	<u>-0.52</u>	<u>1.12</u>	<u>87</u>	<u>-1.2</u>	<u>84</u>	<u>0.068</u>	98	106	<u>0.0</u>	<u>-0.1</u>	<u>139</u>	<u>335</u>	<u>179</u>	<u>333</u>	<u>339</u>	<u>265</u>	N/A	<u>123</u>	<u>84</u>	<u>74</u>	<u>83</u>	<u>74</u>	<u>81</u>	<u>-0.029</u>	<u>4.47</u>	<u>1.66</u>
Avg/Tot	<u>64.360</u>	<u>58.696</u>	0.14	0.13	<u>1.60</u>	<u>86</u>	<u>1.10</u>	<u>87</u>	<u>87</u>	<u>0.068</u>	<u>100</u>	<u>100</u>								<u>97.6</u>				<u>75</u>	<u>84</u>	<u>75</u>	<u>80</u>	<u>-0.040</u>				

Wood Heater Lab Data - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home Equipment Numbers: _____
 Model: 57ST-ACC-C
 Tracking No.: 2187
 Project No.: 0061WS092E
 Run #: 1
 Date: 5/15/17

TRAIN 1 (First Hour emissions)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D169	135.5	122.4	13.1
C. Rear filter catch	Filter				0.0
D. Probe catch*	Probe				0.0
E. Filter seals catch*	Seals				0.0

Sub-Total	Total Particulate, mg:	13.1
------------------	------------------------	------

TRAIN 1 (Post First Hour Change-out)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D171	124.6	120.0	4.6
C. Rear filter catch	Filter	D170	123.6	123.0	0.6
D. Probe catch*	Probe	OES 4	114146.9	114146.5	0.4
E. Filter seals catch*	Seals	R469	3619.9	3619.9	0.0

Sub-Total	Total Particulate, mg:	5.6
------------------	------------------------	-----

Train 1 Aggregate	Total Particulate, mg:	18.7
--------------------------	------------------------	------

TRAIN 2

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch	Filter	D172	137.3	122.2	15.1
B. Rear filter catch	Filter	D173	123.7	123.3	0.4
C. Probe catch*	Probe	6	115352.7	115352.5	0.2
D. Filter seals catch*	Seals	R470	3323.5	3323.3	0.2

Total Particulate, mg:	15.9
------------------------	------

AMBIENT

Sample Component	Reagent	Filter # or Probe #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch*	Filter	D174	120.2	120.2	0.0

Total Particulate, mg:	0.0
------------------------	-----

*Particulate catch that results in a negative number, is assumed to be zero for probes and seals, negative numbers for filters are assumed to be part of the seal weight.

Component	Equations:
A. Front filter catch	Final (mg) - Tare (mg) = Particulate, mg
B. Rear filter catch	Final (mg) - Tare (mg) = Particulate, mg
C. Probe catch	Final (mg) - Tare (mg) = Particulate, mg

Technician Signature: Barbara M. D.

Wood Heater Test Fuel Data - ASTM E2780

Manufacturer: Hearth & Home
Model: 57ST-ACC-C
Tracking No.: 2187
Project No.: 0061WS092E
Test Date: 5/15/2017
Run No.: 1

Firebox Volume (ft ³):	2.92
Fuel Piece Length (in):	18
2x4 Crib Weight (lb):	10
4x4 Crib Weight (lb):	9.1

Total Fuel Weight (Dry Basis, lb):	16.1	
Fuel Density (lb/ft ³ , Dry Basis):	29.19	OK
Loading Density (lb/ft ³ , Wet Basis):	6.54	OK
2x4 Percentage:	52%	OK

Coal Bed Range (20-25%): **3.82 - 4.775**

Spacer Readings (Dry Basis %)	
8.9	9.1
8.0	8.0
9.0	8.2
8.3	9.1
8.7	9.1
9.3	8.1
8.8	8.1
8.4	8.2
8.8	8.8
8.3	9.1
9.5	7.8
9.0	
8.8	

Technician Signature:

OMNI-Test Laboratories, Inc.

Manufacturer: Hearth & Home

Technicians: Brian W. D.

Model: 57ST-ACC-C

Date: 05/15/17

Run: 1

Control #: 0061WS092E

Test Duration: 460

Output Category: 2

Test Results in Accordance with CSA B415.1-09

	HHV Basis	LHV Basis
Overall Efficiency	72.2%	78.0%
Combustion Efficiency	90.7%	90.7%
Heat Transfer Efficiency	80%	86.1%

Output Rate (kJ/h)	13,464	12,772	(Btu/h)
Burn Rate (kg/h)	0.94	2.07	(lb/h)
Input (kJ/h)	18,648	17,690	(Btu/h)

Test Load Weight (dry kg)	7.22	15.91	dry lb
MC wet (%)	16.72		
MC dry (%)	20.08		
Particulate (g)	25.2		
CO (g)	947		
Test Duration (h)	7.67		

Emissions	Particulate	CO
g/MJ Output	0.24	9.18
g/kg Dry Fuel	3.49	131.23
g/h	3.29	123.53
lb/MM Btu Output	0.57	21.32

Air/Fuel Ratio (A/F)	16.82
-----------------------------	-------

VERSION:

2.2

12/14/2009

VERSION: 2.2

12/14/2009

Manufacturer: Hearth & Home
Model: 57ST-ACC-C
Date: 5/15/2017
Run: 1
Control #: 0061WS092E


Test Duration: 460**Output Category:** 2**Appliance Type:** Non-Cat (Cat, Non-Cat, Pellet)

Temp. Units F (F or C)
Weight Units lb (kg or lb)

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 1Model: 57ST-ACC-CTracking Number: 2187Date: 5/15/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Run Notes****Air Control Settings**

Primary:

Secondary:

fixed

Tertiary/Pilot:

Boat air not used


Fan:

on high**Preburn Notes**

Time	Notes
50	<u>Leveled coal bed</u>

Test Notes

Sketch test fuel configuration:



Start up procedures & Timeline:

Bypass:

N/A

Fuel loaded by:

44 seconds

Door closed at:

50 seconds

Primary air:

fully open until 50 min.Then set to test setting.Fan off for first 30 min, then set to High.Boat air locked open until 50 min.Then timed Air was activated.

Notes:

Time	Notes
60	<u>front filters changed in transit.</u>

Technician Signature: B. DavisDate: 6/1/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run Sheets

Client: Hearth & Home

Project Number: 0061WS092E

Run Number: 1

Model: 57ST-ACC-C

Tracking Number: 2187

Date: 5/15/17

Test Crew: B. Davis

OMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A

Wood Heater Fuel Data

Fuel: Douglas fir, untreated and air dried, standard grade or better dimensional lumber

Pre-Burn Fuel

Calibration: Cal Value (1) = 12% Actual Reading 12.0
 Cal Value (2) = 22% Actual Reading 22.0

Piece:	Length:	Reading:	Piece:	Length:	Reading:
1	8 in	21.7	7	_____ in	_____
2	8 in	22.8	8	_____ in	_____
3	8 in	19.3	9	_____ in	_____
4	_____ in	_____	10	_____ in	_____
5	_____ in	_____	11	_____ in	_____
6	_____ in	_____	12	_____ in	_____

Total Pre-Burn Fuel Weight: 2.9 Pre-Burn Fuel Average Moisture: 21.27Time (clock): 10:30 Room Temperature (F): 65 Initials: BD**Test Fuel**

Firebox Volume (ft³): 2.9 Test Fuel Piece Length (in): 18
 Load Weight Range (lb): 20.3 Total Wet Fuel Load Weight (lb): 19.1
15.3 - 22.3

Fuel Type & Amount: 2 x 4: 4 4 x 4: 2
 Weight (with spacers): 10.0 Weight (with spacers): 9.1

Piece:	Weight (lbs):	Moisture Readings (%DB):			Fuel Type:
1	2.3	22.8	20.3	23.0	2x4
2	2.1	21.4	19.3	20.9	2x4
3	1.8	19.1	19.7	19.2	2x4
4	2.1	19.3	19.3	19.0	2x4
5	3.6	20.2	21.1	20.6	4x4
6	4.7	19.6	19.4	18.7	4x4
7	_____	_____	_____	_____	_____

Spacer Moisture Readings (%DB)

8.9	8.7	8.8	8.8	9.1	8.2	_____	_____
8.0	9.3	8.3	9.1	9.1	8.8	_____	_____
9.0	8.8	9.5	8.0	8.1	9.1	_____	_____
8.3	8.4	9.0	8.2	8.1	7.8	_____	_____

Time (clock): 10:10 Room Temperature (F): 65 Initials: BDTechnician Signature: B. DavisDate: 6/1/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 1Model: 57ST-ACC-CTracking Number: 2187Date: 5/15/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Supplemental Data**Start Time: 11:51Booth #: 7Stop Time: 19:31**Stack Gas Leak Check:**Initial: good Final: good**Sample Train Leak Check:**A: 0.0 @ 11 "Hg
B: 0.0 @ 14 "HgCalibrations: Span Gas CO₂: 15.96 CO: 5.08

	Pre Test		Post Test	
	Zero	Span	Zero	Span
Time	<u>Ø</u>	<u>Ø</u>	<u>1935</u>	<u>1935</u>
CO ₂	<u>0.00</u>	<u>15.97</u>	<u>0.02</u>	<u>15.83</u>
CO	<u>0.000</u>	<u>5.08</u>	<u>0.000</u>	<u>4.959</u>

Air Velocity (ft/min): Initial: 150 Final: 150Scale Audit (lbs): Initial: 10.0 Final: 10.0Pitot Tube Leak Test: Initial: good Final: goodStack Diameter (in): 6"Induced Draft: 0.0% Smoke Capture: 100%

Flue Pipe Cleaned Prior to First Test in Series:

Date: 5/15/17 Initials: BS

	Initial	Middle	Ending
P _b (in/Hg)	<u>28.34</u>	<u>28.36</u>	<u>28.38</u>
RH (%)	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Ambient (°F)	<u>79</u>	<u>78</u>	<u>81</u>

Background Filter Volume: 79.405

Tunnel Traverse		
Microtector Reading	dP (in H ₂ O)	T(°F)
1	.060	88
2	.066	88
3	.060	88
4	.060	88
1	.060	88
2	.056	88
3	.064	88
4	.054	88
Center: <u>.062</u>		
	.070	
	.064	88
	.068	

Tunnel Static Pressure (in H ₂ O):	
Beginning of Test	End of Test
<u>-44</u>	<u>-0.612</u>

Technician Signature: BSDate: 5/15/17

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Run 2

Wood Heater Test Results - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home
 Model: 57ST-ACC-C
 Project No.: 0061WS092E
 Tracking No.: 2187
 Run: 2
 Test Date: 05/16/17

Burn Rate	0.96 kg/hr dry
Average Tunnel Temperature Average Gas Velocity in Dilution Tunnel - vs Average Gas Flow Rate in Dilution Tunnel - Qsd	87 degrees Fahrenheit 16.71 feet/second 10486.0 dscf/hour
Average Delta p Total Time of Test	0.061 inches H2O 460 minutes

	AMBIENT	SAMPLE TRAIN 1	SAMPLE TRAIN 2	FIRST HOUR FILTER (TRAIN 1)
Total Sample Volume - Vm Average Gas Meter Temperature Total Sample Volume (Standard Conditions) - Vmstd	81.404 cubic feet 80 degrees Fahrenheit 74.588 dscf	62.410 cubic feet 84 degrees Fahrenheit 57.224 dscf	62.456 cubic feet 85 degrees Fahrenheit 56.611 dscf	8.204 cubic feet 84 degrees Fahrenheit 7.522 dscf
Total Particulates - m _n Particulate Concentration (dry-standard) - C _r /C _s Total Particulate Emissions - E _T	0.5 mg 0.000007 grams/dscf 0.54 grams	7.5 mg 0.00013 grams/dscf 10.00 grams	6.2 mg 0.00011 grams/dscf 8.27 grams	3 mg 0.00040 grams/dscf 4.18 grams
Particulate Emission Rate Emissions Factor	0.07 grams/hour 1.36 g/kg	1.30 grams/hour 1.12 g/kg	1.08 grams/hour 0.87 grams	4.18 grams/hour 1.42 g/kg
Difference from Average Total Particulate Emissions				Dual Train Comparison Results Are Acceptable

FINAL AVERAGE RESULTS	
Complete Test Run	
Total Particulate Emissions - E _T	9.13 grams
Particulate Emission Rate	1.19 grams/hour
Emissions Factor	1.24 grams/kg
First Hour Emissions	
Total Particulate Emissions - E _T	4.18 grams
Particulate Emission Rate	4.18 grams/hour
Emissions Factor	1.42 grams/kg


QUALITY CHECKS	
Filter Temps < 90 °F	OK
Filter Face Velocity (47 mm)	OK
Dryer Exit Temp < 80°F	OK
Leakage Rate	OK
Ambient Temp (55-90°F)	OK
Negative Probe Weight Eval.	OK
Pro-Rate Variation	OK
Train Precision ≤ 7.5%	9.48
Train Precision ±0.5 g/kg	0.23
Stove Surface ΔT	OK

Technician Signature: _____

Wood Heater Preburn Data - ASTM E2780

Run:	2
Manufacturer:	Hearth & Home
Model:	57ST-ACC-C
Tracking No.:	2187
Project No.:	0061WS092E
Test Date:	05/16/17
Beginning Clock Time:	10:00:00 AM

Coal Bed	
Range (lb):	3.9 (min) 4.8 (max)

Technician Signature: 

Wood Heater Test Data - ASTM E2780 / ASTM E2515

Run:	2	Manufacturer:	Hearth & Home	PM Control Modules:															
Model:	57ST-ACC-C	Dilution Tunnel MW(dry):	29.00 lb/lb-mole	Avg. Tunnel Velocity:	16.71 ft/sec.														
Tracking No.:	2187	Dilution Tunnel MW(wet):	28.78 lb/lb-mole	Initial Tunnel Flow:	173.7 scfm														
Project No.:	0061WS092E	Dilution Tunnel H2O:	2.00 percent	Average Tunnel Flow:	174.8 scfm														
Test Date:	16-May-17	Dilution Tunnel Static:	-0.590 "H2O	Post-Test Leak Check (1):	0.000 cfm @ 10 in. Hg														
Beginning Clock Time:	11:03	Tunnel Area:	0.19635 ft ²	Post-Test Leak Check (2):	0.000 cfm @ 10 in. Hg														
Meter Box Y Factor:	1.001 (1) 0.993 (2) 0.997 (Amb)	Pitot Tube Cp:	0.99	Average Test Piece Fuel Moisture:	20.23 Dry Basis %														
Barometric Pressure:	Begin 28.07 Middle 28.14 End 28.16 Average 28.12 "Hg																		
OMNI Equipment Numbers:							Velocity Traverse Data												
	Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center										
Initial dP	0.050	0.052	0.062	0.058	0.056	0.060	0.062	0.058	0.061	"H2O									
Temp:	90	90	90	90	90	90	90	90	90	°F	V _{strav}	16.77	ft/sec	V _{scent}	17.26	ft/sec	F _p	0.972	

Elapsed Time (min)	Particulate Sampling Data										Temperature Data (°F)										Stack Gas Data											
	Gas Meter 1 (ft ³)	Gas Meter 2 (ft ³)	Sample Rate 1 (cfm)	Orifice dH 1 ("H ₂ O)	Meter 1 Temp (°F)	Meter 1 Vacuum ("Hg)	Orifice dH 2 ("H ₂ O)	Meter 2 Temp (°F)	Meter 2 Vacuum ("Hg)	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Firebox Top	Firebox Bottom	Firebox Back	Firebox Left	Firebox Right	Avg. Stove Surface Temp	Catalyst Exit Temp	Stack	Filter 1	Dryer Exit 1	Filter 2	Dryer Exit 2	Ambient	Draft ("H ₂ O)	CO ₂ (%)	CO (%)		
0	0.000	0.000		1.56	76	-0.43	1.11	76	-1.2	90	0.061		19.3		188	501	244	441	475	370	N/A	205	84	72	84	72	76	-0.050	1.09	0.29		
10	1.312	1.328	0.13	0.13	1.52	77	-0.42	1.09	77	-1	90	0.061	98	100	18.3	-1	289	488	265	408	441	378	N/A	354	84	73	84	72	75	-0.073	10.46	0.67
20	2.648	2.682	0.13	0.14	1.57	78	-0.49	1.17	79	-1.5	99	0.061	101	102	16.2	-2.1	645	469	301	414	450	456	N/A	480	86	73	86	73	75	-0.081	13.05	0.62
30	4.005	4.070	0.14	0.14	1.57	80	-0.47	1.17	81	-1.1	93	0.061	101	104	14.9	-1.3	621	453	317	410	444	449	N/A	366	86	74	86	73	75	-0.071	9.31	0.42
40	5.382	5.458	0.14	0.14	1.57	81	-0.47	1.15	82	-1.2	95	0.061	103	104	13.7	-1.2	449	437	201	409	432	386	N/A	373	87	74	86	73	77	-0.071	11.64	0.09
50	6.794	6.847	0.14	0.14	1.57	83	-0.47	1.17	84	-1.2	94	0.061	105	103	12.6	-1.1	396	422	184	411	422	367	N/A	357	87	75	87	74	78	-0.070	11.17	0.14
60	8.204	8.236	0.14	0.14	1.57	84	-0.47	1.17	85	-1.2	95	0.061	105	103	11.5	-1.1	405	408	182	430	414	368	N/A	376	88	76	87	75	79	-0.073	12.79	0.62
70	9.620	9.630	0.14	0.14	1.57	85	-0.47	1.17	86	-1.2	96	0.061	105	103	10.2	-1.3	412	395	189	472	438	381	N/A	372	88	76	88	75	79	-0.071	13.77	0.94
80	11.031	11.022	0.14	0.14	1.56	85	-0.48	1.16	86	-1.2	96	0.061	105	103	8.8	-1.4	420	385	197	504	461	393	N/A	367	88	77	88	75	80	-0.071	13.63	0.82
90	12.444	12.413	0.14	0.14	1.56	86	-0.48	1.16	87	-1.2	96	0.061	105	103	7.6	-1.2	411	377	202	525	473	398	N/A	362	88	77	88	76	80	-0.070	13.61	0.99
100	13.855	13.793	0.14	0.14	1.54	86	-0.46	1.09	87	-1.1	96	0.061	104	102	6.4	-1.2	419	370	207	540	489	405	N/A	347	88	77	88	76	80	-0.067	13.13	0.8
110	15.258	15.138	0.14	0.13	1.53	87	-0.45	1.09	88	-1.1	94	0.061	103	99	5.5	-0.9	371	365	211	547	506	400	N/A	296	88	78	88	77	80	-0.060	10.17	0.92
120	16.661	16.485	0.14	0.13	1.53	87	-0.45	1.09	88	-1.1	92	0.061	103	99	5.0	-0.5	317	362	211	528	511	386	N/A	261	88	78	87	77	80	-0.056	9.01	0.76
130	18.034	17.832	0.14	0.13	1.54	87	-0.45	1.09	88	-1.1	90	0.061	101	99	4.5	-0.5	260	360	207	505	506	368	N/A	216	87	78	87	77	79	-0.049	7.08	1.59
140	19.406	19.181	0.14	0.13	1.53	87	-0.44	1.09	88	-1.1	87	0.061	101	99	4.2	-0.3	213	358	202	483	486	348	N/A	185	86	77	85	77	79	-0.044	5.97	1.53
150	20.768	20.531	0.14	0.14	1.54	87	-0.44	1.10	88	-1.1	86	0.061	100	99	4.0	-0.2	189	357	199	460	467	334	N/A	167	84	77	84	76	79	-0.040	5.81	1.45
160	22.130	21.881	0.14	0.14	1.55	87	-0.44	1.10	88	-1.1	85	0.061	100	99	3.9	-0.1	177	357	198	441	452	325	N/A	159	84	77	84	76	79	-0.038	5.87	1.61
170	23.488	23.233	0.14	0.14	1.55	87	-0.45	1.09	88	-1.1	86	0.061	99	99	3.7	-0.2	172	359	195	427	440	319	N/A	154	84	76	84	75	81	-0.037	5.86	1.77
180	24.838	24.585	0.14	0.14	1.55	86	-0.45	1.10	88	-1.2	86	0.061	99	99	3.6	-0.1	166	358	193	416	428	312	N/A	150	84	75	84	75	82	-0.036	5.42	2.03
190	26.190	25.936	0.14	0.14	1.55	86	-0.45	1.10	87	-1.3	86	0.061	99	99	3.5	-0.1	162	357	190	407	417	307	N/A	146	84	74	84	74	82	-0.036	5.48	2.17
200	27.540	27.289	0.14	0.14	1.55	85	-0.45	1.10	87	-1.3	85	0.061	99	99	3.3	-0.2	159	355	187	400	407	302	N/A	142	84	74	84	73	82	-0.035	5.42	2.2
210	28.890	28.641	0.14	0.14	1.55	85	-0.46	1.10	86	-1.3	85	0.061	99	99	3.2	-0.1	157	353	185	392	399	297	N/A	140	84	73	84	73	82	-0.033	5.36	2.22
220	30.237	29.992	0.13	0.14	1.55	84	-0.45	1.10	86	-1.3	85	0.061	99	99	3.1	-0.1	155	350	183	386	391	293	N/A	143	84	73	84	73	82	-0.035	5.2	2.35
230	31.581	31.343	0.13	0.14	1.55	84	-0.46	1.10	86	-1.3	85	0.061	99	99	3.0	-0.1	155	347	180	380	385	289	N/A	143	84	73	84	73	82	-0.034	5.29	2.31
240	32.926	32.695	0.13	0.14	1.54	84	-0.45	1.10	86	-1.4	85	0.061	99	99	2.9	-0.1	153	345	177	373	381	286	N/A	142	84	73	84	72	82	-0.034	5.38	2.26
250	34.428	34.047	0.13	0.14	1.55	84	-0.45	1.10	86	-1.4	85	0.061	99	99	2.8	-0.1	152	343	176	367	378	283	N/A	141	84	73	83	72	82	-0.034	5.08	2.12
260	35.604	35.399	0.13	0.14	1.55	84	-0.46	1.10	85	-1.3	85	0.061	98	99	2.6	-0.2	149	342	174	363	375	281	N/A	140	84	72	83	72	82	-0.034	5.2	2.27
270	36.940	36.751	0.13	0.14	1.55	84	-0.46	1.10	85	-1.4	85	0.061	98	99	2.5	-0.1	149	341	174	361	371	279	N/A	141	84	72	83	72	82	-0.034	5.47	2.32
280	38.279	38.103	0.13	0.14	1.55	84	-0.46	1.10	85	-1.4	85	0.061	98	99	2.4	-0.1	149	340	175	360	369	279	N/A	140	84	72						

Wood Heater Test Data - ASTM E2780 / ASTM E2515

Run:	<u>2</u>	Manufacturer:	Hearth & Home	PM Control Modules:																														
Model:	57ST-ACC-C	Total Sampling Time:	<u>460</u> min	Dilution Tunnel MW(dry):	<u>29.00</u> lb/lb-mole	Avg. Tunnel Velocity:	<u>16.71</u> ft/sec.																											
Tracking No.:	<u>2187</u>	Recording Interval:	<u>10</u> min	Dilution Tunnel MW(wet):	<u>28.78</u> lb/lb-mole	Initial Tunnel Flow:	<u>173.7</u> scfm																											
Project No.:	0061WS092E	Background Sample Volume:	<u>81.404</u> cubic feet	Dilution Tunnel H ₂ O:	<u>2.00</u> percent	Average Tunnel Flow:	<u>174.8</u> scfm																											
Test Date:	16-May-17	Meter Box Y Factor:	<u>1.001</u> (1) <u>0.993</u> (2) <u>0.997</u> (Amb)	Dilution Tunnel Static:	<u>-0.590</u> "H ₂ O	Post-Test Leak Check (1):	<u>0.000</u> cfm @ <u>10</u> in. Hg																											
Beginning Clock Time:	<u>11:03</u>	Barometric Pressure:	Begin <u>28.07</u> Middle <u>28.14</u> End <u>28.16</u> Average <u>28.12</u> "Hg	Tunnel Area:	<u>0.19635</u> ft ²	Post-Test Leak Check (2):	<u>0.000</u> cfm @ <u>10</u> in. Hg																											
Pitot Tube Cp:	<u>0.99</u>	OMNI Equipment Numbers:									Average Test Piece Fuel Moisture:	<u>20.23</u> Dry Basis %																						
Velocity Traverse Data																																		
		Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center																								
Initial dP:	<u>0.050</u>	<u>0.052</u>	<u>0.062</u>	<u>0.058</u>	<u>0.056</u>	<u>0.060</u>	<u>0.062</u>	<u>0.058</u>	<u>0.061</u>																									
Temp:	<u>90</u>	<u>90</u>	<u>90</u>	<u>90</u>	<u>90</u>	<u>90</u>	<u>90</u>	<u>90</u>	<u>90</u>																									
V _{strav}	<u>16.77</u>	ft/sec	V _{scent}	<u>17.26</u>	ft/sec	F _p	<u>0.972</u>																											
Temperature Data (°F)																																		
Elapsed Time (min)	Gas Meter 1 (ft ³)	Gas Meter 2 (ft ³)	Sample Rate 1 (cfm)	Sample Rate 2 (cfm)	Orifice dH 1 ("H ₂ O)	Meter 1 Temp (°F)	Meter 1 Vacuum ("Hg)	Orifice dH 2 ("H ₂ O)	Meter 2 Temp (°F)	Meter 2 Vacuum ("Hg)	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Firebox Top	Firebox Bottom	Firebox Back	Firebox Left	Firebox Right	Avg. Stove Surface Temp	Catalyst Exit Temp	Stack	Filter 1	Dryer Exit 1	Filter 2	Dryer Exit 2	Ambient	Draft ("H ₂ O)	CO ₂ (%)	CO (%)			
370	<u>50.322</u>	<u>50.273</u>	0.13	0.14	<u>1.59</u>	<u>84</u>	<u>-0.48</u>	<u>1.10</u>	<u>85</u>	<u>-1.1</u>	<u>83</u>	<u>0.061</u>	99	99	<u>1.1</u>	<u>-0.2</u>	<u>146</u>	<u>334</u>	<u>177</u>	<u>355</u>	<u>366</u>	<u>276</u>	N/A	<u>143</u>	<u>82</u>	<u>72</u>	<u>82</u>	<u>71</u>	<u>80</u>	<u>-0.034</u>	<u>5.46</u>	<u>1.93</u>		
380	<u>51.666</u>	<u>51.627</u>	0.13	0.14	<u>1.59</u>	<u>83</u>	<u>-0.48</u>	<u>1.11</u>	<u>85</u>	<u>-1.3</u>	<u>83</u>	<u>0.061</u>	99	99	<u>1.0</u>	<u>-0.1</u>	<u>146</u>	<u>335</u>	<u>177</u>	<u>353</u>	<u>366</u>	<u>275</u>	N/A	<u>141</u>	<u>81</u>	<u>72</u>	<u>81</u>	<u>71</u>	<u>79</u>	<u>-0.034</u>	<u>5.38</u>	<u>1.98</u>		
390	<u>53.009</u>	<u>52.981</u>	0.13	0.14	<u>1.59</u>	<u>83</u>	<u>-0.48</u>	<u>1.11</u>	<u>85</u>	<u>-1.3</u>	<u>83</u>	<u>0.061</u>	99	99	<u>0.9</u>	<u>-0.1</u>	<u>146</u>	<u>335</u>	<u>177</u>	<u>351</u>	<u>366</u>	<u>275</u>	N/A	<u>142</u>	<u>81</u>	<u>71</u>	<u>79</u>	<u>71</u>	<u>79</u>	<u>-0.034</u>	<u>5.43</u>	<u>1.91</u>		
400	<u>54.353</u>	<u>54.335</u>	0.13	0.14	<u>1.60</u>	<u>83</u>	<u>-0.48</u>	<u>1.10</u>	<u>85</u>	<u>-1.3</u>	<u>83</u>	<u>0.061</u>	99	99	<u>0.8</u>	<u>-0.1</u>	<u>146</u>	<u>336</u>	<u>177</u>	<u>351</u>	<u>365</u>	<u>275</u>	N/A	<u>143</u>	<u>81</u>	<u>71</u>	<u>81</u>	<u>71</u>	<u>80</u>	<u>-0.034</u>	<u>5.45</u>	<u>2.05</u>		
410	<u>55.694</u>	<u>55.689</u>	0.13	0.14	<u>1.59</u>	<u>83</u>	<u>-0.48</u>	<u>1.10</u>	<u>84</u>	<u>-1.3</u>	<u>83</u>	<u>0.061</u>	99	100	<u>0.6</u>	<u>-0.2</u>	<u>146</u>	<u>336</u>	<u>178</u>	<u>351</u>	<u>365</u>	<u>275</u>	N/A	<u>143</u>	<u>81</u>	<u>71</u>	<u>81</u>	<u>71</u>	<u>80</u>	<u>-0.035</u>	<u>5.27</u>	<u>2.08</u>		
420	<u>57.036</u>	<u>57.044</u>	0.13	0.14	<u>1.60</u>	<u>83</u>	<u>-0.48</u>	<u>1.11</u>	<u>84</u>	<u>-1.5</u>	<u>82</u>	<u>0.061</u>	99	100	<u>0.5</u>	<u>-0.1</u>	<u>145</u>	<u>336</u>	<u>176</u>	<u>350</u>	<u>365</u>	<u>274</u>	N/A	<u>143</u>	<u>81</u>	<u>71</u>	<u>81</u>	<u>71</u>	<u>80</u>	<u>-0.034</u>	<u>5.21</u>	<u>2.11</u>		
430	<u>58.374</u>	<u>58.397</u>	0.13	0.14	<u>1.59</u>	<u>83</u>	<u>-0.48</u>	<u>1.11</u>	<u>84</u>	<u>-1.6</u>	<u>82</u>	<u>0.061</u>	98	99	<u>0.4</u>	<u>-0.1</u>	<u>144</u>	<u>336</u>	<u>174</u>	<u>349</u>	<u>364</u>	<u>273</u>	N/A	<u>142</u>	<u>81</u>	<u>71</u>	<u>81</u>	<u>70</u>	<u>79</u>	<u>-0.034</u>	<u>4.87</u>	<u>2.05</u>		
440	<u>59.722</u>	<u>59.751</u>	0.13	0.14	<u>1.58</u>	<u>83</u>	<u>-0.48</u>	<u>1.11</u>	<u>84</u>	<u>-1</u>	<u>82</u>	<u>0.061</u>	99	99	<u>0.2</u>	<u>-0.2</u>	<u>143</u>	<u>335</u>	<u>172</u>	<u>346</u>	<u>361</u>	<u>271</u>	N/A	<u>140</u>	<u>81</u>	<u>71</u>	<u>80</u>	<u>71</u>	<u>79</u>	<u>-0.033</u>	<u>4.76</u>	<u>2.02</u>		
450	<u>61.067</u>	<u>61.103</u>	0.13	0.14	<u>1.58</u>	<u>83</u>	<u>-0.47</u>	<u>1.10</u>	<u>84</u>	<u>-1</u>	<u>81</u>	<u>0.061</u>	99	99	<u>0.1</u>	<u>-0.1</u>	<u>141</u>	<u>333</u>	<u>172</u>	<u>342</u>	<u>358</u>	<u>269</u>	N/A	<u>137</u>	<u>80</u>	<u>71</u>	<u>80</u>	<u>71</u>	<u>78</u>	<u>-0.033</u>	<u>4.74</u>	<u>2.02</u>		
460	<u>62.410</u>	<u>62.456</u>	0.13	0.14	<u>1.58</u>	<u>84</u>	<u>-0.48</u>	<u>1.09</u>	<u>85</u>	<u>-1.2</u>	<u>81</u>	<u>0.061</u>	98	99	<u>0.0</u>	<u>-0.1</u>	<u>140</u>	<u>332</u>	<u>172</u>	<u>336</u>	<u>356</u>	<u>267</u>	N/A	<u>136</u>	<u>80</u>	<u>72</u>	<u>80</u>	<u>72</u>	<u>78</u>	<u>-0.033</u>	<u>4.7</u>	<u>2.02</u>		
Avg/Tot	62.410	62.456	0.14	0.14	1.56	84	1.11	85	87	0.061	100	100										102.6							74	84	73	80	-0.044	

Wood Heater Lab Data - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home Equipment Numbers: _____
 Model: 57ST-ACC-C
 Tracking No.: 2187
 Project No.: 0061WS092E
 Run #: 2
 Date: 5/16/17

TRAIN 1 (First Hour emissions)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D175	125.5	122.5	3.0
C. Rear filter catch	Filter				0.0
D. Probe catch*	Probe				0.0
E. Filter seals catch*	Seals				0.0

Sub-Total	Total Particulate, mg:	3.0
------------------	------------------------	------------

TRAIN 1 (Post First Hour Change-out)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D176	127.5	123.9	3.6
C. Rear filter catch	Filter	D177	120.9	120.7	0.2
D. Probe catch*	Probe	7	114984.0	114983.3	0.7
E. Filter seals catch*	Seals	R471	4147.3	4147.5	0.0

Sub-Total	Total Particulate, mg:	4.5
------------------	------------------------	------------

Train 1 Aggregate	Total Particulate, mg:	7.5
--------------------------	------------------------	------------

TRAIN 2

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch	Filter	D178	127.5	121.9	5.6
B. Rear filter catch	Filter	D179	124.4	124.1	0.3
C. Probe catch*	Probe	8	115595.2	115595.0	0.2
D. Filter seals catch*	Seals	R472	3594.5	3594.4	0.1

Total Particulate, mg:	6.2
------------------------	------------

AMBIENT

Sample Component	Reagent	Filter # or Probe #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch*	Filter	D73	121.7	121.2	0.5

Total Particulate, mg:	0.5
------------------------	------------

*Particulate catch that results in a negative number, is assumed to be zero for probes and seals, negative numbers for filters are assumed to be part of the seal weight.

Component	Equations:
A. Front filter catch	Final (mg) - Tare (mg) = Particulate, mg
B. Rear filter catch	Final (mg) - Tare (mg) = Particulate, mg
C. Probe catch	Final (mg) - Tare (mg) = Particulate, mg

Technician Signature: 

Wood Heater Test Fuel Data - ASTM E2780

Manufacturer: Hearth & Home
Model: 57ST-ACC-C
Tracking No.: 2187
Project No.: 0061WS092E
Test Date: 5/16/2017
Run No.: 2

Firebox Volume (ft ³):	2.92
Fuel Piece Length (in):	18
2x4 Crib Weight (lb):	9.3
4x4 Crib Weight (lb):	10

Total Fuel Weight (Dry Basis, lb):	16.3	
Fuel Density (lb/ft ³ , Dry Basis):	29.63	OK
Loading Density (lb/ft ³ , Wet Basis):	6.61	OK
2x4 Percentage:	48%	OK

Coal Bed Range (20-25%): **3.86 - 4.825**

Spacer Readings (Dry Basis %)	
8.0	8.1
8.1	7.9
7.6	8.8
8.9	8.5
8.4	8.7
8.3	8.4
9.4	8.7
8.9	8.0
8.8	8.9
8.0	8.8
8.9	8.2
8.1	
8.1	

Technician Signature:

OMNI-Test Laboratories, Inc.

Manufacturer: Hearth & Home

Technicians: Brian K. D.

Model: 57ST-ACC-C

Date: 05/16/17

Run: 2

Control #: 0061WS092E

Test Duration: 460

Output Category: 2

Test Results in Accordance with CSA B415.1-09

	HHV Basis	LHV Basis
Overall Efficiency	73.8%	79.7%
Combustion Efficiency	91.7%	91.7%
Heat Transfer Efficiency	80%	87.0%

Output Rate (kJ/h)	13,886	13,173	(Btu/h)
Burn Rate (kg/h)	0.95	2.09	(lb/h)
Input (kJ/h)	18,821	17,854	(Btu/h)

Test Load Weight (dry kg)	7.28	16.05	dry lb
MC wet (%)	16.82		
MC dry (%)	20.22		
Particulate (g)	9.13		
CO (g)	842		
Test Duration (h)	7.67		

Emissions	Particulate	CO
g/MJ Output	0.09	7.90
g/kg Dry Fuel	1.25	115.54
g/h	1.19	109.77
lb/MM Btu Output	0.20	18.37

Air/Fuel Ratio (A/F)	14.09
-----------------------------	-------

VERSION:

2.2

12/14/2009

VERSION: 2.2

12/14/2009

Manufacturer: Hearth & Home
Model: 57ST-ACC-C
Date: 5/16/2017
Run: 2
Control #: 0061WS092E
Test Duration: 460
Output Category: 2

Appliance Type: Non-Cat (Cat, Non-Cat, Pellet)

Temp. Units F (F or C)
Weight Units lb (kg or lb)


OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 2Model: 57ST-ACC-CTracking Number: 2187Date: 5/14/17

Test Crew: B. Davis

OMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419,
432, 265, 413, 283A**Wood Heater Run Notes****Air Control Settings**

Primary:



Secondary:

fixed

Tertiary/Pilot:

bust Air Not used


Fan:

on hig h**Preburn Notes**

Time	Notes
50	Leveled coal bed

Test Notes

Sketch test fuel configuration:



Start up procedures & Timeline:

Bypass:

N/A

Fuel loaded by:

80 seconds

Door closed at:

90 seconds

Primary air:

Fully open until flowset to test settingbust air locked open @ 0 minutesThen timed Air Activated @ 5:00 min.Fan off for 1st 30 min. then set tohigh for remainder of test)

Notes:

Time	Notes
60	changed front filter at time 4.

Technician Signature: B.D.Date: 6/1/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run Sheets

Client: Hearth & Home

Project Number: 0061WS092E

Run Number: 2

Model: 57ST-ACC-C

Tracking Number: 2187

Date: 5/16/17

Test Crew: B. Davis

OMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A

Wood Heater Fuel Data

Fuel: Douglas fir, untreated and air dried, standard grade or better dimensional lumber

Pre-Burn Fuel

Calibration: Cal Value (1) = 12% Actual Reading 12
 Cal Value (2) = 22% Actual Reading 22

Piece:	Length:	Reading:	Piece:	Length:	Reading:
1	8 in	19.5	7	_____ in	_____
2	8 in	20.0	8	_____ in	_____
3	8 in	18.6	9	_____ in	_____
4	_____ in	_____	10	_____ in	_____
5	_____ in	_____	11	_____ in	_____
6	_____ in	_____	12	_____ in	_____

Total Pre-Burn Fuel Weight: 25 Pre-Burn Fuel Average Moisture: 19.57Time (clock): 0930 Room Temperature (F): 70 Initials: BD**Test Fuel**

Firebox Volume (ft³): 2.9 Test Fuel Piece Length (in): 18
 Load Weight Range (lb): 20.3 Total Wet Fuel Load Weight (lb): 19.3
 18.3 - 21.3

Fuel Type & Amount: 2 x 4: 4 4 x 4: 2
 Weight (with spacers): 10.0 Weight (with spacers): 7.3

Piece:	Weight (lbs):	Moisture Readings (%DB):	Fuel Type:
1	<u>2.2</u>	<u>19.9</u>	<u>2x4</u>
2	<u>2.2</u>	<u>19.0</u>	<u>2x4</u>
3	<u>2.2</u>	<u>20.1</u>	<u>2x4</u>
4	<u>1.7</u>	<u>20.2</u>	<u>2x4</u>
5	<u>4.1</u>	<u>22.8</u>	<u>4x4</u>
6	<u>4.8</u>	<u>19.8</u>	<u>4x4</u>
7	_____	_____	_____

Spacer Moisture Readings (%DB)

<u>8.0</u>	<u>8.4</u>	<u>8.8</u>	<u>8.1</u>	<u>8.5</u>	<u>8.0</u>	_____	_____
<u>8.1</u>	<u>8.3</u>	<u>8.0</u>	<u>8.1</u>	<u>8.7</u>	<u>8.9</u>	_____	_____
<u>7.6</u>	<u>7.4</u>	<u>8.9</u>	<u>7.9</u>	<u>8.4</u>	<u>8.8</u>	_____	_____
<u>8.9</u>	<u>8.9</u>	<u>8.1</u>	<u>8.8</u>	<u>8.7</u>	<u>8.2</u>	_____	_____

Time (clock): 0930 Room Temperature (F): 70 Initials: BD

245

Technician Signature: B. DavisDate: 6/1/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 2Model: 57ST-ACC-CTracking Number: 2187Date: 5/14/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Supplemental Data**Start Time: 11:03Booth #: 7Stop Time: 1843**Stack Gas Leak Check:**Initial: good Final: good**Sample Train Leak Check:**A: 0.0 @ 10 "Hg
B: 0.0 @ 10 "HgCalibrations: Span Gas CO₂: 15.96 CO: 5.08

	Pre Test		Post Test	
	Zero	Span	Zero	Span
Time	<u>Ø</u>	<u>Ø</u>	<u>18.46</u>	<u>18.46</u>
CO ₂	<u>0.00</u>	<u>15.96</u>	<u>0.08</u>	<u>15.92</u>
CO	<u>0.000</u>	<u>5.082</u>	<u>0.020</u>	<u>5.064</u>

Air Velocity (ft/min): Initial: 250 Final: 250Scale Audit (lbs): Initial: 10.0 Final: 10.0Pitot Tube Leak Test: Initial: good Final: goodStack Diameter (in): 6"Induced Draft: 0.0% Smoke Capture: 100%

Flue Pipe Cleaned Prior to First Test in Series:

Date: 5/15/17 Initials: BD

	Initial	Middle	Ending
P _b (in/Hg)	<u>28.07</u>	<u>28.14</u>	<u>28.16</u>
RH (%)	<u>n/a</u>	<u>n/a</u>	<u>n/a</u>
Ambient (°F)	<u>70</u>	<u>82</u>	<u>78</u>

Background Filter Volume: 81.404

Tunnel Traverse		
Microtector Reading	dP (in H ₂ O)	T(°F)
1	.050	90
2	.052	90
3	.062	90
Y	.058	90
1	.056	90
2	.060	89
3	.062	89
Y	.058	89
Center:		
	.060 .062	90

Tunnel Static Pressure (in H ₂ O):	
Beginning of Test	End of Test
<u>-0.59</u>	<u>-0.69</u>
<u>295</u>	

Technician Signature: BDDate: 6/1/17

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Run 3

Wood Heater Test Results - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home
 Model: 57ST-ACC-C
 Project No.: 0061WS092E
 Tracking No.: 2187
 Run: 3
 Test Date: 05/17/17

Burn Rate	1.42 kg/hr dry
Average Tunnel Temperature	97 degrees Fahrenheit
Average Gas Velocity in Dilution Tunnel - vs	16.83 feet/second
Average Gas Flow Rate in Dilution Tunnel - Qsd	10470.2 dscf/hour
Average Delta p	0.064 inches H2O
Total Time of Test	310 minutes

	AMBIENT	SAMPLE TRAIN 1	SAMPLE TRAIN 2	FIRST HOUR FILTER (TRAIN 1)
Total Sample Volume - Vm	54.613 cubic feet	41.789 cubic feet	42.617 cubic feet	7.893 cubic feet
Average Gas Meter Temperature	82 degrees Fahrenheit	89 degrees Fahrenheit	90 degrees Fahrenheit	89 degrees Fahrenheit
Total Sample Volume (Standard Conditions) - Vmstd	50.272 dscf	38.337 dscf	38.655 dscf	7.241 dscf
Total Particulates - m _n	0.3 mg	3 mg	2.8 mg	1.7 mg
Particulate Concentration (dry-standard) - C _r /C _s	0.000006 grams/dscf	0.00008 grams/dscf	0.00007 grams/dscf	0.00023 grams/dscf
Total Particulate Emissions - E _T	0.32 grams	3.91 grams	3.60 grams	2.46 grams
Particulate Emission Rate	0.06 grams/hour	0.76 grams/hour	0.70 grams/hour	2.46 grams/hour
Emissions Factor		0.53 g/kg	0.49 g/kg	0.53 g/kg
Difference from Average Total Particulate Emissions		0.16 grams	0.16 grams	
Dual Train Comparison Results Are Acceptable				

FINAL AVERAGE RESULTS	
Complete Test Run	
Total Particulate Emissions - E _T	3.75 grams
Particulate Emission Rate	0.73 grams/hour
Emissions Factor	0.51 grams/kg
First Hour Emissions	
Total Particulate Emissions - E _T	2.46 grams
Particulate Emission Rate	2.46 grams/hour
Emissions Factor	0.53 grams/kg

QUALITY CHECKS	
Filter Temps < 90 °F	OK
Filter Face Velocity (47 mm)	OK
Dryer Exit Temp < 80°F	OK
Leakage Rate	OK
Ambient Temp (55-90°F)	OK
Negative Probe Weight Eval.	OK
Pro-Rate Variation	OK
Train Precision ≤ 7.5%	4.19
Train Precision ±0.5 g/kg	0.04
Stove Surface ΔT	OK

Technician Signature: _____

Wood Heater Test Results - ASTM E2780 / ASTM E2515

UNCORRECTED

Manufacturer: Hearth & Home
 Model: 57ST-ACC-C
 Project No.: 0061WS092E
 Tracking No.: 2187
 Run: 3
 Test Date: 05/17/17

Burn Rate	1.42 kg/hr dry
Average Tunnel Temperature	97 degrees Fahrenheit
Average Gas Velocity in Dilution Tunnel - vs	16.83 feet/second
Average Gas Flow Rate in Dilution Tunnel - Qsd	10470.2 dscf/hour
Average Delta p	0.064 inches H2O
Total Time of Test	310 minutes

	AMBIENT	SAMPLE TRAIN 1	SAMPLE TRAIN 2	FIRST HOUR FILTER (TRAIN 1)
Total Sample Volume - Vm	54.613 cubic feet	41.789 cubic feet	42.617 cubic feet	7.893 cubic feet
Average Gas Meter Temperature	82 degrees Fahrenheit	89 degrees Fahrenheit	90 degrees Fahrenheit	89 degrees Fahrenheit
Total Sample Volume (Standard Conditions) - Vmstd	50.272 dscf	38.337 dscf	38.655 dscf	7.241 dscf
Total Particulates - m _n	0.3 mg	3 mg	3 mg	1.7 mg
Particulate Concentration (dry-standard) - C _r /C _s	0.000006 grams/dscf	0.00008 grams/dscf	0.00008 grams/dscf	0.00023 grams/dscf
Total Particulate Emissions - E _T	0.32 grams	3.91 grams	3.88 grams	2.46 grams
Particulate Emission Rate	0.06 grams/hour	0.76 grams/hour	0.75 grams/hour	2.46 grams/hour
Emissions Factor	0.53 g/kg	0.53 g/kg	0.53 g/kg	0.53 g/kg
Difference from Average Total Particulate Emissions		0.02 grams	0.02 grams	
	Dual Train Comparison Results Are Acceptable			

FINAL AVERAGE RESULTS	
Complete Test Run	
Total Particulate Emissions - E _T	3.89 grams
Particulate Emission Rate	0.75 grams/hour
Emissions Factor	0.53 grams/kg
First Hour Emissions	
Total Particulate Emissions - E _T	2.46 grams
Particulate Emission Rate	2.46 grams/hour
Emissions Factor	0.53 grams/kg

QUALITY CHECKS	
Filter Temps < 90 °F	OK
Filter Face Velocity (47 mm)	OK
Dryer Exit Temp < 80°F	OK
Leakage Rate	OK
Ambient Temp (55-90°F)	OK
Negative Probe Weight Eval.	OK
Pro-Rate Variation	OK
Train Precision 7.5%	0.45
Train Precision 0.5g/kg	0.01

Technician Signature: _____

Wood Heater Preburn Data - ASTM E2780

Run:	3
Manufacturer:	Hearth & Home
Model:	57ST-ACC-C
Tracking No.:	2187
Project No.:	0061WS092E
Test Date:	05/17/17
Beginning Clock Time:	09:32:00 AM

Coal Bed		
Range (lb):	3.9	4.8
(min)		(max)

Technician Signature: Barko

Elapsed Time (min)	Scale (lb)	Stack Draft (in H ₂ O)	Temperatures (°F)							
			FB Top	FB Bottom	FB Back	FB Left	FB Right	Avg. Firebox Surface	Stack	Ambient
0	8	-0.074	657	515	378	724	605	575.8	692	82
10	6.3	-0.065	544	541	348	715	589	547.4	485	83
20	5.6	-0.056	389	548	318	673	604	506.4	403	83
30	5.1	-0.048	325	547	293	628	579	474.4	342	82
40	4.8	-0.04	250	543	269	587	568	443.4	278	82
50	4.6	-0.037	217	539	252	555	538	420.2	253	82
60	4.5	-0.034	197	537	233	526	512	401	146	81
65	4.4	-0.033	189	535	224	508	520	395.2	142	81

Wood Heater Test Data - ASTM E2780 / ASTM E2515

Run:	3	Manufacturer:	Hearth & Home	PM Control Modules:	371, 372	Avg. Tunnel Velocity:	16.83	ft/sec.																
Model:	57ST-ACC-C	Dilution Tunnel MW(dry):	29.00	lb/lb-mole	Initial Tunnel Flow:	173.7	scfm																	
Tracking No.:	2187	Dilution Tunnel MW(wet):	28.78	lb/lb-mole	Average Tunnel Flow:	174.5	scfm																	
Project No.:	0061WS092E	Dilution Tunnel H ₂ O:	2.00	percent																				
Test Date:	05/17/17	Dilution Tunnel Static:	-0.592	"H ₂ O	Post-Test Leak Check (1):	0.000	cfm @ 11 in. Hg																	
Beginning Clock Time:	10:38	Tunnel Area:	0.19635	ft ²	Post-Test Leak Check (2):	0.000	cfm @ 5 in. Hg																	
Meter Box Y Factor:	1.001 (1)	Pitot Tube Cp:	0.99	Average Test Piece Fuel Moisture:	21.58	Dry Basis %																		
Background Sample Volume:	54.613	cubic feet																						
Barometric Pressure:	Begin	Middle	End	Average	V _{strav}	16.81	ft/sec	V _{scent}	17.67	ft/sec	F _p	0.951												
OMNI Equipment Numbers:													Velocity Traverse Data											
	Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center															
Initial dP	0.052	0.056	0.062	0.058	0.052	0.060	0.062	0.056	0.064															
Temp:	95	95	95	95	95	95	95	95	95															
													°H ₂ O											

Elapsed Time (min)	Particulate Sampling Data												Temperature Data (°F)												Stack Gas Data							
	Gas Meter 1 (ft ³)	Gas Meter 2 (ft ³)	Sample Rate 1 (cfm)	Sample Rate 2 (cfm)	Orifice dH 1 ("H ₂ O)	Meter 1 Temp (°F)	Meter 1 Vacuum ("Hg)	Orifice dH 2 ("H ₂ O)	Meter 2 Temp (°F)	Meter 2 Vacuum ("Hg)	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Firebox Top	Firebox Bottom	Firebox Back	Firebox Left	Firebox Right	Avg. Stove Surface Temp	Catalyst Exit Temp	Stack	Filter 1	Dryer Exit 1	Filter 2	Dryer Exit 2	Ambient	Draft ("H ₂ O)	CO ₂ (%)	CO (%)	
0	0.000	0.000			1.18	77	-0.42	0.97	78	-1.3	95	0.064		19.3		203	534	240	501	447	385	N/A	142	86	74	86	74	81	-0.039	3.18	0.93	
10	1.283	1.324	0.13	0.13	1.53	78	-0.51	1.08	79	-1.2	109	0.064	98	99	17.5	-1.8	537	523	300	462	499	464	N/A	366	89	75	87	75	80	-0.091	15.22	0.67
20	2.577	2.659	0.13	0.13	1.59	80	-0.59	1.14	81	-1.4	122	0.064	100	101	14.5	-3	772	507	362	505	527	535	N/A	408	88	76	87	75	80	-0.096	16.8	0.5
30	3.895	4.019	0.13	0.14	1.59	82	-0.58	1.13	83	-1.4	118	0.064	101	102	12.1	-2.4	815	493	408	550	566	566	N/A	353	85	77	82	76	82	-0.090	15.45	0.29
40	5.219	5.380	0.13	0.14	1.58	84	-0.57	1.13	85	-1.4	117	0.064	101	102	10.0	-2.1	554	481	271	579	584	494	N/A	332	87	78	84	77	83	-0.087	15.17	0.72
50	6.555	6.744	0.13	0.14	1.59	86	-0.55	1.14	86	-1.6	114	0.064	101	101	8.2	-1.8	491	473	255	600	600	484	N/A	304	88	80	85	78	83	-0.084	13.73	0.41
60	7.893	8.111	0.13	0.14	1.59	87	-0.54	1.13	88	-1.6	110	0.064	101	101	6.8	-1.4	440	467	250	612	612	476	N/A	276	87	80	85	79	84	-0.079	12.29	0.22
70	9.240	9.481	0.13	0.14	1.60	88	-0.52	1.13	89	-1.3	107	0.064	101	101	5.6	-1.2	414	461	249	617	618	472	N/A	264	83	79	84	77	84	-0.077	11.6	0.14
80	10.591	10.853	0.14	0.14	1.59	88	-0.52	1.13	89	-1.4	105	0.064	101	101	4.8	-0.8	365	458	248	612	613	459	N/A	233	83	78	84	75	84	-0.069	9.21	0.43
90	11.944	12.228	0.14	0.14	1.59	89	-0.51	1.14	90	-1.4	102	0.064	101	100	4.2	-0.6	321	455	245	598	606	445	N/A	215	83	78	83	75	83	-0.066	9.17	0.33
100	13.297	13.604	0.14	0.14	1.61	89	-0.51	1.15	90	-1.4	99	0.064	100	100	3.7	-0.5	306	453	244	580	600	437	N/A	202	82	78	83	75	84	-0.063	8.31	0.41
110	14.652	14.982	0.14	0.14	1.60	90	-0.51	1.15	91	-1.4	97	0.064	100	100	3.4	-0.3	268	452	237	555	579	418	N/A	181	82	77	82	75	83	-0.058	6.58	0.95
120	16.007	16.360	0.14	0.14	1.60	90	-0.5	1.15	91	-1.4	95	0.064	100	100	3.3	-0.1	239	449	231	532	528	396	N/A	168	81	77	81	75	83	-0.055	5.99	1.19
130	17.365	17.740	0.14	0.14	1.60	90	-0.51	1.14	91	-1.5	94	0.064	100	100	3.0	-0.3	220	444	227	515	505	382	N/A	160	80	77	81	75	83	-0.053	5.95	1.16
140	18.722	19.119	0.14	0.14	1.61	90	-0.5	1.15	92	-1.3	93	0.064	100	100	2.7	-0.3	212	438	225	501	498	375	N/A	158	80	77	80	75	82	-0.052	5.89	1.21
150	20.082	20.499	0.14	0.14	1.60	90	-0.5	1.14	92	-1.3	92	0.064	100	100	2.6	-0.1	206	433	222	489	485	367	N/A	153	80	77	80	75	83	-0.051	5.62	1.3
160	21.438	21.879	0.14	0.14	1.61	90	-0.5	1.14	92	-1.3	92	0.064	100	100	2.4	-0.2	200	427	219	479	476	360	N/A	153	79	76	79	75	83	-0.050	5.83	1.2
170	22.792	23.259	0.14	0.14	1.60	90	-0.51	1.15	92	-1.3	92	0.064	100	100	2.2	-0.2	197	423	216	472	471	356	N/A	151	79	76	79	74	83	-0.050	6	1.08
180	24.152	24.639	0.14	0.14	1.61	91	-0.5	1.14	92	-1.3	92	0.064	100	100	2.0	-0.2	196	420	214	467	467	353	N/A	151	79	76	79	74	82	-0.049	5.75	1.15
190	25.511	26.202	0.14	0.14	1.60	91	-0.5	1.14	92	-1.3	91	0.064	100	100	1.8	-0.2	192	418	211	461	462	349	N/A	147	79	76	79	75	82	-0.050	5.44	1.17
200	26.871	27.401	0.14	0.14	1.61	91	-0.5	1.15	92	-1.4	91	0.064	100	100	1.6	-0.2	188	415	207	452	454	343	N/A	145	79	76	79	75	82	-0.049	5.11	1.41
210	28.228	28.782	0.14	0.14	1.61	92	-0.49	1.14	93	-1.6	91	0.064	99	99	1.3	-0.3	184	413	203	446	445	338	N/A	143	79	76	79	75	82	-0.048	4.96	1.49
220	29.581	30.163	0.14	0.14	1.61	92	-0.5	1.15	93	-1.6	91	0.064	99	99	1.2	-0.1	181	409	200	440	438	334	N/A	142	78	76	78	75	82	-0.048	4.76	1.61
230	30.942	31.545	0.14	0.14	1.60	92	-0.49	1.14	93	-1.3	90	0.064	100	99	1.1	-0.1	176	406	199	434	431	329	N/A	138	78	76	78	75	82	-0.048	4.51	1.72
240	32.298	32.927	0.14	0.14	1.61	92	-0.49	1.15	93	-1.4	89	0.064	99	99	0.9	-0.2	173	401	198	424	425	324	N/A	137	78	76	78	74	82	-0.048	4.38	1.69
250	33.655	34.310	0.14	0.14	1.61	91	-0.49	1.15	93	-1.4	89	0.064	99	99	0.8	-0.1	171	396	195	414	419	319	N/A	137	78	76	78	74	82	-0.047	3.83	1.86
260	35.016	35.693	0.14	0.14	1.61	91	-0.5	1.15	92	-1.4	89	0.064	100	99	0.6	-0.2	168	390	192	404	409	313	N/A	134	78	76	78	74	82	-0.046	3.76	1.83
270	36.370	37.077	0.14	0.14	1.61	91	-0.5	1.15	92	-1.6	87	0.064	99	99	0.5	-0.1	163	384	188	394	398	305	N/A	131	77	76	77	74	81	-0.046	3.57	1.83
280	37.726	38.462	0.14	0.14	1.60	90	-0.5	1.15																								

Wood Heater Lab Data - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home
Model: 57ST-ACC-C
Tracking No.: 2187
Project No.: 0061WS092E
Run #: 3
Date: 5/17/17

Equipment Numbers:

TRAIN 1 (First Hour emissions)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D180	121.8	120.1	1.7
C. Rear filter catch	Filter				0.0
D. Probe catch*	Probe				0.0
E. Filter seals catch*	Seals				0.0

Sub-Total Total Particulate, mg: 1.7

TRAIN 1 (Post First Hour Change-out)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D181	122.1	121.7	0.4
C. Rear filter catch	Filter	D182	123.8	123.8	0.0
D. Probe catch*	Probe	11	114189.6	114189.0	0.6
E. Filter seals catch*	Seals	R473	3532.4	3532.1	0.3

Sub-Total Total Particulate mg: 1.3

Train 1 Aggregate Total Particulate, mg: 3.0

TRAIN 2

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch	Filter	D183	126.3	124.1	2.2
B. Rear filter catch	Filter	D184	120.0	120.2	-0.2
C. Probe catch*	Probe	13	114323.0	114322.9	0.1
D. Filter seals catch*	Seals	R474	3376.5	3375.8	0.7

Total Particulate, mg: 28

AMBIENT

Sample Component	Reagent	Filter # or Probe #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch*	Filter	D74	124.0	123.7	0.3

*Particulate catch that results in a negative number, is assumed to be zero for probes and seals, negative numbers for filters are assumed to be part of the seal weight

Component	Equations:
A. Front filter catch	Final (mg) - Tare (mg) = Particulate, mg
B. Rear filter catch	Final (mg) - Tare (mg) = Particulate, mg
C. Probe catch	Final (mg) - Tare (mg) = Particulate, mg

Technician Signature: Brian D. S.

Wood Heater Test Fuel Data - ASTM E2780

Manufacturer: Hearth & Home
Model: 57ST-ACC-C
Tracking No.: 2187
Project No.: 0061WS092E
Test Date: 5/17/2017
Run No.: 3

Firebox Volume (ft ³):	2.92
Fuel Piece Length (in):	19
2x4 Crib Weight (lb):	9.5
4x4 Crib Weight (lb):	9.8

Total Fuel Weight (Dry Basis, lb):	16.1	
Fuel Density (lb/ft ³ , Dry Basis):	27.79	OK
Loading Density (lb/ft ³ , Wet Basis):	6.61	OK
2x4 Percentage:	49%	OK

Coal Bed Range (20-25%): **3.86 - 4.825**

Spacer Readings (Dry Basis %)	
8.0	8.8
8.9	8.9
7.6	7.6
8.4	7.7
7.9	8.0
8.5	8.0
8.4	7.8
8.5	8.1
7.9	8.4
8.3	8.4
8.5	8.0
8.4	
7.7	

Technician Signature:

OMNI-Test Laboratories, Inc.

Manufacturer: Hearth & Home

Technicians: Brian W. D.

Model: 57ST-ACC-C

Date: 05/17/17

Run: 3

Control #: 0061WS092E

Test Duration: 310

Output Category: 3

Test Results in Accordance with CSA B415.1-09

	HHV Basis	LHV Basis
Overall Efficiency	78.0%	84.3%
Combustion Efficiency	94.6%	94.6%
Heat Transfer Efficiency	82%	89.2%

Output Rate (kJ/h)	21,546	20,439	(Btu/h)
Burn Rate (kg/h)	1.39	3.07	(lb/h)
Input (kJ/h)	27,616	26,196	(Btu/h)

Test Load Weight (dry kg)	7.20	15.87	dry lb
MC wet (%)	17.75		
MC dry (%)	21.58		
Particulate (g)	3.75		
CO (g)	546		
Test Duration (h)	5.17		

Emissions	Particulate	CO
g/MJ Output	0.03	4.90
g/kg Dry Fuel	0.52	75.77
g/h	0.73	105.62
lb/MM Btu Output	0.08	11.39

Air/Fuel Ratio (A/F)	14.48
-----------------------------	-------

VERSION:

2.2

12/14/2009

VERSION: 2.2

12/14/2009

Manufacturer: Hearth & Home
Model: 57ST-ACC-C
Date: 5/17/2017
Run: 3
Control #: 0061WS092E

Test Duration: 310**Output Category:** 3**Appliance Type:** Non-Cat (Cat, Non-Cat, Pellet)

Temp. Units	F	(F or C)
Weight Units	lb	(kg or lb)

Wood Moisture (% wet): 17.75
Load Weight (lb wet): 19.30
Burn Rate (dry kg/h): 1.39
Total Particulate Emissions: 3.75 g

Fuel Data

D. Fir		
HHV	19,810	kJ/kg
%C	48.73	
%H	6.87	
%O	43.9	
%ASH	0.5	


Averages	1.13	7.28	#DIV/0!	192.03	82.22
				Temp. (°F)	

Elapsed Time (min)	Fuel Weight Remaining (lb)	Flue Gas Composition (%)			Flue Gas	Room Temp
		CO	CO ₂	O ₂		
0	19.30	0.93	3.18		142.0	81.0
10	17.50	0.67	15.22		366.0	80.0
20	14.50	0.50	16.80		408.0	80.0
30	12.10	0.29	15.45		353.0	82.0
40	10.00	0.72	15.17		332.0	83.0
50	8.20	0.41	13.73		304.0	83.0
60	6.80	0.22	12.29		276.0	84.0
70	5.60	0.14	11.60		264.0	84.0
80	4.80	0.43	9.21		233.0	84.0
90	4.20	0.33	9.17		215.0	83.0
100	3.70	0.41	8.31		202.0	84.0
110	3.40	0.95	6.58		181.0	83.0
120	3.30	1.19	5.99		168.0	83.0
130	3.00	1.16	5.95		160.0	83.0
140	2.70	1.21	5.89		158.0	82.0
150	2.60	1.30	5.62		153.0	83.0
160	2.40	1.20	5.83		153.0	83.0
170	2.20	1.08	6.00		151.0	83.0
180	2.00	1.15	5.75		151.0	82.0
190	1.80	1.17	5.44		147.0	82.0
200	1.60	1.41	5.11		145.0	82.0
210	1.30	1.49	4.96		143.0	82.0
220	1.20	1.61	4.76		142.0	82.0
230	1.10	1.72	4.51		138.0	82.0
240	0.90	1.69	4.38		137.0	82.0
250	0.80	1.86	3.83		137.0	82.0
260	0.60	1.83	3.76		134.0	82.0
270	0.50	1.83	3.57		131.0	81.0
280	0.40	1.89	3.64		129.0	81.0
290	0.20	1.87	3.65		132.0	81.0
300	0.10	1.75	3.73		130.0	81.0
310	0.00	1.80	3.80		130.0	81.0

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 3Model: 57ST-ACC-CTracking Number: 2187Date: 5/17/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Run Notes****Air Control Settings**

Primary:

Secondary:

fixed

Tertiary/Pilot:

No Boost Air used


Fan:

on high entire preheat**Preburn Notes**

Time	Notes
60	Levered coal bed

Test Notes

Sketch test fuel configuration:



Start up procedures & Timeline:

Bypass:

N/A

Fuel loaded by:

47 seconds

Door closed at:

95 seconds

Primary air:

Fully open until 5:00 then set to test setting
boost air locked open @ 0 min. then
Set to fixed Air @ 5:00
Fan off for first 30 min then set to high for remainder of test

Notes:

Time	Notes
60	changed front filter in train A.

Technician Signature: DDDate: 6/1/17

ASTM E2780 Wood Heater Run Sheets

Client: Hearth & Home

Project Number: 0061WS092E

Run Number: 3

Model: 57ST-ACC-C

Tracking Number: 2187

Date: 5/13/17

Test Crew: B. Davis

OMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A

Wood Heater Fuel Data

Fuel: Douglas fir, untreated and air dried, standard grade or better dimensional lumber

Pre-Burn Fuel

Calibration: Cal Value (1) = 12% Actual Reading 12
 Cal Value (2) = 22% Actual Reading 22

Piece:	Length:	Reading:	Piece:	Length:	Reading:
1	8	220	7	_____	_____
2	8	24.9	8	_____	_____
3	8	221	9	_____	_____
4	_____	_____	10	_____	_____
5	_____	_____	11	_____	_____
6	_____	_____	12	_____	_____

Total Pre-Burn Fuel Weight: 2.2 Pre-Burn Fuel Average Moisture: 23.0Time (clock): 0900 Room Temperature (F): 70 Initials: BD**Test Fuel**

Firebox Volume (ft³): 2.9 Test Fuel Piece Length (in): 19"
 Load Weight Range (lb): 20.3 Total Wet Fuel Load Weight (lb): 19.3
18.3 22.3

Fuel Type & Amount: 2 x 4: 4 4 x 4: 2
 Weight (with spacers): 7.5 Weight (with spacers): 9.8

Piece:	Weight (lbs):	Moisture Readings (%DB):			Fuel Type:
1	1.7	24.7	24.8	24.8	2x4
2	2.2	20.5	24.6	18.4	2x4
3	1.8	19.5	19.2	23.8	2x4
4	2.2	19.7	18.7	18.7	2x4
5	4.3	22.6	20.4	22.1	4x4
6	4.7	21.6	22.0	22.3	4x4
7	_____	_____	_____	_____	_____

Spacer Moisture Readings (%DB)

<u>8.0</u>	<u>7.9</u>	<u>7.9</u>	<u>7.7</u>	<u>7.7</u>	<u>8.1</u>	_____	_____
<u>8.9</u>	<u>8.5</u>	<u>8.3</u>	<u>8.8</u>	<u>8.0</u>	<u>8.4</u>	_____	_____
<u>7.6</u>	<u>8.4</u>	<u>8.5</u>	<u>8.9</u>	<u>8.0</u>	<u>8.4</u>	_____	_____
<u>8.4</u>	<u>8.5</u>	<u>8.4</u>	<u>7.6</u>	<u>7.8</u>	<u>8.0</u>	_____	_____

Time (clock): 0900 Room Temperature (F): 70 Initials: BDTechnician Signature: B. DavisDate: 6/1/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 3Model: 57ST-ACC-CTracking Number: 2187Date: 5/17/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Supplemental Data**Start Time: 10:38Booth #: 7Stop Time: 15:48**Stack Gas Leak Check:**Initial: good Final: good**Sample Train Leak Check:**A: 0.0 @ 11 "Hg
B: 0.0 @ 5 "Hg**Calibrations:** Span GasCO₂: 15.96 CO: 5.08

	Pre Test		Post Test	
	Zero	Span	Zero	Span
Time	<u>Ø</u>	<u>Ø</u>	<u>15:55</u>	<u>15:55</u>
CO ₂	<u>0.00</u>	<u>16.00</u>	<u>0.05</u>	<u>15.97</u>
CO	<u>0.000</u>	<u>5.08</u>	<u>0.013</u>	<u>5.07</u>

Air Velocity (ft/min): Initial: 150 Final: <50Scale Audit (lbs): Initial: 10.0 Final: 10.0Pitot Tube Leak Test: Initial: good Final: goodStack Diameter (in): 6"Induced Draft: 0.0% Smoke Capture: 100%

Flue Pipe Cleaned Prior to First Test in Series:

Date: 5/15/17 Initials: b.n

	Initial	Middle	Ending
P _b (in/Hg)	<u>28.44</u> ³⁷ / _{0.0}	<u>28.38</u>	<u>28.39</u>
RH (%)	<u>n/a</u>	<u>n/a</u>	<u>n/a</u>
Ambient (°F)	<u>81</u>	<u>83</u>	<u>81</u>

Background Filter Volume: 54.613

Tunnel Traverse		
Microtector Reading	dP (in H ₂ O)	T(°F)
1	.052	95
2	.056	95
3	.062	95
4	.058	95
1	.062	95
2	.060	95
3	.062	95
4	.056	95
Center:		
	.064	95

Tunnel Static Pressure (in H ₂ O):	
Beginning of Test	End of Test
-.592	-.592
-.296	

Technician Signature: B.D.Date: 5/17/17

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Run 4

Wood Heater Test Results - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home
 Model: 57ST-ACC-C
 Project No.: 0061WS092E
 Tracking No.: 2187
 Run: 4
 Test Date: 5/18/17

Burn Rate	3.13 kg/hr dry
Average Tunnel Temperature Average Gas Velocity in Dilution Tunnel - vs Average Gas Flow Rate in Dilution Tunnel - Qsd	119 degrees Fahrenheit 16.57 feet/second 9974.9 dscf/hour
Average Delta p Total Time of Test	0.060 inches H2O 135 minutes

	AMBIENT	SAMPLE TRAIN 1	SAMPLE TRAIN 2	FIRST HOUR FILTER (TRAIN 1)
Total Sample Volume - Vm Average Gas Meter Temperature Total Sample Volume (Standard Conditions) - Vmstd	24.196 cubic feet 85 degrees Fahrenheit 22.277 dscf	17.460 cubic feet 85 degrees Fahrenheit 16.199 dscf	17.902 cubic feet 85 degrees Fahrenheit 16.473 dscf	7.713 cubic feet 85 degrees Fahrenheit 7.156 dscf
Total Particulates - m _n Particulate Concentration (dry-standard) - C _r /C _s Total Particulate Emissions - E _T	0.5 mg 0.000022 grams/dscf	10.1 mg 0.00062 grams/dscf	8.6 mg 0.00052 grams/dscf	7.4 mg 0.00103 grams/dscf
Particulate Emission Rate Emissions Factor	0.50 grams 0.22 grams/hour	13.49 grams 6.00 grams/hour 1.92 g/kg	11.21 grams 4.98 grams/hour 1.59 g/kg	10.32 grams 10.32 grams/hour 1.80 g/kg
Difference from Average Total Particulate Emissions		1.14 grams	1.14 grams	
	Dual Train Comparison Results Are Acceptable			

FINAL AVERAGE RESULTS	
Complete Test Run	
Total Particulate Emissions - E _T	12.35 grams
Particulate Emission Rate	5.49 grams/hour
Emissions Factor	1.75 grams/kg
First Hour Emissions	
Total Particulate Emissions - E _T	10.32 grams
Particulate Emission Rate	10.32 grams/hour
Emissions Factor	1.80 grams/kg

QUALITY CHECKS	
Filter Temps < 90 °F	OK
Filter Face Velocity (47 mm)	OK
Dryer Exit Temp < 80°F	OK
Leakage Rate	OK
Ambient Temp (55-90°F)	OK
Negative Probe Weight Eval.	OK
Pro-Rate Variation	OK
Train Precision ≤ 7.5%	9.22
Train Precision ±0.5 g/kg	0.32
Stove Surface ΔT	OK

Technician Signature: _____

Wood Heater Test Results - ASTM E2780 / ASTM E2515

UNCORRECTED

Manufacturer: Hearth & Home
 Model: 57ST-ACC-C
 Project No.: 0061WS092E
 Tracking No.: 2187
 Run: 4
 Test Date: 5/18/17

Burn Rate	3.13 kg/hr dry
Average Tunnel Temperature Average Gas Velocity in Dilution Tunnel - vs Average Gas Flow Rate in Dilution Tunnel - Qsd	119 degrees Fahrenheit 16.57 feet/second 9974.9 dscf/hour
Average Delta p Total Time of Test	0.060 inches H2O 135 minutes

	AMBIENT	SAMPLE TRAIN 1	SAMPLE TRAIN 2	FIRST HOUR FILTER (TRAIN 1)
Total Sample Volume - Vm Average Gas Meter Temperature Total Sample Volume (Standard Conditions) - Vmstd	24.196 cubic feet 85 degrees Fahrenheit 22.277 dscf	17.460 cubic feet 85 degrees Fahrenheit 16.199 dscf	17.902 cubic feet 85 degrees Fahrenheit 16.473 dscf	7.713 cubic feet 85 degrees Fahrenheit 7.156 dscf
Total Particulates - m _n Particulate Concentration (dry-standard) - C _r /C _s Total Particulate Emissions - E _T	0.5 mg 0.000022 grams/dscf	10.2 mg 0.00063 grams/dscf	8.6 mg 0.00052 grams/dscf	7.4 mg 0.00103 grams/dscf
Particulate Emission Rate Emissions Factor	0.50 grams 0.22 grams/hour	13.63 grams 6.06 grams/hour 1.94 g/kg	11.21 grams 4.98 grams/hour 1.59 g/kg	10.32 grams 10.32 grams/hour 1.80 g/kg
Difference from Average Total Particulate Emissions		1.21 grams	1.21 grams	
	Dual Train Comparison Results Are Acceptable			

FINAL AVERAGE RESULTS	
Complete Test Run	
Total Particulate Emissions - E _T	12.42 grams
Particulate Emission Rate	5.52 grams/hour
Emissions Factor	1.76 grams/kg
First Hour Emissions	
Total Particulate Emissions - E _T	10.32 grams
Particulate Emission Rate	10.32 grams/hour
Emissions Factor	1.80 grams/kg


QUALITY CHECKS	
Filter Temps < 90 °F	OK
Filter Face Velocity (47 mm)	OK
Dryer Exit Temp < 80°F	OK
Leakage Rate	OK
Ambient Temp (55-90°F)	OK
Negative Probe Weight Eval.	OK
Pro-Rate Variation	OK
Stove Surface ΔT	OK
Train Precision 7.5%	9.72
Train Precision 0.5g/kg	0.34

Technician Signature: _____

Wood Heater Preburn Data - ASTM E2780

Run:	4
Manufacturer:	Hearth & Home
Model:	57ST-ACC-C
Tracking No.:	2187
Project No.:	0061WS092E
Test Date:	5/18/17
Beginning Clock Time:	09:47:00 AM

Coal Bed		
Range (lb):	3.8 (min)	4.7 (max)

Technician Signature: 

Wood Heater Test Data - ASTM E2780 / ASTM E2515

Run: 4	Manufacturer: Hearth & Home	PM Control Modules: 371,372	Avg. Tunnel Velocity: 16.57 ft/sec.						
Model: 57ST-ACC-C	Dilution Tunnel MW(dry): 29.00 lb/lb-mole	Initial Tunnel Flow: 165.2 scfm	Technician Signature: 						
Tracking No.: 2187	Dilution Tunnel MW(wet): 28.78 lb/lb-mole	Average Tunnel Flow: 166.2 scfm							
Project No.: 0061WS092E	Dilution Tunnel H ₂ O: 2.00 percent								
Test Date: 5/18/17	Dilution Tunnel Static: -0.574 "H ₂ O	Post-Test Leak Check (1): 0.000 cfm @ 8 in. Hg							
Beginning Clock Time: 11:00	Tunnel Area: 0.19635 ft ²	Post-Test Leak Check (2): 0.000 cfm @ 7 in. Hg							
Meter Box Y Factor: 1.001 (1) 0.993 (2) 0.997 (Amb)	Pitot Tube Cp: 0.99	Average Test Piece Fuel Moisture: 24.12 Dry Basis %							
Barometric Pressure: Begin 28.50 Middle 28.53 End 28.55 Average 28.53 "Hg	Velocity Traverse Data								
OMNI Equipment Numbers:	Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center
	0.054	0.058	0.058	0.056	0.050	0.050	0.056	0.050	0.060
Temp: 127	126	124	123	122	120	117	115	125	"H ₂ O
V _{strav}	16.67	ft/sec	V _{scent}	17.52	ft/sec	F _p	0.952		

Elapsed Time (min)	Particulate Sampling Data										Temperature Data (°F)										Stack Gas Data											
	Gas Meter 1 (ft ³)	Gas Meter 2 (ft ³)	Sample Rate 1 (cfm)	Sample Rate 2 (cfm)	Orifice dH 1 ("H ₂ O)	Meter 1 Temp (°F)	Meter 1 Vacuum ("Hg)	Orifice dH 2 ("H ₂ O)	Meter 2 Temp (°F)	Meter 2 Vacuum ("Hg)	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Firebox Top	Firebox Bottom	Firebox Back	Firebox Left	Firebox Right	Avg. Stove Surface Temp	Catalyst Exit Temp	Stack	Filter 1	Dryer Exit 1	Filter 2	Dryer Exit 2	Ambient	Draft ("H ₂ O)	CO ₂ (%)	CO (%)	
0	0	0			1.22	78	-0.19	0.6	78	-0.9	122	0.060		18.9		284	577	314	668	600	489	N/A	385	85	65	85	64	83	(0)	5	0	
5	0.636	0.659	0.13	0.13	1.56	78	-0.55	1.1	79	-1.5	121	0.060	100	101	17.7	-1.2	431	578	294	634	579	503	N/A	722	87	71	87	70	84	-0.102	16.83	1.14
10	1.271	1.316	0.13	0.13	1.57	79	-0.58	1.07	80	-1.2	133	0.060	101	101	16.0	-1.7	564	575	300	623	618	536	N/A	778	88	72	87	71	84	-0.105	17.63	1.94
15	1.906	1.97	0.13	0.13	1.63	81	-0.64	1.07	81	-1.3	140	0.060	101	101	14.0	-2	621	570	311	624	613	548	N/A	798	88	73	88	71	85	-0.106	17.65	2.62
20	2.551	2.62	0.13	0.13	1.57	82	-0.61	1.08	83	-1.5	144	0.060	102	100	11.9	-2.1	648	563	321	640	620	558	N/A	790	89	74	90	72	85	-0.105	17.44	3.05
25	3.193	3.28	0.13	0.13	1.56	83	-0.62	1.08	84	-1.5	145	0.060	102	102	10.0	-1.9	664	557	325	664	632	568	N/A	779	88	74	90	73	85	-0.104	17.36	2.8
30	3.834	3.939	0.13	0.13	1.54	85	-0.7	1.07	85	-1.3	143	0.060	101	101	8.2	-1.8	673	551	331	698	652	581	N/A	756	89	75	89	73	86	-0.104	17.26	2.2
35	4.473	4.596	0.13	0.13	1.54	86	-0.72	1.08	86	-1.4	140	0.060	100	101	6.7	-1.5	659	545	344	737	679	593	N/A	737	86	76	88	74	86	-0.103	16.81	0.76
40	5.112	5.253	0.13	0.13	1.54	87	-0.73	1.08	87	-1.5	136	0.060	100	100	5.6	-1.1	611	541	358	777	710	599	N/A	679	87	77	87	74	87	-0.1	15.07	0.35
45	5.765	5.913	0.13	0.13	1.59	87	-0.76	1.08	87	-1.3	130	0.060	102	100	4.9	-0.7	548	538	371	805	738	600	N/A	614	86	78	86	74	88	-0.095	12.64	0.18
50	6.418	6.572	0.13	0.13	1.59	87	-0.75	1.08	87	-1.3	125	0.060	101	99	4.1	-0.8	499	538	385	808	758	598	N/A	569	85	78	86	74	87	-0.091	11.33	0.12
55	7.065	7.234	0.13	0.13	1.57	87	-0.7	1.09	86	-1.3	121	0.060	100	100	3.6	-0.5	456	539	391	800	767	591	N/A	536	85	78	85	75	87	-0.089	10.44	0.06
60	7.713	7.898	0.13	0.13	1.57	87	-0.68	1.09	86	-1.3	118	0.060	100	100	3.2	-0.4	427	541	390	789	769	583	N/A	517	84	78	85	75	87	-0.089	9.97	0.04
65	8.38	8.563	0.13	0.13	1.65	87	-0.52	1.1	86	-1.3	117	0.060	103	100	2.7	-0.5	402	545	388	776	767	576	N/A	500	85	78	84	74	86	-0.086	9.17	0.04
70	9.047	9.229	0.13	0.13	1.55	87	-0.44	1.1	86	-1.3	115	0.060	102	100	2.3	-0.4	373	549	374	755	763	563	N/A	488	85	78	83	74	86	-0.085	8.73	0.09
75	9.697	9.897	0.13	0.13	1.56	87	-0.43	1.1	86	-1.3	113	0.060	100	100	2.0	-0.3	358	551	359	735	748	550	N/A	476	85	77	83	74	86	-0.083	8.34	0.1
80	10.345	10.564	0.13	0.13	1.54	86	-0.43	1.1	85	-1.3	111	0.060	99	100	1.8	-0.2	341	554	348	715	734	538	N/A	454	84	77	82	74	85	-0.081	7.74	0.29
85	10.995	11.231	0.13	0.13	1.54	86	-0.43	1.1	85	-1.3	109	0.060	100	100	1.4	-0.4	318	556	338	696	715	525	N/A	430	84	77	83	74	85	-0.079	7.03	0.34
90	11.645	11.898	0.13	0.13	1.56	86	-0.43	1.1	85	-1.3	108	0.060	99	100	1.2	-0.2	301	558	329	679	701	514	N/A	413	85	76	83	74	85	-0.077	6.78	0.42
95	12.291	12.566	0.13	0.13	1.56	86	-0.43	1.1	85	-1.3	106	0.060	99	100	1.1	-0.1	287	558	321	664	686	503	N/A	404	85	76	84	74	85	-0.077	6.63	0.51
100	12.939	13.234	0.13	0.13	1.56	86	-0.43	1.1	85	-1.3	105	0.060	99	99	1.0	-0.1	276	557	315	650	671	494	N/A	393	84	75	84	74	84	-0.076	6.47	0.58
105	13.586	13.901	0.13	0.13	1.56	86	-0.44	1.1	84	-1.3	104	0.060	99	99	0.9	-0.1	267	556	309	638	661	486	N/A	387	84	75	84	73	84	-0.074	6.28	0.62
110	14.234	14.569	0.13	0.13	1.56	86	-0.43	1.1	84	-1.3	103	0.060	99	99	0.8	-0.1	260	554	304	627	650	479	N/A	381	83	74	83	73	83	-0.074	6.29	0.61
115	14.88	15.235	0.13	0.13	1.55	86	-0.43	1.1	84	-1.3	103	0.060	98	99	0.6	-0.2	256	551	302	619	639	473	N/A	379	83	74	83	73	83	-0.074	6.02	0.64
120	15.522	15.902	0.13	0.13	1.55	86	-0.43	1.1	85	-1.3	102	0.060	98	99	0.4	-0.2	252	548	297	611	631	468	N/A	372	83	74	83	73	83	-0.072	6.05	0.66
125	16.169	16.569	0.13	0.13	1.55	87	-0.43	1.1	85	-1.3	102	0.060	98	99	0.3	-0.1	248	545	295	604	623	463	N/A	368	83	74	83	72	83	-0.072	5.92	0.65
130	16.814	17.235	0.13	0.13	1.55	87	-0.43	1.08	86	-1.3	102	0.060	98	99	0.1	-0.2	245	542	292	597	631	461	N/A	367	83	73	82	73	83	-0.072	5.9	0.61
135	17.46	17.902	0.13	0.13	1.55	87	-0.43	1.09	87	-1.3	102	0.060	98	99	0.0	-0.1	242	539	290	591	626	458	N/A	361	83	74	82	73	83	-0.071	5.7	0.66
Avg/Tot	17.460	17.902	0.13	0.13	1.55	85		1.07																								

Wood Heater Lab Data - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home Equipment Numbers: _____
 Model: 57ST-ACC-C
 Tracking No.: 2187
 Project No.: 0061WS092E
 Run #: 4
 Date: 5/18/17

TRAIN 1 (First Hour emissions)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D186	131.1	123.7	7.4
C. Rear filter catch	Filter				0.0
D. Probe catch*	Probe				0.0
E. Filter seals catch*	Seals				0.0

Sub-Total Total Particulate, mg: **7.4**

TRAIN 1 (Post First Hour Change-out)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D187	121.6	120.8	0.8
C. Rear filter catch	Filter	D188	121.7	121.8	-0.1
D. Probe catch*	Probe	15	114345.8	114344.0	1.8
E. Filter seals catch*	Seals	R475	3290.3	3290.1	0.2

Sub-Total Total Particulate, mg: **2.7**

Train 1 Aggregate Total Particulate, mg: **10.1**

TRAIN 2

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch	Filter	D189	130.6	123.8	6.8
B. Rear filter catch	Filter	D190	120.7	120.4	0.3
C. Probe catch*	Probe	18	114404.6	114403.2	1.4
D. Filter seals catch*	Seals	R476	4315.3	4315.2	0.1

Total Particulate, mg: **8.6**

AMBIENT

Sample Component	Reagent	Filter # or Probe #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch*	Filter	D75	121.3	120.8	0.5

Total Particulate, mg: **0.5**

*Particulate catch that results in a negative number, is assumed to be zero for probes and seals, negative numbers for filters are assumed to be part of the seal weight.

Component	Equations:
A. Front filter catch	Final (mg) - Tare (mg) = Particulate, mg
B. Rear filter catch	Final (mg) - Tare (mg) = Particulate, mg
C. Probe catch	Final (mg) - Tare (mg) = Particulate, mg

Technician Signature: 

Wood Heater Test Fuel Data - ASTM E2780

Manufacturer: Hearth & Home
Model: 57ST-ACC-C
Tracking No.: 2187
Project No.: 0061WS092E
Test Date: 5/18/17
Run No.: 4

Firebox Volume (ft ³):	2.92
Fuel Piece Length (in):	19
2x4 Crib Weight (lb):	9.1
4x4 Crib Weight (lb):	9.8

Total Fuel Weight (Dry Basis, lb):	15.5	
Fuel Density (lb/ft ³ , Dry Basis):	26.39	OK
Loading Density (lb/ft ³ , Wet Basis):	6.47	OK
2x4 Percentage:	48%	OK

Coal Bed Range (20-25%): **3.78 - 4.725**

Spacer Readings (Dry Basis %)	
7.9	8.0
7.3	7.8
6.7	8.4
8.4	7.4
7.6	8.5
8.4	8.4
8.1	8.1
8.2	7.9
7.8	8.4
7.8	7.8
7.8	7.1
8.0	
7.9	

Technician Signature:

OMNI-Test Laboratories, Inc.

Manufacturer: Hearth & Home

Technicians: Brian K. D.

Model: 57ST-ACC-C

Date: 05/18/17

Run: 4

Control #: 0061WS092E

Test Duration: 135

Output Category: 4

Test Results in Accordance with CSA B415.1-09

	HHV Basis	LHV Basis
Overall Efficiency	66.3%	71.7%
Combustion Efficiency	93.2%	93.2%
Heat Transfer Efficiency	71%	77.0%

Output Rate (kJ/h)	40,358	38,284	(Btu/h)
Burn Rate (kg/h)	3.07	6.77	(lb/h)
Input (kJ/h)	60,831	57,705	(Btu/h)

Test Load Weight (dry kg)	6.91	15.23	dry lb
MC wet (%)	19.43		
MC dry (%)	24.12		
Particulate (g)	12.35		
CO (g)	646		
Test Duration (h)	2.25		

Emissions	Particulate	CO
g/MJ Output	0.14	7.11
g/kg Dry Fuel	1.79	93.45
g/h	5.49	286.96
lb/MM Btu Output	0.32	16.52

Air/Fuel Ratio (A/F)	10.99
-----------------------------	-------

VERSION:

2.2

12/14/2009

VERSION: 2.2

12/14/2009

Manufacturer: Hearth & Home
Model: 57ST-ACC-C
Date: 5/18/2017
Run: 4
Control #: 0061WS092E

Appliance Type: Non-Cat (Cat, Non-Cat, Pellet)
Temp. Units F (F or C)
Weight Units lb (kg or lb)

Test Duration: 135**Output Category:** 4

Wood Moisture (% wet): 19.43
Load Weight (lb wet): 18.90
Burn Rate (dry kg/h): 3.07
Total Particulate Emissions: 12.35 g

Fuel Data

D. Fir	
HHV	19,810 kJ/kg
%C	48.73
%H	6.87
%O	43.9
%ASH	0.5


Averages	0.80	10.29	#DIV/0!	529.75	84.93
				Temp. (°F)	

Elapsed Time (min)	Fuel Weight Remaining (lb)	Flue Gas Composition (%)			Flue Gas	Room Temp
		CO	CO ₂	O ₂		
0	18.90	0.38	4.67		385.0	83.0
5	17.70	1.14	16.83		722.0	84.0
10	16.00	1.94	17.63		778.0	84.0
15	14.00	2.62	17.65		798.0	85.0
20	11.90	3.05	17.44		790.0	85.0
25	10.00	2.80	17.36		779.0	85.0
30	8.20	2.20	17.26		756.0	86.0
35	6.70	0.76	16.81		737.0	86.0
40	5.60	0.35	15.07		679.0	87.0
45	4.90	0.18	12.64		614.0	88.0
50	4.10	0.12	11.33		569.0	87.0
55	3.60	0.06	10.44		536.0	87.0
60	3.20	0.04	9.97		517.0	87.0
65	2.70	0.04	9.17		500.0	86.0
70	2.30	0.09	8.73		488.0	86.0
75	2.00	0.10	8.34		476.0	86.0
80	1.80	0.29	7.74		454.0	85.0
85	1.40	0.34	7.03		430.0	85.0
90	1.20	0.42	6.78		413.0	85.0
95	1.10	0.51	6.63		404.0	85.0
100	1.00	0.58	6.47		393.0	84.0
105	0.90	0.62	6.28		387.0	84.0
110	0.80	0.61	6.29		381.0	83.0
115	0.60	0.64	6.02		379.0	83.0
120	0.40	0.66	6.05		372.0	83.0
125	0.30	0.65	5.92		368.0	83.0
130	0.10	0.61	5.90		367.0	83.0
135	0.00	0.66	5.70		361.0	83.0

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 4Model: 57ST-ACC-CTracking Number: 2187Date: 5/8/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Run Notes****Air Control Settings**

Primary:

Secondary:

fined

Tertiary/Pilot:

boost air locked open


Fan:

on high entire test**Preburn Notes**

Time	Notes
60	Leveled coal bed

Test Notes

Sketch test fuel configuration:



Start up procedures & Timeline:

Bypass:

n/a

Fuel loaded by:

47 seconds

Door closed at:

60 seconds

Primary air:

fully open for entire testFan on high entire testboost air locked open entire testnotes:

Time	Notes
60	changed front filter in front A

Technician Signature: B.D.Date: 6/1/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 4Model: 57ST-ACC-CTracking Number: 2187Date: 5/14/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Fuel Data**

Fuel: Douglas fir, untreated and air dried, standard grade or better dimensional lumber

Pre-Burn Fuel

Calibration: Cal Value (1) = 12% Actual Reading 12
 Cal Value (2) = 22% Actual Reading 22

Piece:	Length:	Reading:	Piece:	Length:	Reading:
1	<u>18</u>	<u>20.0</u>	7	<u>14</u>	<u>23.1</u>
2	<u>18</u>	<u>19.4</u>	8	<u>17</u>	<u>20.0</u>
3	<u>14</u>	<u>21.4</u>	9	<u>14</u>	<u>19.4</u>
4	<u>14</u>	<u>24.5</u>	10	<u>17</u>	<u>21.3</u>
5	<u>14</u>	<u>22.0</u>	11	<u>18</u>	<u>20.8</u>
6	<u>14</u>	<u>22.0</u>	12		

Total Pre-Burn Fuel Weight: 18.3 Pre-Burn Fuel Average Moisture: 21.24Time (clock): 0910 Room Temperature (F): 70 Initials: BD**Test Fuel**

Firebox Volume (ft³): 2.9 Test Fuel Piece Length (in): 19
 Load Weight Range (lb): 20.3 Total Wet Fuel Load Weight (lb): 18.9
 18.3 - 22.3

Fuel Type & Amount: 2 x 4: 4 4 x 4: 2
 Weight (with spacers): 7.1 Weight (with spacers): 9.8

Piece:	Weight (lbs):	Moisture Readings (%DB):	Fuel Type:
1	<u>1.8</u>	<u>24.5</u>	<u>2x4</u>
2	<u>2.1</u>	<u>24.5</u>	<u>2x4</u>
3	<u>1.8</u>	<u>24.8</u>	<u>2x4</u>
4	<u>1.8</u>	<u>24.3</u>	<u>2x4</u>
5	<u>4.4</u>	<u>22.8</u>	<u>4x4</u>
6	<u>4.5</u>	<u>24.9</u>	<u>4x4</u>
7			

Spacer Moisture Readings (%DB)

<u>7.9</u>	<u>7.6</u>	<u>7.8</u>	<u>7.9</u>	<u>7.4</u>	<u>7.9</u>		
<u>7.3</u>	<u>8.4</u>	<u>7.8</u>	<u>8.0</u>	<u>8.5</u>	<u>8.4</u>		
<u>6.7</u>	<u>8.1</u>	<u>7.8</u>	<u>7.8</u>	<u>8.4</u>	<u>7.8</u>		
<u>8.4</u>	<u>8.2</u>	<u>8.0</u>	<u>8.4</u>	<u>8.1</u>	<u>7.1</u>		

Time (clock): 0920 Room Temperature (F): 70 Initials: BDTechnician Signature: BDDate: 6/1/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run Sheets

Client: Hearth & Home

Project Number: 0061WS092E

Run Number: 4

Model: 57ST-ACC-C

Tracking Number: 2187

Date: 5/12/17

Test Crew: B. Davis

OMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A

Wood Heater Supplemental Data

Start Time: 11:00

Booth #: 7

Stop Time: 13:15

Stack Gas Leak Check:

Initial: good Final: good

Sample Train Leak Check:A: 0.0 @ 8 "Hg
B: 0.0 @ 7 "Hg

Calibrations: Span Gas

CO₂: 15.96 CO: 5.08

	Pre Test		Post Test	
	Zero	Span	Zero	Span
Time	Ø	Ø	13:20	13:20
CO ₂	0.00	15.97	0.13	16.10
CO	0.000	5.04	0.008	5.085

Air Velocity (ft/min): Initial: 250 Final: 250

Scale Audit (lbs): Initial: 10.0 Final: 10.0

Pitot Tube Leak Test: Initial: good Final: good

Stack Diameter (in): 6"

Induced Draft: 0.0

% Smoke Capture: 100%

Flue Pipe Cleaned Prior to First Test in Series:

Date: 5/12/17 Initials: BZ

	Initial	Middle	Ending
P _b (in/Hg)	28.80	28.53	28.55
RH (%)	n/a	n/a	n/a
Ambient (°F)	83	86	83

Tunnel Traverse		
Microtector Reading	dP (in H ₂ O)	T(°F)
1	.054	127
2	.058	126
3	.058	124
4	.056	123
1	.050	122
2	.050	120
3	.056	117
4	.050	115
Center:		
	.060	125

Background Filter Volume: 24.196

Tunnel Static Pressure (in H ₂ O):	
Beginning of Test	End of Test
-0.574	-0.574
-287	

Technician Signature: BZ

Date: 6/1/17

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Run 5

Wood Heater Test Results - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home
 Model: 57ST-ACC-C
 Project No.: 0061WS092E
 Tracking No.: 2187
 Run: 5
 Test Date: 05/19/17

Burn Rate	1.04 kg/hr dry
Average Tunnel Temperature	87 degrees Fahrenheit
Average Gas Velocity in Dilution Tunnel - vs	16.48 feet/second
Average Gas Flow Rate in Dilution Tunnel - Qsd	10487.0 dscf/hour
Average Delta p	0.060 inches H2O
Total Time of Test	410 minutes

	AMBIENT	SAMPLE TRAIN 1	SAMPLE TRAIN 2	FIRST HOUR FILTER (TRAIN 1)
Total Sample Volume - Vm	73.151 cubic feet	51.470 cubic feet	54.792 cubic feet	7.504 cubic feet
Average Gas Meter Temperature	77 degrees Fahrenheit	87 degrees Fahrenheit	87 degrees Fahrenheit	87 degrees Fahrenheit
Total Sample Volume (Standard Conditions) - Vmstd	68.300 dscf	47.609 dscf	50.193 dscf	6.941 dscf
Total Particulates - m _n	1.3 mg	91.3 mg	87.4 mg	8.2 mg
Particulate Concentration (dry-standard) - C _r /C _s	0.000019 grams/dscf	0.00192 grams/dscf	0.00174 grams/dscf	0.00118 grams/dscf
Total Particulate Emissions - E _T	1.36 grams	136.06 grams	123.42 grams	12.39 grams
Particulate Emission Rate	0.20 grams/hour	19.91 grams/hour	18.06 grams/hour	12.39 grams/hour
Emissions Factor		19.20 g/kg	17.41 g/kg	4.54 g/kg
Difference from Average Total Particulate Emissions		6.32 grams	6.32 grams	
Dual Train Comparison Results Are Acceptable				

FINAL AVERAGE RESULTS	
Complete Test Run	
Total Particulate Emissions - E _T	129.74 grams
Particulate Emission Rate	18.99 grams/hour
Emissions Factor	18.30 grams/kg
First Hour Emissions	
Total Particulate Emissions - E _T	12.39 grams
Particulate Emission Rate	12.39 grams/hour
Emissions Factor	4.54 grams/kg


QUALITY CHECKS	
Filter Temps < 90 °F	OK
Filter Face Velocity (47 mm)	OK
Dryer Exit Temp < 80°F	OK
Leakage Rate	OK
Ambient Temp (55-90°F)	OK
Negative Probe Weight Eval.	OK
Pro-Rate Variation	OK
Train Precision ≤ 7.5%	4.87
Train Precision ±0.5 g/kg	1.78
Stove Surface ΔT	OK

Technician Signature: _____

Wood Heater Preburn Data - ASTM E2780

Run:	5
Manufacturer:	Hearth & Home
Model:	57ST-ACC-C
Tracking No.:	2187
Project No.:	0061WS092E
Test Date:	05/19/17
Beginning Clock Time:	09:39:00 AM

Coal Bed

Technician Signature: 

Wood Heater Test Data - ASTM E2780 / ASTM E2515

Run:	5	Manufacturer:	Hearth & Home	PM Control Modules:	371, 372	Avg. Tunnel Velocity:	16.48 ft/sec.	
		Model:	57ST-ACC-C	Dilution Tunnel MW(dry):	29.00 lb/lb-mole	Initial Tunnel Flow:	173.6 scfm	
Tracking No.:	2187	Total Sampling Time:	410 min	Dilution Tunnel MW(wet):	28.78 lb/lb-mole	Average Tunnel Flow:	174.8 scfm	
Project No.:	0061WS092E	Recording Interval:	10 min	Dilution Tunnel H ₂ O:	2.00 percent	Post-Test Leak Check (1):	0.000 cfm @ 12 in. Hg	
Test Date:	05/19/17			Dilution Tunnel Static:	-0.598 "H ₂ O	Post-Test Leak Check (2):	0.000 cfm @ 10 in. Hg	
Beginning Clock Time:	10:55	Background Sample Volume:	73.151 cubic feet	Tunnel Area:	0.19635 ft ²	Average Test Piece Fuel Moisture:	21.41 Dry Basis %	
Meter Box Y Factor:	1.001 (1)	0.993 (2)	0.997 (Amb)	Pitot Tube Cp:	0.99			
Barometric Pressure:	Begin	Middle	End	Velocity Traverse Data		Technician Signature:		
	28.56	28.53	28.49	Temp: 91 91 91 91 91 91 91 91	V _{strav} 16.53 ft/sec V _{scent} 16.99 ft/sec F _p 0.973			
OMNI Equipment Numbers:								

Elapsed Time (min)	Particulate Sampling Data										Temperature Data (°F)										Stack Gas Data											
	Gas Meter 1 (ft ³)	Gas Meter 2 (ft ³)	Sample Rate 1 (cfm)	Orifice dH 1 ("H ₂ O)	Meter 1 Temp (°F)	Meter 1 Vacuum ("Hg)	Orifice dH 2 ("H ₂ O)	Meter 2 Temp (°F)	Meter 2 Vacuum ("Hg)	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Firebox Top	Firebox Bottom	Firebox Back	Firebox Left	Firebox Right	Avg. Stove Surface Temp	Catalyst Exit Temp	Stack	Filter 1	Dryer Exit 1	Filter 2	Dryer Exit 2	Ambient	Draft ("H ₂ O)	CO ₂ (%)	CO (%)		
0	0.000	0.000		1.27	74	-0.19	0.90	75	-0.8	91	0.060		18.7		328	497	352	434	385	399	N/A	188	80	64	82	69	76	-0.042	3.49	1.13		
10	1.223	1.317	0.12	0.13	1.54	76	-0.43	1.10	76	-1.2	96	0.060	100	101	17.3	-1.4	547	477	332	407	443	441	N/A	502	83	69	84	70	76	-0.084	14.29	1.28
20	2.458	2.651	0.12	0.13	1.59	78	-0.48	1.12	79	-1.2	101	0.060	101	103	15.1	-2.2	694	461	347	431	453	477	N/A	502	85	70	86	71	77	-0.084	13.75	0.22
30	3.705	3.999	0.12	0.13	1.58	80	-0.46	1.12	81	-1.2	94	0.060	101	103	14.0	-1.1	585	449	344	437	446	452	N/A	326	86	71	86	72	78	-0.067	5.81	1.1
40	4.973	5.350	0.13	0.14	1.58	82	-0.45	1.13	83	-1.2	91	0.060	102	102	13.3	-0.7	490	439	326	417	422	419	N/A	295	85	72	85	72	78	-0.066	7.3	0.92
50	6.239	6.695	0.13	0.13	1.58	83	-0.45	1.09	84	-1.2	91	0.060	102	102	12.3	-1	577	426	319	409	402	427	N/A	353	84	73	84	73	78	-0.070	10.82	0.45
60	7.504	8.031	0.13	0.13	1.58	84	-0.45	1.10	85	-1.2	91	0.060	102	101	11.4	-0.9	575	414	318	423	402	426	N/A	337	83	73	83	74	77	-0.067	9.92	1.04
70	8.769	9.369	0.13	0.13	1.56	85	-0.44	1.10	86	-1.2	89	0.060	101	100	10.6	-0.8	451	405	310	421	401	398	N/A	257	83	74	83	74	77	-0.058	5.79	2.94
80	10.034	10.708	0.13	0.13	1.56	85	-0.44	1.10	86	-1.2	88	0.060	101	100	9.8	-0.8	395	398	299	413	396	380	N/A	236	83	74	83	75	77	-0.055	5.86	2.88
90	11.296	12.046	0.13	0.13	1.55	86	-0.46	1.10	86	-1.2	87	0.060	101	100	9.0	-0.8	366	392	291	409	392	370	N/A	227	82	74	82	75	77	-0.053	5.82	2.9
100	12.549	13.383	0.13	0.13	1.54	86	-0.48	1.09	86	-1.2	87	0.060	100	100	8.1	-0.9	354	388	288	411	390	366	N/A	227	82	74	82	75	77	-0.053	6.1	3.07
110	13.812	14.717	0.13	0.13	1.56	86	-0.53	1.09	86	-1.2	87	0.060	101	100	7.3	-0.8	345	385	291	417	390	366	N/A	224	82	74	82	75	77	-0.052	6	3.15
120	15.069	16.049	0.13	0.13	1.55	87	-0.53	1.09	86	-1.2	88	0.060	100	100	6.4	-0.9	415	382	299	433	397	385	N/A	278	82	75	82	75	77	-0.059	10.43	1.05
130	16.325	17.382	0.13	0.13	1.55	87	-0.54	1.09	87	-1.2	89	0.060	100	100	5.6	-0.8	482	380	323	470	428	417	N/A	283	83	75	82	76	77	-0.059	9.7	0.9
140	17.583	18.714	0.13	0.13	1.56	87	-0.53	1.09	87	-1.2	89	0.060	100	100	5.1	-0.5	476	381	340	496	448	428	N/A	268	83	75	82	76	78	-0.056	8	0.77
150	18.846	20.046	0.13	0.13	1.55	88	-0.53	1.09	88	-1.2	89	0.060	101	100	4.6	-0.5	431	381	346	500	447	421	N/A	241	83	75	83	76	78	-0.054	6.22	1.27
160	20.107	21.379	0.13	0.13	1.55	88	-0.53	1.09	88	-1.2	88	0.060	100	100	4.1	-0.5	390	382	345	500	439	411	N/A	224	83	75	82	77	78	-0.051	5.69	1.24
170	21.368	22.713	0.13	0.13	1.56	88	-0.54	1.08	88	-1.2	87	0.060	100	100	3.9	-0.2	366	383	341	492	433	403	N/A	211	82	75	82	77	78	-0.049	4.96	1.4
180	22.629	24.047	0.13	0.13	1.55	88	-0.53	1.09	88	-1.2	86	0.060	100	100	3.6	-0.3	349	383	337	479	426	395	N/A	202	82	75	82	77	78	-0.048	4.62	1.46
190	23.890	25.381	0.13	0.13	1.55	88	-0.53	1.09	89	-1.2	86	0.060	100	99	3.4	-0.2	333	381	334	466	421	387	N/A	196	82	75	81	77	78	-0.047	4.31	1.39
200	25.155	26.715	0.13	0.13	1.55	89	-0.53	1.09	89	-1.2	85	0.060	100	99	3.3	-0.1	322	379	331	455	416	381	N/A	190	81	75	81	77	78	-0.046	4.32	1.35
210	26.415	28.051	0.13	0.13	1.55	89	-0.53	1.09	89	-1.2	85	0.060	100	99	3.1	-0.2	315	375	329	446	412	375	N/A	187	81	75	81	77	78	-0.045	4.27	1.42
220	27.676	29.386	0.13	0.13	1.56	89	-0.52	1.09	89	-1.2	85	0.060	100	99	2.9	-0.2	308	372	327	439	409	371	N/A	184	81	75	81	77	78	-0.044	3.99	1.46
230	28.934	30.722	0.13	0.13	1.55	89	-0.52	1.09	89	-1.2	84	0.060	100	99	2.8	-0.1	300	368	324	427	404	365	N/A	182	81	75	81	77	78	-0.044	3.99	1.47
240	30.190	32.058	0.13	0.13	1.55	89	-0.52	1.09	89	-1.2	84	0.060	99	99	2.6	-0.2	295	365	322	417	401	360	N/A	179	81	75	80	77	78	-0.043	4.08	1.46
250	31.442	33.395	0.13	0.13	1.54	89	-0.52	1.08	89	-1.2	84	0.060	99	99	2.5	-0.1	291	363	321	411	400	357	N/A	178	80	75	80	77	78	-0.043	4.13	1.49
260	32.698	34.732	0.13	0.13	1.56	89	-0.53	1.09	89	-1.2	85	0.060	99	99	2.3	-0.2	289	361	322	407	401	356	N/A	179	80	75	80	77	78	-0.043	4.23	1.5
270	33.951	36.070	0.13	0.13	1.56	89	-0.52	1.09	89	-1.2	85	0.060	99	100	2.1	-0.2	289	359	326	404	404	356	N/A	180	80	75	80	77	78	-0.043	4.32	1.53
280	35.205	37.407	0.13	0.13	1.56	89	-0.52	1.09	89	-1.2	84	0.060	99	99	2.0	-0.1	289	356	330	401	407	357	N/A	179	80	75	80	77	78	-0.044	4.4	1.59
290	36.456	38.744	0.13	0.13	1.56	88	-0.53	1.09	89	-1.2	85	0.060	99	9																		

Wood Heater Test Data - ASTM E2780 / ASTM E2515

Run:	<u>5</u>	Manufacturer:	Hearth & Home	PM Control Modules:	<u>371,372</u>	Avg. Tunnel Velocity:	<u>16.48</u> ft/sec.	
Model:	57ST-ACC-C	Dilution Tunnel MW(dry):	<u>29.00</u> lb/lb-mole	Initial Tunnel Flow:	<u>173.6</u> scfm	Tunnel Area:	<u>0.19635</u> ft ²	
Tracking No.:	<u>2187</u>	Dilution Tunnel MW(wet):	<u>28.78</u> lb/lb-mole	Average Tunnel Flow:	<u>174.8</u> scfm	Post-Test Leak Check (1):	<u>0.000</u> cfm @ <u>12</u> in. Hg	
Project No.:	<u>0061WS092E</u>	Dilution Tunnel H ₂ O:	<u>2.00</u> percent	Post-Test Leak Check (2):	<u>0.000</u> cfm @ <u>10</u> in. Hg	Pitot Tube Cp:	<u>0.99</u>	
Test Date:	<u>05/19/17</u>	Dilution Tunnel Static:	<u>-0.598</u> "H ₂ O	Average Test Piece Fuel Moisture:	<u>21.41</u> Dry Basis %			
Beginning Clock Time:	<u>10:55</u>	Background Sample Volume:	<u>73.151</u> cubic feet					
Meter Box Y Factor:	<u>1.001</u> (1)		<u>0.993</u> (2)					
Barometric Pressure:	Begin	Middle	End	Average				
	<u>28.56</u>	<u>28.53</u>	<u>28.49</u>	<u>28.53</u> "Hg				
OMNI Equipment Numbers:								

Technician Signature: Brian K. D.

Velocity Traverse Data									
	Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center
Initial dP	<u>0.050</u>	<u>0.054</u>	<u>0.060</u>	<u>0.058</u>	<u>0.050</u>	<u>0.060</u>	<u>0.062</u>	<u>0.058</u>	<u>0.060</u>
Temp:	<u>91</u>	<u>91</u>	<u>91</u>	<u>91</u>	<u>91</u>	<u>91</u>	<u>91</u>	<u>91</u>	<u>91</u>
V _{strav}	<u>16.53</u> ft/sec		V _{scent}	<u>16.99</u> ft/sec		F _p	<u>0.973</u> °F		

Elapsed Time (min)	Particulate Sampling Data										Temperature Data (°F)										Stack Gas Data											
	Gas Meter 1 (ft ³)	Gas Meter 2 (ft ³)	Sample Rate 1 (cfm)	Sample Rate 2 (cfm)	Orifice dH 1 ("H ₂ O)	Meter 1 Temp (°F)	Meter 1 Vacuum ("Hg)	Orifice dH 2 ("H ₂ O)	Meter 2 Temp (°F)	Meter 2 Vacuum ("Hg)	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Firebox Top	Firebox Bottom	Firebox Back	Firebox Left	Firebox Right	Avg. Stove Surface Temp	Catalyst Exit Temp	Stack	Filter 1	Dryer Exit 1	Filter 2	Dryer Exit 2	Ambient	Draft ("H ₂ O)	CO ₂ (%)	CO (%)	
370	<u>46.468</u>	<u>49.445</u>	0.13	0.13	<u>1.56</u>	<u>89</u>	<u>-0.52</u>	<u>1.09</u>	<u>89</u>	<u>-1.2</u>	<u>85</u>	<u>0.060</u>	99	99	<u>0.5</u>	-0.2	<u>274</u>	<u>355</u>	<u>317</u>	<u>361</u>	<u>403</u>	<u>342</u>	N/A	<u>171</u>	<u>81</u>	<u>76</u>	<u>81</u>	<u>77</u>	<u>77</u>	<u>-0.045</u>	<u>3.44</u>	<u>1.96</u>
380	<u>47.724</u>	<u>50.782</u>	0.13	0.13	<u>1.55</u>	<u>89</u>	<u>-0.51</u>	<u>1.08</u>	<u>89</u>	<u>-1.2</u>	<u>86</u>	<u>0.060</u>	100	100	<u>0.4</u>	-0.1	<u>272</u>	<u>354</u>	<u>315</u>	<u>357</u>	<u>400</u>	<u>340</u>	N/A	<u>169</u>	<u>81</u>	<u>76</u>	<u>81</u>	<u>77</u>	<u>77</u>	<u>-0.045</u>	<u>3.4</u>	<u>1.96</u>
390	<u>48.971</u>	<u>52.118</u>	0.12	0.13	<u>1.55</u>	<u>89</u>	<u>-0.51</u>	<u>1.09</u>	<u>90</u>	<u>-1.2</u>	<u>86</u>	<u>0.060</u>	99	99	<u>0.3</u>	-0.1	<u>270</u>	<u>353</u>	<u>314</u>	<u>353</u>	<u>397</u>	<u>337</u>	N/A	<u>168</u>	<u>81</u>	<u>76</u>	<u>81</u>	<u>77</u>	<u>77</u>	<u>-0.045</u>	<u>3.35</u>	<u>1.93</u>
400	<u>50.221</u>	<u>53.455</u>	0.13	0.13	<u>1.55</u>	<u>89</u>	<u>-0.51</u>	<u>1.09</u>	<u>90</u>	<u>-1.2</u>	<u>86</u>	<u>0.060</u>	99	99	<u>0.1</u>	-0.2	<u>266</u>	<u>350</u>	<u>310</u>	<u>349</u>	<u>392</u>	<u>333</u>	N/A	<u>167</u>	<u>82</u>	<u>76</u>	<u>82</u>	<u>77</u>	<u>78</u>	<u>-0.046</u>	<u>3.28</u>	<u>1.91</u>
410	<u>51.470</u>	<u>54.792</u>	0.12	0.13	<u>1.54</u>	<u>90</u>	<u>-0.51</u>	<u>1.09</u>	<u>90</u>	<u>-1.2</u>	<u>85</u>	<u>0.060</u>	99	99	<u>0.0</u>	-0.1	<u>263</u>	<u>348</u>	<u>307</u>	<u>345</u>	<u>388</u>	<u>330</u>	N/A	<u>167</u>	<u>81</u>	<u>77</u>	<u>81</u>	<u>77</u>	<u>78</u>	<u>-0.045</u>	<u>3.24</u>	<u>1.87</u>
Avg/Tot	51.470	54.792	0.13	0.13	1.55	87		1.09	87		87	0.060	100	100							69.0				74	82	76	77	-0.052			

Wood Heater Lab Data - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home Equipment Numbers: _____
 Model: 57ST-ACC-C
 Tracking No.: 2187
 Project No.: 0061WS092E
 Run #: 5
 Date: 5/19/17

TRAIN 1 (First Hour emissions)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D191	130.4	122.2	8.2
C. Rear filter catch	Filter				0.0
D. Probe catch*	Probe				0.0
E. Filter seals catch*	Seals				0.0

Sub-Total Total Particulate, mg: **8.2**

TRAIN 1 (Post First Hour Change-out)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D192	202.8	124.2	78.6
C. Rear filter catch	Filter	D193	122.5	120.4	2.1
D. Probe catch*	Probe	20	114256.6	114255.0	1.6
E. Filter seals catch*	Seals	R477	3504.4	3503.6	0.8

Sub-Total Total Particulate, mg: **83.1**

Train 1 Aggregate Total Particulate, mg: **91.3**

TRAIN 2

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch	Filter	D194	205.2	122.4	82.8
B. Rear filter catch	Filter	D195	125.2	123.3	1.9
C. Probe catch*	Probe	24	114130.1	114128.6	1.5
D. Filter seals catch*	Seals	R478	3342.1	3340.9	1.2

Total Particulate, mg: **87.4**

AMBIENT

Sample Component	Reagent	Filter # or Probe #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch*	Filter	D76	123.5	122.2	1.3

Total Particulate, mg: **1.3**

*Particulate catch that results in a negative number, is assumed to be zero for probes and seals, negative numbers for filters are assumed to be part of the seal weight.

Component	Equations:
A. Front filter catch	Final (mg) - Tare (mg) = Particulate, mg
B. Rear filter catch	Final (mg) - Tare (mg) = Particulate, mg
C. Probe catch	Final (mg) - Tare (mg) = Particulate, mg

Technician Signature: 

Wood Heater Test Fuel Data - ASTM E2780

Manufacturer: Hearth & Home
Model: 57ST-ACC-C
Tracking No.: 2187
Project No.: 0061WS092E
Test Date: 5/19/2017
Run No.: 5

Firebox Volume (ft ³):	2.92
Fuel Piece Length (in):	19
2x4 Crib Weight (lb):	8.8
4x4 Crib Weight (lb):	9.9

Total Fuel Weight (Dry Basis, lb):	15.6	
Fuel Density (lb/ft ³ , Dry Basis):	26.66	OK
Loading Density (lb/ft ³ , Wet Basis):	6.40	OK
2x4 Percentage:	47%	OK

Coal Bed Range (20-25%): **3.74 - 4.675**

Spacer Readings (Dry Basis %)	
12.8	8.0
7.0	10.7
9.5	9.0
11.7	7.9
8.7	7.6
14.5	9.5
13.6	8.8
8.4	8.4
8.1	7.0
8.0	8.2
8.0	7.6
7.8	
9.0	

Technician Signature:

OMNI-Test Laboratories, Inc.

Manufacturer: Hearth & Home

Technicians: Brian K. D.

Model: 57ST-ACC-C

Date: 05/19/17

Run: 5

Control #: 0061WS092E

Test Duration: 410

Output Category: 2

Test Results in Accordance with CSA B415.1-09

	HHV Basis	LHV Basis
Overall Efficiency	66.4%	71.7%
Combustion Efficiency	84.9%	84.9%
Heat Transfer Efficiency	78%	84.5%

Output Rate (kJ/h)	13,370	12,683	(Btu/h)
Burn Rate (kg/h)	1.02	2.24	(lb/h)
Input (kJ/h)	20,150	19,114	(Btu/h)

Test Load Weight (dry kg)	6.95	15.32	dry lb
MC wet (%)	17.64		
MC dry (%)	21.42		
Particulate (g)	129.74		
CO (g)	1,449		
Test Duration (h)	6.83		

Emissions	Particulate	CO
g/MJ Output	1.42	15.87
g/kg Dry Fuel	18.67	208.54
g/h	18.99	212.12
lb/MM Btu Output	3.30	36.87

Air/Fuel Ratio (A/F)	16.77
-----------------------------	-------

VERSION:

2.2

12/14/2009

VERSION: 2.2

12/14/2009

Manufacturer: Hearth & Home
 Model: 57ST-ACC-C
 Date: 5/19/2017
 Run: 5
 Control #: 0061WS092E

Test Duration: 410

Output Category: 2

Appliance Type: Non-Cat (Cat, Non-Cat, Pellet)

Temp. Units F (F or C)
 Weight Units lb (kg or lb)

Wood Moisture (% wet):	17.64	HHV	19,810	kJ/kg
Load Weight (lb wet):	18.60	%C	48.73	
Burn Rate (dry kg/h):	1.02	%H	6.87	
Total Particulate Emissions:	129.74 g	%O	43.9	
		%ASH	0.5	

Fuel Data


D. Fir

Elapsed Time (min)	Fuel Weight Remaining (lb)	Flue Gas Composition (%)			Flue Gas Temp.	Room Temp
		CO	CO ₂	O ₂		
0	18.60	1.13	3.49		188.0	76.0
10	17.20	1.28	14.29		502.0	76.0
20	15.00	0.22	13.75		502.0	77.0
30	13.90	1.10	5.81		326.0	78.0
40	13.20	0.92	7.30		295.0	78.0
50	12.20	0.45	10.82		353.0	78.0
60	11.30	1.04	9.92		337.0	77.0
70	10.50	2.94	5.79		257.0	77.0
80	9.70	2.88	5.86		236.0	77.0
90	8.90	2.90	5.82		227.0	77.0
100	8.00	3.07	6.10		227.0	77.0
110	7.20	3.15	6.00		224.0	77.0
120	6.30	1.05	10.43		278.0	77.0
130	5.50	0.90	9.70		283.0	77.0
140	5.00	0.77	8.00		268.0	78.0
150	4.50	1.27	6.22		241.0	78.0
160	4.00	1.24	5.69		224.0	78.0
170	3.80	1.40	4.96		211.0	78.0
180	3.50	1.46	4.62		202.0	78.0
190	3.30	1.39	4.31		196.0	78.0
200	3.20	1.35	4.32		190.0	78.0
210	3.00	1.42	4.27		187.0	78.0
220	2.80	1.46	3.99		184.0	78.0
230	2.70	1.47	3.99		182.0	78.0
240	2.50	1.46	4.08		179.0	78.0
250	2.40	1.49	4.13		178.0	77.0
260	2.20	1.50	4.23		179.0	77.0
270	2.00	1.53	4.32		180.0	77.0
280	1.90	1.59	4.40		179.0	77.0
290	1.70	1.77	4.48		182.0	77.0
300	1.50	2.45	4.03		185.0	77.0
310	1.30	2.35	3.96		185.0	77.0
320	1.20	2.30	3.84		184.0	77.0
330	1.00	2.11	3.58		179.0	77.0
340	0.90	2.00	3.51		175.0	77.0
350	0.70	2.02	3.51		174.0	77.0
360	0.60	2.03	3.54		173.0	77.0
370	0.40	1.96	3.44		171.0	77.0
380	0.30	1.96	3.40		169.0	77.0
390	0.20	1.93	3.35		168.0	77.0
400	0.00	1.91	3.28		167.0	78.0
410	0.00	1.87	3.24		167.0	78.0

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 5Model: 57ST-ACC-CTracking Number: 2187Date: 5/19/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Run Notes****Air Control Settings**

Primary:



Secondary:

fixed

Tertiary/Pilot:

blast air not used


Fan:

Not used**Preburn Notes**

Time	Notes
50	Laveled coal bed

Test Notes

Sketch test fuel configuration:



Start up procedures & Timeline:

Bypass:

N/A

Fuel loaded by:

50 seconds

Door closed at:

80 Seconds

Primary air:

fully open for first 5:00 flw set to heat setting

Notes:

Blast Air locked open @ 0 min. Then set to timed air @ 5:00 Fan not used.

Time	Notes
60	Changed filter in fire A.

Technician Signature: B. DavisDate: 6/1/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 5Model: 57ST-ACC-CTracking Number: 2187Date: 5/19/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Fuel Data**

Fuel: Douglas fir, untreated and air dried, standard grade or better dimensional lumber

Pre-Burn Fuel

Calibration: Cal Value (1) = 12% Actual Reading 12
 Cal Value (2) = 22% Actual Reading 22

Piece:	Length:	Reading:	Piece:	Length:	Reading:
1	8 in	<u>21.0</u>	7	_____ in	_____
2	8 in	<u>22.5</u>	8	_____ in	_____
3	8 in	<u>20.6</u>	9	_____ in	_____
4	_____ in	_____	10	_____ in	_____
5	_____ in	_____	11	_____ in	_____
6	_____ in	_____	12	_____ in	_____

Total Pre-Burn Fuel Weight: 2.6 Pre-Burn Fuel Average Moisture: 21.37Time (clock): 0925 Room Temperature (F): 70 Initials: AK**Test Fuel**

Firebox Volume (ft³): 2.9 Test Fuel Piece Length (in): 19
 Load Weight Range (lb): 20.3 Total Wet Fuel Load Weight (lb): 18.7
18.3 - 22.3

Fuel Type & Amount: 2 x 4: 4 4 x 4: 2
 Weight (with spacers): 4 Weight (with spacers): 2.99

Piece:	Weight (lbs):	Moisture Readings (%DB):	Fuel Type:
1	<u>1.8</u>	<u>19.3</u>	<u>2x4</u>
2	<u>1.8</u>	<u>21.5</u>	<u>2x4</u>
3	<u>1.7</u>	<u>21.4</u>	<u>2x4</u>
4	<u>1.8</u>	<u>23.8</u>	<u>2x4</u>
5	<u>4.4</u>	<u>22.5</u>	<u>4x4</u>
6	<u>4.7</u>	<u>21.2</u>	<u>4x4</u>
7	_____	_____	_____

Spacer Moisture Readings (%DB)

<u>12.8</u>	<u>8.7</u>	<u>8.1</u>	<u>9.0</u>	<u>7.9</u>	<u>8.4</u>	_____	_____
<u>7.0</u>	<u>14.5</u>	<u>8.0</u>	<u>8.0</u>	<u>7.6</u>	<u>7.0</u>	_____	_____
<u>9.5</u>	<u>13.6</u>	<u>8.0</u>	<u>10.7</u>	<u>9.5</u>	<u>8.2</u>	_____	_____
<u>11.7</u>	<u>8.4</u>	<u>7.8</u>	<u>9.0</u>	<u>8.8</u>	<u>7.6</u>	_____	_____

Time (clock): 0910 Room Temperature (F): 70 Initials: AKTechnician Signature: AKDate: 5/19/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 5Model: 57ST-ACC-CTracking Number: 2187Date: 5/19/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Supplemental Data**Start Time: 10:55Booth #: 7Stop Time: 17:45**Stack Gas Leak Check:**Initial: good Final: good**Sample Train Leak Check:**A: 0.0 @ 12 "Hg
B: 0.0 @ 10 "Hg**Calibrations:** Span GasCO₂: 15.96 CO: 5.08

	Pre Test		Post Test	
	Zero	Span	Zero	Span
Time	<u>Ø</u>	<u>Ø</u>	<u>17.56</u>	<u>17.56</u>
CO ₂	<u>0.00</u>	<u>15.96</u>	<u>0.03</u>	<u>15.89</u>
CO	<u>0.004</u>	<u>5.08</u>	<u>0.014</u>	<u>5.07</u>

Air Velocity (ft/min): Initial: < 50 Final: < 50Scale Audit (lbs): Initial: 10.0 Final: 10.0Pitot Tube Leak Test: Initial: good Final: goodStack Diameter (in): 6"Induced Draft: 0.0% Smoke Capture: 100%

Flue Pipe Cleaned Prior to First Test in Series:

Date: 5/15/17 Initials: BZ

	Initial	Middle	Ending
P _b (in/Hg)	<u>28.56</u>	<u>28.53</u>	<u>28.49</u>
RH (%)	<u>n/a</u>	<u>n/a</u>	<u>n/a</u>
Ambient (°F)	<u>76</u>	<u>78</u>	<u>78</u>

Background Filter Volume: 73.151

Tunnel Traverse		
Microtector Reading	dP (in H ₂ O)	T(°F)
1	.050	91
2	.054	91
3	.060	91
4	.058	91
1	.050	91
2	.060	91
3	.062	91
4	.058	91
Center:		
	.060	91

Tunnel Static Pressure (in H ₂ O):	
Beginning of Test	End of Test
-.598	-.598
-299	

Technician Signature: B. DavisDate: 5/11/17

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Run 6

Wood Heater Test Results - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home
 Model: 57ST-ACC-C
 Project No.: 0061WS092E
 Tracking No.: 2187
 Run: 6
 Test Date: 06/06/17

Burn Rate	1.11 kg/hr dry
Average Tunnel Temperature Average Gas Velocity in Dilution Tunnel - vs Average Gas Flow Rate in Dilution Tunnel - Qsd	96 degrees Fahrenheit 15.65 feet/second 9788.7 dscf/hour
Average Delta p Total Time of Test	0.054 inches H2O 390 minutes

	AMBIENT	SAMPLE TRAIN 1	SAMPLE TRAIN 2	FIRST HOUR FILTER (TRAIN 1)
Total Sample Volume - Vm	69.149 cubic feet	49.190 cubic feet	51.539 cubic feet	7.478 cubic feet
Average Gas Meter Temperature	83 degrees Fahrenheit	88 degrees Fahrenheit	87 degrees Fahrenheit	88 degrees Fahrenheit
Total Sample Volume (Standard Conditions) - Vmstd	63.901 dscf	45.330 dscf	47.156 dscf	6.891 dscf
Total Particulates - m _n	0.3 mg	6.2 mg	4.3 mg	3.8 mg
Particulate Concentration (dry-standard) - C _s /C _d	0.000005 grams/dscf	0.00014 grams/dscf	0.00009 grams/dscf	0.00055 grams/dscf
Total Particulate Emissions - E _T	0.30 grams	8.40 grams	5.50 grams	5.40 grams
Particulate Emission Rate	0.05 grams/hour	1.29 grams/hour	0.85 grams/hour	5.40 grams/hour
Emissions Factor		1.17 g/kg	0.77 g/kg	1.64 g/kg
Difference from Average Total Particulate Emissions		1.45 grams	1.45 grams	
Dual Train Comparison Results Are Acceptable				

FINAL AVERAGE RESULTS	
Complete Test Run	
Total Particulate Emissions - E _T	6.95 grams
Particulate Emission Rate	1.07 grams/hour
Emissions Factor	0.97 grams/kg
First Hour Emissions	
Total Particulate Emissions - E _T	5.40 grams
Particulate Emission Rate	5.40 grams/hour
Emissions Factor	1.64 grams/kg

QUALITY CHECKS	
Filter Temps < 90 °F	OK
Filter Face Velocity (47 mm)	OK
Dryer Exit Temp < 80F	OK
Leakage Rate	OK
Ambient Temp (55-90°F)	OK
Negative Probe Weight Eval.	OK
Pro-Rate Variation	OK
Train Precision ≤ 7.5%	20.86
Train Precision ±0.5 g/kg	0.40
Stove Surface ΔT	OK

Technician Signature: _____

Wood Heater Preburn Data - ASTM E2780

Run:	6
Manufacturer:	Hearth & Home
Model:	57ST-ACC-C
Tracking No.:	2187
Project No.:	0061WS092E
Test Date:	6/6/2017
Beginning Clock Time:	9:55

Coal Bed Range (lb):	3.8	4.7
(min)		(max)

Technician Signature: 

Elapsed Time (min)	Scale (lb)	Stack Draft (in H ₂ O)	Temperatures (°F)							
			FB Top	FB Bottom	FB Back	FB Left	FB Right	Avg. Firebox Surface	Stack	Ambient
0	7.1	-0.067	762	561	568	739	748	675.6	510	83
10	6.2	-0.055	672	573	545	697	716	640.6	342	82
20	5.7	-0.049	581	571	504	638	664	591.6	301	81
30	5.2	-0.046	537	562	473	599	625	559.2	288	81
40	4.9	-0.041	494	548	445	563	588	527.6	261	81
50	4.8	-0.037	429	534	418	527	555	492.6	226	80
60	4.6	-0.035	378	522	391	488	523	460.4	207	80

Wood Heater Test Data - ASTM E2780 / ASTM E2515

Run:	6	Manufacturer:	Hearth & Home	PM Control Modules:	15.65 ft/sec.																							
Model:	57ST-ACC-C	Total Sampling Time:	390 min	Dilution Tunnel MW(dry):	29.00 lb/lb-mole																							
Tracking No.:	2187	Recording Interval:	10 min	Dilution Tunnel MW(wet):	28.78 lb/lb-mole																							
Project No.:	0061WS092E			Dilution Tunnel H ₂ O:	2.00 percent																							
Test Date:	06-Jun-17			Dilution Tunnel Static:	-0.574 "H ₂ O																							
Beginning Clock Time:	10:58	Background Sample Volume:	69.149 cubic feet	Tunnel Area:	0.19635 ft ²																							
Meter Box Y Factor:	1.001 (1)	0.993 (2)	0.997 (Amb)	Pitot Tube Cp:	0.99																							
Barometric Pressure:	Begin	Middle	End	Avg. Tunnel Velocity:	15.65 ft/sec.																							
	28.57	28.54	28.41	Initial Tunnel Flow:	162.5 scfm																							
				Average Tunnel Flow:	163.1 scfm																							
				Post-Test Leak Check (1):	0.000 cfm @ 10 in. Hg																							
				Post-Test Leak Check (2):	0.000 cfm @ 9 in. Hg																							
OMNI Equipment Numbers:									Average Test Piece Fuel Moisture:	21.14 Dry Basis %																		
										Velocity Traverse Data																		
										Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center										
										Initial dP	0.042	0.052	0.056	0.048	0.048	0.050	0.054	0.050	0.054	"H ₂ O								
										Temp:	96	96	96	96	96	96	96	96	96	°F								
										V _{strav}	15.63	ft/sec	V _{scent}	16.18	ft/sec	F _p	0.966											

Elapsed Time (min)	Particulate Sampling Data												Temperature Data (°F)												Stack Gas Data							
	Gas Meter 1 (ft ³)	Gas Meter 2 (ft ³)	Sample Rate 1 (cfm)	Sample Rate 2 (cfm)	Orifice dH 1 ("H ₂ O)	Meter 1 Temp (°F)	Meter 1 Vacuum ("Hg)	Orifice dH 2 ("H ₂ O)	Meter 2 Temp (°F)	Meter 2 Vacuum ("Hg)	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Firebox Top	Firebox Bottom	Firebox Back	Firebox Left	Firebox Right	Avg. Stove Surface Temp	Catalyst Exit Temp	Stack	Filter 1	Dryer Exit 1	Filter 2	Dryer Exit 2	Ambient	Draft ("H ₂ O)	CO ₂ (%)	CO (%)	
0	0.000	0.000			1.09	76	-0.01	0.30	76	-0.8	96	0.054		18.9		367	518	383	477	512	451	N/A	203	82	73	83	74	79	-0.041	2.88	0.98	
10	1.240	1.319	0.12	0.13	1.58	78	-0.46	1.09	78	-1.2	102	0.054	101	102	17.3	-1.6	584	501	361	437	477	472	N/A	511	87	75	87	74	80	-0.083	13.85	1.22
20	2.474	2.635	0.12	0.13	1.56	80	-0.45	1.08	80	-1.2	105	0.054	100	102	15.2	-2.1	740	484	373	446	481	505	N/A	477	89	76	89	75	80	-0.079	13.91	0.52
30	3.721	3.951	0.12	0.13	1.56	83	-0.43	1.08	83	-1.2	99	0.054	100	101	13.9	-1.3	655	471	367	443	469	481	N/A	374	89	77	89	75	81	-0.071	9.99	0.54
40	4.970	5.270	0.12	0.13	1.56	85	-0.43	1.08	85	-1.2	98	0.054	100	100	12.7	-1.2	613	458	354	435	454	463	N/A	348	89	78	89	76	82	-0.066	9.36	0.47
50	6.218	6.591	0.12	0.13	1.57	86	-0.44	1.08	87	-1.2	99	0.054	100	100	11.5	-1.2	669	443	352	445	447	471	N/A	401	89	79	89	77	82	-0.072	14.32	0.54
60	7.478	7.914	0.13	0.13	1.56	88	-0.44	1.07	88	-1.2	101	0.054	100	100	10.1	-1.4	724	430	367	483	472	495	N/A	411	88	79	88	78	83	-0.073	14.11	1.12
70	8.741	9.239	0.13	0.13	1.58	89	-0.42	1.08	89	-1.2	101	0.054	100	100	8.7	-1.4	726	420	380	517	493	507	N/A	403	86	80	85	78	83	-0.072	14.25	0.64
80	10.009	10.566	0.13	0.13	1.57	90	-0.42	1.08	90	-1.2	102	0.054	101	100	7.5	-1.2	702	413	391	547	508	512	N/A	379	86	75	84	74	84	-0.070	12.97	0.82
90	11.275	11.894	0.13	0.13	1.57	91	-0.43	1.08	91	-1.3	102	0.054	100	100	6.4	-1.1	703	408	400	556	529	519	N/A	376	86	76	84	75	84	-0.068	12.53	0.78
100	12.544	13.226	0.13	0.13	1.58	91	-0.42	1.09	92	-1.2	102	0.054	101	100	5.5	-0.9	658	405	406	554	540	513	N/A	334	86	77	85	76	85	-0.064	10.39	0.42
110	13.820	14.561	0.13	0.13	1.58	91	-0.42	1.09	90	-1.1	99	0.054	101	101	5.0	-0.5	564	403	401	542	543	491	N/A	293	86	77	84	76	84	-0.058	8.81	0.84
120	15.103	15.897	0.13	0.13	1.59	90	-0.43	1.10	89	-1.2	98	0.054	102	101	4.6	-0.4	506	403	394	522	539	473	N/A	271	85	77	84	75	84	-0.054	8.03	1.15
130	16.376	17.228	0.13	0.13	1.57	89	-0.41	1.07	88	-1.1	97	0.054	101	101	4.2	-0.4	457	404	384	504	530	456	N/A	244	85	76	83	75	83	-0.050	7.04	1.38
140	17.644	18.548	0.13	0.13	1.55	89	-0.4	1.07	87	-1.3	96	0.054	100	100	3.9	-0.3	420	406	373	484	520	441	N/A	228	84	76	83	74	83	-0.053	6.81	1.32
150	18.905	19.867	0.13	0.13	1.56	89	-0.4	1.07	87	-1.5	95	0.054	100	100	3.7	-0.2	386	407	363	469	505	426	N/A	212	87	75	87	74	83	-0.050	5.87	1.47
160	20.165	21.188	0.13	0.13	1.55	89	-0.4	1.06	87	-1.3	94	0.054	100	100	3.5	-0.2	364	407	353	453	490	413	N/A	206	89	75	89	74	82	-0.049	6.07	1.16
170	21.424	22.507	0.13	0.13	1.56	88	-0.4	1.07	87	-1.3	94	0.054	100	100	3.4	-0.1	350	407	347	443	481	406	N/A	199	89	74	90	73	82	-0.047	6.21	1.29
180	22.682	23.826	0.13	0.13	1.55	88	-0.4	1.07	87	-1.4	94	0.054	100	100	3.2	-0.2	339	406	342	433	475	399	N/A	195	86	74	87	73	82	-0.046	6.05	1.39
190	23.938	25.145	0.13	0.13	1.56	89	-0.4	1.07	87	-1.4	93	0.054	99	100	3.1	-0.1	332	405	337	426	467	393	N/A	194	84	74	83	73	82	-0.046	6	1.49
200	25.195	26.464	0.13	0.13	1.55	89	-0.4	1.07	87	-1.4	94	0.054	99	100	2.9	-0.2	326	403	333	421	458	388	N/A	192	84	74	82	73	82	-0.045	6.03	1.43
210	26.450	27.784	0.13	0.13	1.56	89	-0.4	1.07	87	-1.4	94	0.054	99	100	2.7	-0.2	321	400	328	416	451	383	N/A	189	84	74	82	73	82	-0.045	5.87	1.67
220	27.706	29.103	0.13	0.13	1.55	89	-0.4	1.06	87	-1.4	94	0.054	99	100	2.6	-0.1	316	397	324	411	443	378	N/A	187	84	73	83	72	82	-0.044	5.53	1.82
230	28.960	30.423	0.13	0.13	1.55	89	-0.39	1.06	87	-1.4	94	0.054	99	100	2.5	-0.1	312	394	321	407	436	374	N/A	187	85	74	83	73	82	-0.044	5.67	1.77
240	30.212	31.742	0.13	0.13	1.55	89	-0.4	1.07	87	-1.4	94	0.054	99	100	2.3	-0.2	307	390	319	405	431	370	N/A	184	85	74	83	73	82	-0.043	5.68	1.82
250	31.468	33.062	0.13	0.13	1.54	89	-0.4	1.07	87	-1.4	94	0.054	99	100	2.2	-0.1	304	386	318	402	426	367	N/A	183	85	74	83	73	82	-0.044	5.59	1.84
260	32.718	34.381	0.13	0.13	1.55	89	-0.4	1.06	88	-1.4	94	0.054	99	99	1.9	-0.3	301	382	319	403	421	365	N/A	183	85	74	83	73	82	-0.043	5.71	1.97
270	33.972	35.701	0.13	0.13	1.52	90	-0.3	1.06	88	-1.4	94	0.054	99	100	1.7	-0.2	300	378	320	403	416	363	N/A	185	85	74	83	73	82	-0		

Wood Heater Test Data - ASTM E2780 / ASTM E2515

Run:	<u>6</u>	Manufacturer:	Hearth & Home																																																			
Model:	57ST-ACC-C	Total Sampling Time:	<u>390</u> min																																																			
Tracking No.:	<u>2187</u>	Recording Interval:	<u>10</u> min																																																			
Project No.:	<u>0061WS092E</u>	Background Sample Volume:	<u>69.149</u> cubic feet																																																			
Test Date:	<u>06-Jun-17</u>	Meter Box Y Factor:	<u>1.001</u> (1) <u>0.993</u> (2) <u>0.997</u> (Amb)																																																			
Beginning Clock Time:	<u>10:58</u>	Barometric Pressure:	Begin Middle End Average <u>28.57</u> <u>28.54</u> <u>28.41</u> <u>28.51</u> "Hg																																																			
OMNI Equipment Numbers:																																																						
PM Control Modules:																																																						
Dilution Tunnel MW(dry):	<u>29.00</u>	lb/lb-mole	Avg. Tunnel Velocity:	<u>15.65</u> ft/sec.																																																		
Dilution Tunnel MW(wet):	<u>28.78</u>	lb/lb-mole	Initial Tunnel Flow:	<u>162.5</u> scfm																																																		
Dilution Tunnel H ₂ O:	<u>2.00</u>	percent	Average Tunnel Flow:	<u>163.1</u> scfm																																																		
Dilution Tunnel Static:	<u>-0.574</u>	"H ₂ O	Post-Test Leak Check (1):	<u>0.000</u> cfm @ <u>10</u> in. Hg																																																		
Tunnel Area:	<u>0.19635</u>	ft ²	Post-Test Leak Check (2):	<u>0.000</u> cfm @ <u>9</u> in. Hg																																																		
Pitot Tube Cp:	<u>0.99</u>		Average Test Piece Fuel Moisture:	<u>21.14</u> Dry Basis %																																																		
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="9">Velocity Traverse Data</th> </tr> <tr> <th></th> <th>Pt.1</th> <th>Pt.2</th> <th>Pt.3</th> <th>Pt.4</th> <th>Pt.5</th> <th>Pt.6</th> <th>Pt.7</th> <th>Pt.8</th> <th>Center</th> </tr> </thead> <tbody> <tr> <td>Initial dP</td> <td><u>0.042</u></td> <td><u>0.052</u></td> <td><u>0.056</u></td> <td><u>0.048</u></td> <td><u>0.048</u></td> <td><u>0.050</u></td> <td><u>0.054</u></td> <td><u>0.050</u></td> <td><u>0.054</u></td> </tr> <tr> <td>Temp:</td> <td><u>96</u></td> <td><u>96</u></td> <td><u>96</u></td> <td><u>96</u></td> <td><u>96</u></td> <td><u>96</u></td> <td><u>96</u></td> <td><u>96</u></td> <td><u>96</u></td> </tr> <tr> <td>V_{strav}</td> <td><u>15.63</u></td> <td>ft/sec</td> <td>V_{scent}</td> <td><u>16.18</u></td> <td>ft/sec</td> <td>F_p</td> <td><u>0.966</u></td> <td></td> <td>"H₂O</td> </tr> </tbody> </table>						Velocity Traverse Data										Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center	Initial dP	<u>0.042</u>	<u>0.052</u>	<u>0.056</u>	<u>0.048</u>	<u>0.048</u>	<u>0.050</u>	<u>0.054</u>	<u>0.050</u>	<u>0.054</u>	Temp:	<u>96</u>	V _{strav}	<u>15.63</u>	ft/sec	V _{scent}	<u>16.18</u>	ft/sec	F _p	<u>0.966</u>		"H ₂ O								
Velocity Traverse Data																																																						
	Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center																																													
Initial dP	<u>0.042</u>	<u>0.052</u>	<u>0.056</u>	<u>0.048</u>	<u>0.048</u>	<u>0.050</u>	<u>0.054</u>	<u>0.050</u>	<u>0.054</u>																																													
Temp:	<u>96</u>	<u>96</u>	<u>96</u>	<u>96</u>	<u>96</u>	<u>96</u>	<u>96</u>	<u>96</u>	<u>96</u>																																													
V _{strav}	<u>15.63</u>	ft/sec	V _{scent}	<u>16.18</u>	ft/sec	F _p	<u>0.966</u>		"H ₂ O																																													

Elapsed Time (min)	Particulate Sampling Data												Fuel Weight (lb)	Temperature Data (°F)										Stack Gas Data								
	Gas Meter 1 (ft ³)	Gas Meter 2 (ft ³)	Sample Rate 1 (cfm)	Sample Rate 2 (cfm)	Orifice dH 1 ("H ₂ O)	Meter 1 Temp (°F)	Meter 1 Vacuum ("Hg)	Orifice dH 2 ("H ₂ O)	Meter 2 Temp (°F)	Meter 2 Vacuum ("Hg)	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Firebox Top	Firebox Bottom	Firebox Back	Firebox Left	Firebox Right	Avg. Stove Surface Temp	Catalyst Exit Temp	Stack	Filter 1	Dryer Exit 1	Filter 2	Dryer Exit 2	Ambient	Draft ("H ₂ O)	CO ₂ (%)	CO (%)	
380	<u>47.924</u>	<u>50.220</u>	0.13	0.13	<u>1.56</u>	<u>91</u>	<u>-0.42</u>	<u>1.06</u>	<u>89</u>	<u>-1.4</u>	<u>96</u>	<u>0.054</u>	100	99	<u>0.1</u>	-0.1	<u>278</u>	<u>346</u>	<u>343</u>	<u>375</u>	<u>394</u>	<u>347</u>	N/A	<u>175</u>	<u>86</u>	<u>75</u>	<u>84</u>	<u>74</u>	<u>84</u>	<u>-0.041</u>	<u>4.93</u>	<u>2.31</u>
390	<u>49.190</u>	<u>51.539</u>	0.13	0.13	<u>1.56</u>	<u>91</u>	<u>-0.42</u>	<u>1.06</u>	<u>90</u>	<u>-1.4</u>	<u>96</u>	<u>0.054</u>	100	99	<u>0.0</u>	-0.1	<u>278</u>	<u>343</u>	<u>341</u>	<u>373</u>	<u>391</u>	<u>345</u>	N/A	<u>174</u>	<u>87</u>	<u>75</u>	<u>85</u>	<u>75</u>	<u>84</u>	<u>-0.041</u>	<u>4.48</u>	<u>2.05</u>
Avg/Tot	<u>49.190</u>	<u>51.539</u>	0.13	0.13	1.55	88			1.05	87		0.054	100	100							106.2				75	85	74	83	-0.052			

Wood Heater Lab Data - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home Equipment Numbers: _____
 Model: 57ST-ACC-C
 Tracking No.: 2187
 Project No.: 0061WS092E
 Run #: 6
 Date: 6/6/17

TRAIN 1 (First Hour emissions)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D141	124.6	120.8	3.8
C. Rear filter catch	Filter				0.0
D. Probe catch*	Probe				0.0
E. Filter seals catch*	Seals				0.0

Sub-Total	Total Particulate, mg:	3.8
------------------	------------------------	-----

TRAIN 1 (Post First Hour Change-out)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D148	122.7	120.6	2.1
C. Rear filter catch	Filter	D147	122.6	122.6	0.0
D. Probe catch*	Probe	2	115016.3	115016.3	0.0
E. Filter seals catch*	Seals	R481	3538.2	3537.9	0.3

Sub-Total	Total Particulate, mg:	2.4
------------------	------------------------	-----

Train 1 Aggregate	Total Particulate, mg:	6.2
--------------------------	------------------------	-----

TRAIN 2

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch	Filter	D149	126.6	123.2	3.4
B. Rear filter catch	Filter	D150	123.0	122.7	0.3
C. Probe catch*	Probe	4	114860.2	114860.3	0.0
D. Filter seals catch*	Seals	R482	3575.2	3574.6	0.6

Total Particulate, mg:	4.3
------------------------	-----

AMBIENT

Sample Component	Reagent	Filter # or Probe #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch*	Filter	D77	124.0	123.7	0.3

Total Particulate, mg:	0.3
------------------------	-----

*Particulate catch that results in a negative number, is assumed to be zero for probes and seals, negative numbers for filters are assumed to be part of the seal weight.

Component	Equations:
A. Front filter catch	Final (mg) - Tare (mg) = Particulate, mg
B. Rear filter catch	Final (mg) - Tare (mg) = Particulate, mg
C. Probe catch	Final (mg) - Tare (mg) = Particulate, mg

Technician Signature: Barbara

Wood Heater Test Fuel Data - ASTM E2780

Manufacturer: **Hearth & Home**
 Model: **57ST-ACC-C**
 Tracking No.: **2187**
 Project No.: **0061WS092E**
 Test Date: **6/6/2017**
 Run No.: **6**

Firebox Volume (ft ³):	2.92
Fuel Piece Length (in):	19
2x4 Crib Weight (lb):	9.3
4x4 Crib Weight (lb):	9.6

Total Fuel Weight (Dry Basis, lb):	15.8	
Fuel Density (lb/ft ³ , Dry Basis):	27.57	OK
Loading Density (lb/ft ³ , Wet Basis):	6.47	OK
2x4 Percentage:	49%	OK

Coal Bed Range (20-25%): **3.78 - 4.725**

Test Fuel Piece	Weight (lb)	Size	Readings (Dry Basis %)			Dry Weight (lb)
1	1.7	2"x 4"	22.8	21.5	19.1	1.40
2	1.7	2"x 4"	23.8	21.4	20.5	1.39
3	2.3	2"x 4"	22.4	20.1	21.9	1.89
4	2.2	2"x 4"	22.5	20.8	18.7	1.82
5	4.7	4"x 4"	21.9	20.1	22.1	3.87
6	4.1	4"x 4"	21.5	20.1	19.3	3.41

Spacer Readings (Dry Basis %)			
8.4	6.3		
6.9	7.8		
8.0	6.6		
7.0	6.5		
6.5	7.8		
7.4	7.6		
8.2	7.6		
7.1	6.8		
7.9	7.2		
7.8	8.0		
8.4	7.4		
7.2			
7.6			

Technician Signature: _____

OMNI-Test Laboratories, Inc.

Manufacturer: Hearth & Home

Technicians: Brian K. D.

Model: 57ST-ACC-C

Date: 06/06/17

Run: 6

Control #: 0061WS092E

Test Duration: 390

Output Category: 2

Test Results in Accordance with CSA B415.1-09

	HHV Basis	LHV Basis
Overall Efficiency	72.9%	78.8%
Combustion Efficiency	91.9%	91.9%
Heat Transfer Efficiency	79%	85.7%

Output Rate (kJ/h)	15,725	14,917	(Btu/h)
Burn Rate (kg/h)	1.09	2.40	(lb/h)
Input (kJ/h)	21,574	20,466	(Btu/h)

Test Load Weight (dry kg)	7.08	15.60	dry lb
MC wet (%)	17.45		
MC dry (%)	21.14		
Particulate (g)	6.95		
CO (g)	794		
Test Duration (h)	6.50		

Emissions	Particulate	CO
g/MJ Output	0.07	7.77
g/kg Dry Fuel	0.98	112.21
g/h	1.07	122.20
lb/MM Btu Output	0.16	18.06

Air/Fuel Ratio (A/F)	13.72
-----------------------------	-------

VERSION:

2.2

12/14/2009

VERSION: 2.2

12/14/2009

Manufacturer: Hearth & Home
 Model: 57ST-ACC-C
 Date: 6/6/2017
 Run: 6
 Control #: 0061WS092E

Appliance Type: Non-Cat (Cat, Non-Cat, Pellet)

Temp. Units F (F or C)
 Weight Units lb (kg or lb)

Test Duration: 390

Output Category: 2


Fuel Data

Wood Moisture (% wet):	17.45	D. Fir	
Load Weight (lb wet):	18.90	HHV	19,810 kJ/kg
Burn Rate (dry kg/h):	1.09	%C	48.73
Total Particulate Emissions:	6.95 g	%H	6.87
		%O	43.9
		%ASH	0.5

Elapsed Time (min)	Fuel Weight Remaining (lb)	Flue Gas Composition (%)			Flue Gas Temp.	Room Temp
		CO	CO ₂	O ₂		
0	18.90	0.98	2.88		203.0	79.0
10	17.30	1.22	13.85		511.0	80.0
20	15.20	0.52	13.91		477.0	80.0
30	13.90	0.54	9.99		374.0	81.0
40	12.70	0.47	9.36		348.0	82.0
50	11.50	0.54	14.32		401.0	82.0
60	10.10	1.12	14.11		411.0	83.0
70	8.70	0.64	14.25		403.0	83.0
80	7.50	0.82	12.97		379.0	84.0
90	6.40	0.78	12.53		376.0	84.0
100	5.50	0.42	10.39		334.0	85.0
110	5.00	0.84	8.81		293.0	84.0
120	4.60	1.15	8.03		271.0	84.0
130	4.20	1.38	7.04		244.0	83.0
140	3.90	1.32	6.81		228.0	83.0
150	3.70	1.47	5.87		212.0	83.0
160	3.50	1.16	6.07		206.0	82.0
170	3.40	1.29	6.21		199.0	82.0
180	3.20	1.39	6.05		195.0	82.0
190	3.10	1.49	6.00		194.0	82.0
200	2.90	1.43	6.03		192.0	82.0
210	2.70	1.67	5.87		189.0	82.0
220	2.60	1.82	5.53		187.0	82.0
230	2.50	1.77	5.67		187.0	82.0
240	2.30	1.82	5.68		184.0	82.0
250	2.20	1.84	5.59		183.0	82.0
260	1.90	1.97	5.71		183.0	82.0
270	1.70	2.20	5.58		185.0	82.0
280	1.60	1.97	5.58		185.0	82.0
290	1.40	2.16	5.26		184.0	83.0
300	1.20	1.72	5.01		180.0	83.0
310	1.10	1.74	4.90		178.0	83.0
320	0.90	1.80	5.15		175.0	83.0
330	0.70	2.08	5.02		175.0	83.0
340	0.60	1.83	5.44		175.0	83.0
350	0.50	1.82	5.51		174.0	83.0
360	0.40	2.30	5.00		176.0	83.0
370	0.20	2.32	4.96		175.0	83.0
380	0.10	2.31	4.93		175.0	84.0
390	0.00	2.05	4.48		174.0	84.0

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 6Model: 57ST-ACC-CTracking Number: 2187Date: 6-6-6Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Run Notes****Air Control Settings**


Primary:

Secondary: fixedTertiary/Pilot: Burst Air not usedFan: Not used**Preburn Notes**

Time	Notes
50	Levered coal bed

Test Notes

Sketch test fuel configuration:



Start up procedures & Timeline:

Bypass: N/A
 Fuel loaded by: 40 seconds
 Door closed at: 50 seconds
 Primary air: Rally open until flow then set to test setting
 Burst air locked open @ 0 min.
At 5 min. Draft Air moved to timer air.
Fan not used.

Time	Notes
60	Changed Front filter in front A.

Technician Signature: B. DavisDate: 6/14/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 6Model: 57ST-ACC-CTracking Number: 2187Date: 6-6-17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Supplemental Data**Start Time: 10:58Booth #: 7Stop Time: 17:28**Stack Gas Leak Check:**Initial: good Final: good**Sample Train Leak Check:**A: 0.0 @ 10 "Hg
B: 0.0 @ 9 "Hg**Calibrations:** Span GasCO₂: 15.96 CO: 5.08

	Pre Test		Post Test	
	Zero	Span	Zero	Span
Time	<u>10:37</u> <u>Ø</u>	<u>10:37</u> <u>Ø</u>	<u>17:34</u>	<u>17:34</u>
CO ₂	<u>0.00</u>	<u>15.98</u>	<u>0.00</u>	<u>15.87</u>
CO	<u>0.000</u>	<u>5.082</u>	<u>0.012</u>	<u>5.086</u>

Air Velocity (ft/min): Initial: <50 Final: <50Scale Audit (lbs): Initial: 10.0 Final: 10.0Pitot Tube Leak Test: Initial: good Final: goodStack Diameter (in): 6"Induced Draft: 0.0% Smoke Capture: 100%

Flue Pipe Cleaned Prior to First Test in Series:

Date: 5/15/17 Initials: BS

	Initial	Middle	Ending
P _b (in/Hg)	<u>28.57</u>	<u>28.57</u>	<u>28.41</u>
RH (%)	<u>N/A</u>	<u>N/A</u>	<u>N/A</u>
Ambient (°F)	<u>79</u>	<u>84</u>	<u>84</u>

Background Filter Volume: 69.149

Tunnel Traverse		
Microtector Reading	dP (in H ₂ O)	T(°F)
1	.042	96
2	.052	96
3	.056	96
4	.048	96
1	.048	96
2	.050	96
3	.054	96
4	.050	96
Center:		
	.054	96

Tunnel Static Pressure (in H ₂ O):	
Beginning of Test	End of Test
<u>-0.574</u>	<u>-0.574</u>
<u>-287</u>	

Technician Signature: BSDate: 6/14/17

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Run 7

Wood Heater Test Results - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home
 Model: 57ST-ACC-C
 Project No.: 0061WS092E
 Tracking No.: 2187
 Run: 7
 Test Date: 06/07/17

Burn Rate	1.09 kg/hr dry
Average Tunnel Temperature Average Gas Velocity in Dilution Tunnel - vs Average Gas Flow Rate in Dilution Tunnel - Qsd	97 degrees Fahrenheit 16.09 feet/second 9950.8 dscf/hour
Average Delta p Total Time of Test	0.058 inches H2O 400 minutes

	AMBIENT	SAMPLE TRAIN 1	SAMPLE TRAIN 2	FIRST HOUR FILTER (TRAIN 1)
Total Sample Volume - Vm	70.958 cubic feet	50.285 cubic feet	51.568 cubic feet	7.435 cubic feet
Average Gas Meter Temperature	84 degrees Fahrenheit	89 degrees Fahrenheit	88 degrees Fahrenheit	89 degrees Fahrenheit
Total Sample Volume (Standard Conditions) - Vmstd	64.787 dscf	45.906 dscf	46.698 dscf	6.788 dscf
Total Particulates - m _n	0.6 mg	3.9 mg	5.8 mg	3 mg
Particulate Concentration (dry-standard) - C _s /C _d	0.000009 grams/dscf	0.00008 grams/dscf	0.00012 grams/dscf	0.00044 grams/dscf
Total Particulate Emissions - E _T	0.61 grams	5.02 grams	7.63 grams	4.40 grams
Particulate Emission Rate	0.09 grams/hour	0.75 grams/hour	1.14 grams/hour	4.40 grams/hour
Emissions Factor		0.69 g/kg	1.05 g/kg	1.30 g/kg
Difference from Average Total Particulate Emissions		1.30 grams	1.30 grams	
Dual Train Comparison Results Are Acceptable				

FINAL AVERAGE RESULTS	
Complete Test Run	
Total Particulate Emissions - E _T	6.32 grams
Particulate Emission Rate	0.95 grams/hour
Emissions Factor	0.87 grams/kg
First Hour Emissions	
Total Particulate Emissions - E _T	4.40 grams
Particulate Emission Rate	4.40 grams/hour
Emissions Factor	1.30 grams/kg

QUALITY CHECKS	
Filter Temps < 90 °F	OK
Filter Face Velocity (47 mm)	OK
Dryer Exit Temp < 80F	OK
Leakage Rate	OK
Ambient Temp (55-90°F)	OK
Negative Probe Weight Eval.	OK
Pro-Rate Variation	OK
Train Precision ≤ 7.5%	20.59
Train Precision ±0.5 g/kg	0.36
Stove Surface ΔT	OK

Technician Signature: _____

Wood Heater Preburn Data - ASTM E2780

Run:	7
Manufacturer:	Hearth & Home
Model:	57ST-ACC-C
Tracking No.:	2187
Project No.:	0061WS092E
Test Date:	6/7/2017
Beginning Clock Time:	9:18

Coal Bed Range (lb):	3.8	4.8
(min)		(max)

Technician Signature: Brian K. D.

Elapsed Time (min)	Scale (lb)	Stack Draft (in H ₂ O)	Temperatures (°F)							
			FB Top	FB Bottom	FB Back	FB Left	FB Right	Avg. Firebox Surface	Stack	Ambient
0	6.5	-0.073	896	529	617	755	723	704	540	81
10	5.8	-0.058	696	550	581	709	716	650.4	350	81
20	5.2	-0.049	581	558	531	648	671	597.8	302	79
30	4.8	-0.047	566	553	492	601	634	569.2	302	80
40	4.4	-0.041	505	541	462	562	601	534.2	254	79
50	4.5	-0.038	424	528	427	520	563	492.4	220	79
60	4.5	-0.034	377	513	394	478	521	456.6	204	79
66	4.4	-0.032	354	502	376	455	498	437	196	78

Wood Heater Test Data - ASTM E2780 / ASTM E2515

Run:	7
Manufacturer:	Hearth & Home
Model:	57ST-ACC-C
Tracking No.:	2187
Project No.:	0061WS092E
Test Date:	07-Jun-17
Beginning Clock Time:	10:25

Total Sampling Time: 400 min
Recording Interval: 10 min

PM Control Modules:			
Dilution Tunnel MW(dry):	29.00	lb/lb-mole	Avg. Tunnel Velocity: 16.09 ft/sec.
Dilution Tunnel MW(wet):	28.78	lb/lb-mole	Initial Tunnel Flow: 166.4 scfm
Dilution Tunnel H2O:	2.00	percent	Average Tunnel Flow: 165.8 scfm
Dilution Tunnel Static:	-0.574	"H2O	Post-Test Leak Check (1): 0.000 cfm @ 8 in. H2O
Tunnel Area:	0.19635	ft ²	Post-Test Leak Check (2): 0.000 cfm @ 6 in. H2O
Pitot Tube Cp:	0.99		Average Test Piece Fuel Moisture: 20.61 Dry Basis %

Technician Signature:

Meter Box Y Factor: 1.001 (1) 0.993 (2) 0.997 (Amb)

Barometric Pressure: Begin Middle End Average

28.35 28.24 28.15 28.25

OMNI Equipment Numbers: _____

Velocity Traverse Data									
	Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center
Initial dP	0.048	0.052	0.054	0.050	0.050	0.054	0.058	0.050	0.058
Temp:	87	87	87	87	87	87	87	87	87
V _{strav}	15.91	ft/sec	V _{scent}	16.70	ft/sec	F _p	0.952		H2O °F

Elapsed Time (min)	Particulate Sampling Data												Fuel Weight (lb)				Temperature Data (°F)										Stack Gas Data					
	Gas Meter 1 (ft³)	Gas Meter 2 (ft³)	Sample Rate 1 (cfm)	Sample Rate 2 (cfm)	Orifice dH 1 ("H₂O)	Meter 1 Temp (°F)	Meter 1 Vacuum ("Hg)	Orifice dH 2 ("H₂O)	Meter 2 Temp (°F)	Meter 2 Vacuum ("Hg)	Dilution Tunnel	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Firebox Top	Firebox Bottom	Firebox Back	Firebox Left	Firebox Right	Avg. Stove Surface Temp	Catalyst Exit Temp	Stack	Filter 1	Dryer Exit 1	Filter 2	Dryer Exit 2	Ambient	Draft ("H₂O)	CO₂ (%)	CC (%)
0	0.000	0.000			1.20	73	-0.13	0.38	73	-1.5	87	0.058		19.0		354	501	375	454	496	436	N/A	196	73	65	74	65	78	-0.034	2.91	1.4	
10	1.212	1.291	0.12	0.13	1.59	75	-0.48	1.04	75	-2.4	97	0.058	99	103	17.7	-1.3	461	484	342	418	459	433	N/A	453	79	71	79	69	79	-0.086	14.86	1.7
20	2.447	2.568	0.12	0.13	1.60	78	-0.51	1.01	78	-3.1	105	0.058	101	102	15.3	-2.4	719	466	357	433	469	489	N/A	514	82	73	82	70	80	-0.089	14.88	0.5
30	3.685	3.847	0.12	0.13	1.60	81	-0.48	1.02	81	-1.9	101	0.058	100	101	13.6	-1.7	713	454	365	447	476	491	N/A	391	83	74	83	71	81	-0.076	11.12	0.1
40	4.934	5.129	0.12	0.13	1.60	83	-0.48	1.02	83	-2.8	99	0.058	101	100	12.5	-1.1	657	443	360	453	465	476	N/A	369	83	75	83	71	81	-0.074	11.48	0.2
50	6.184	6.414	0.13	0.13	1.60	85	-0.48	1.03	85	-2.5	100	0.058	100	100	11.3	-1.2	701	430	364	470	457	484	N/A	400	84	75	83	72	81	-0.077	14.09	0.4
60	7.435	7.700	0.13	0.13	1.60	86	-0.48	1.02	86	-2.5	100	0.058	100	100	10.0	-1.3	751	418	377	499	468	503	N/A	405	84	76	84	73	83	-0.078	14.5	1
70	8.692	8.987	0.13	0.13	1.60	87	-0.47	1.01	87	-2.5	101	0.058	101	100	8.6	-1.4	741	408	389	521	489	510	N/A	396	84	77	84	73	83	-0.077	13.99	0.5
80	9.956	10.272	0.13	0.13	1.61	88	-0.42	1.02	88	-3.2	101	0.058	101	100	7.4	-1.2	734	399	398	532	504	513	N/A	385	83	77	85	74	85	-0.075	13.36	0.7
90	11.227	11.559	0.13	0.13	1.59	89	-0.4	1.01	88	-2.6	100	0.058	101	100	6.3	-1.1	709	391	407	536	515	512	N/A	362	83	77	85	75	86	-0.072	12.02	0.8
100	12.495	12.846	0.13	0.13	1.59	90	-0.41	1.02	89	-3.3	101	0.058	101	100	5.5	-0.8	662	383	411	535	534	505	N/A	335	83	78	86	75	85	-0.068	11.21	0.7
110	13.767	14.137	0.13	0.13	1.59	90	-0.41	1.01	90	-1.2	99	0.058	101	100	5.0	-0.5	583	380	409	529	548	490	N/A	301	83	77	86	75	84	-0.063	9.28	1
120	15.040	15.428	0.13	0.13	1.59	90	-0.41	1.02	89	-1	98	0.058	101	100	4.6	-0.4	524	379	404	520	551	476	N/A	278	83	77	86	75	84	-0.060	8.8	1.1
130	16.311	16.720	0.13	0.13	1.60	90	-0.41	1.02	89	-1.1	98	0.058	101	100	4.1	-0.5	502	380	399	510	552	469	N/A	261	83	77	85	75	84	-0.056	8.31	1.0
140	17.580	18.012	0.13	0.13	1.60	89	-0.41	1.02	88	-1.1	97	0.058	101	100	3.8	-0.3	441	383	390	494	533	448	N/A	232	83	76	85	75	84	-0.053	6.23	1.4
150	18.850	19.303	0.13	0.13	1.57	89	-0.4	1.02	88	-1.1	96	0.058	101	100	3.6	-0.2	402	386	379	482	513	432	N/A	220	83	76	85	75	83	-0.050	6.46	1.4
160	20.113	20.595	0.13	0.13	1.57	89	-0.4	1.02	88	-1.1	96	0.058	100	100	3.5	-0.1	378	388	370	473	498	421	N/A	212	83	76	85	75	84	-0.048	6.61	1.4
170	21.377	21.886	0.13	0.13	1.57	89	-0.4	1.02	88	-1.1	96	0.058	100	100	3.3	-0.2	361	390	363	465	487	413	N/A	207	83	76	85	75	84	-0.047	6.45	1.3
180	22.640	23.177	0.13	0.13	1.57	89	-0.39	1.01	88	-1.1	96	0.058	100	100	3.1	-0.2	348	391	356	459	477	406	N/A	201	83	76	85	75	84	-0.046	6.37	1.4
190	23.904	24.468	0.13	0.13	1.57	89	-0.4	1.02	88	-1.1	96	0.058	100	100	3.0	-0.1	340	390	352	455	468	401	N/A	199	83	77	85	75	84	-0.045	6.54	1.5
200	25.168	25.759	0.13	0.13	1.56	89	-0.39	1.02	88	-1.1	96	0.058	100	100	2.8	-0.2	335	389	349	452	460	397	N/A	196	83	77	85	75	84	-0.045	6.4	1.6
210	26.426	27.050	0.13	0.13	1.55	89	-0.4	1.01	88	-1.1	96	0.058	100	100	2.6	-0.2	331	388	346	448	453	393	N/A	195	83	77	86	75	84	-0.045	5.93	1.8
220	27.685	28.341	0.13	0.13	1.56	89	-0.4	1.02	88	-1.1	96	0.058	100	100	2.4	-0.2	324	386	343	443	446	388	N/A	191	83	77	86	75	84	-0.044	5.85	1.8
230	28.944	29.632	0.13	0.13	1.55	89	-0.39	1.02	88	-1.1	96	0.058	100	100	2.3	-0.1	319	383	340	437	440	384	N/A	189	84	77	86	75	84	-0.043	5.86	1.8
240	30.197	30.922	0.13	0.13	1.56	89	-0.4	1.02	89	-1.1	96	0.058	99	100	2.2	-0.1	313	381	338	431	435	380	N/A	186	84	77	86	75	84	-0.043	5.68	1.8
250	31.451	32.212	0.13	0.13	1.56	90	-0.4	1.02	89	-1.1	96	0.058	99	100	2.0	-0.2	308	378	339	423	431	376	N/A	184	84	78	86	76	85	-0.042	5.72	1.9
260	32.710	33.502	0.13	0.13	1.56	90	-0.39	1.02	89	-1.1	96	0.058	100	100	1.9	-0.1	303	376	339	415	429	372	N/A	182	84	78	86	76	85	-0.042	5.6	2.1
270	33.963	34.792	0.13	0.13	1.55	90	-0.39	1.02	89	-1.1	96	0.058	99	100	1.7	-0.2	301	375	336	409	427	370	N/A	181	84	78	86	76	85	-0.042	5.66	1.9
280	35.219	36.082	0.13	0.13	1.54	91	-0.39	1.01	90	-1.1	97	0.058	99	100	1.6	-0.1	300	374	334	404	426	368	N/A	183	84	78	86	76	85	-0.042	5.81	1.8
290	36.480	37.373	0.13	0.13	1.55	91	-0.4	1.02	90	-1.1	97	0.058	100	100	1.5	-0.1	299	373	332	401	426	366	N/A	182	85	78	87	76	85	-0.042	5.77	1.8
300	37.736	38.663	0.13	0.13	1.55	91	-0.4	1.01	90	-1.1	97	0.058	99	100	1.3	-0.2	298	372	332	397	425	365	N/A	182	85	79	87	77	85	-0.041	5.65	1.8
310	38.990	39.953	0.13	0.13	1.55	91	-0.39	1.01	91	-1.1	97	0.058	99	99	1.2	-0.1	296	371	330	393	423	363	N/A	181	85	79	87	77	86	-0.042	5.07	2.0
320	40.244	41.244	0.13	0.13	1.54	92	-0.39	1.01	91	-1.1	97	0.058	99	100	1.0	-0.2	293	370	322	387	423	359	N/A	179	85	79	87	77	86	-0.040	5.45	1.5
330	41.497	42.534	0.13	0.13	1.54	92	-0.39	1.00	91	-1.1	97	0.058	99	99	0.9	-0.1	291	369	317	382	425	357	N/A	179	85	78	87	77	86	-0.041	5.42	1.5
340	42.755	43.824	0.13	0.13	1.55	92	-0.39	1.00	91	-1.1	97	0.058	99	99	0.7	-0.2	290	368	313	376	425	354	N/A	179	85	78	87	77	86	-0.041	5.64	1.3
350	44.011	45.114	0.13	0.13	1.55	92	-0.4	1.01	91	-1.1	97	0.058	99	99	0.6	-0.1	288	368	312	372	427	353	N/A	178	85	79	87	77	86	-0.041	5.48	1.3
360	45.274	46.405	0.13	0.13	1.55	92	-0.4	1.01	91	-1.1	97	0.058	100	100	0.5	-0.1	286	368	310	368	428	352	N/A	178	85	79	87	78	86	-0.041	5.25	1.4
370	46.532	47.696	0.13	0.13	1.55	92	-0.39	1.00	91	-1.1	97	0.058	99	100	0.4	-0.1	284	368	308	364	427	350	N/A	177	85	79	87	78	86	-0.041	5.06	1.6

Wood Heater Test Data - ASTM E2780 / ASTM E2515

Run:	<u>7</u>	Manufacturer:	Hearth & Home	PM Control Modules:																																						
Model:	57ST-ACC-C	Total Sampling Time:	400 min	Dilution Tunnel MW(dry):	29.00	lb/lb-mole	Avg. Tunnel Velocity:	16.09	ft/sec.																																	
Tracking No.:	2187	Recording Interval:	10 min	Dilution Tunnel MW(wet):	28.78	lb/lb-mole	Initial Tunnel Flow:	166.4	scfm																																	
Project No.:	0061WS092E			Dilution Tunnel H ₂ O:	2.00	percent	Average Tunnel Flow:	165.8	scfm																																	
Test Date:	07-Jun-17			Dilution Tunnel Static:	-0.574	"H ₂ O	Post-Test Leak Check (1):	0.000	cfm @ 8 in. Hg																																	
Beginning Clock Time:	10:25	Background Sample Volume:	70.958 cubic feet	Tunnel Area:	0.19635	ft ²	Post-Test Leak Check (2):	0.000	cfm @ 6 in. Hg																																	
Meter Box Y Factor:	1.001 (1)	0.993 (2)	0.997 (Amb)	Pitot Tube Cp:	0.99		Average Test Piece Fuel Moisture:	20.61	Dry Basis %																																	
Barometric Pressure:	Begin	Middle	End	Average	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="background-color: #cccccc;"></th> <th>Pt.1</th> <th>Pt.2</th> <th>Pt.3</th> <th>Pt.4</th> <th>Pt.5</th> <th>Pt.6</th> <th>Pt.7</th> <th>Pt.8</th> <th>Center</th> </tr> </thead> <tbody> <tr> <td>Initial dP</td> <td>0.048</td> <td>0.052</td> <td>0.054</td> <td>0.050</td> <td>0.050</td> <td>0.054</td> <td>0.058</td> <td>0.050</td> <td>0.058</td> </tr> <tr> <td>Temp:</td> <td>87</td> <td>87</td> <td>87</td> <td>87</td> <td>87</td> <td>87</td> <td>87</td> <td>87</td> <td>87</td> </tr> </tbody> </table> Velocity Traverse Data									Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center	Initial dP	0.048	0.052	0.054	0.050	0.050	0.054	0.058	0.050	0.058	Temp:	87	87	87	87	87	87	87	87	87
	Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center																																	
Initial dP	0.048	0.052	0.054	0.050	0.050	0.054	0.058	0.050	0.058																																	
Temp:	87	87	87	87	87	87	87	87	87																																	
OMNI Equipment Numbers:																																										

	Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center
Initial dP	0.048	0.052	0.054	0.050	0.050	0.054	0.058	0.050	0.058
Temp:	87	87	87	87	87	87	87	87	87

"H₂O

V_{strav} 15.91 ft/sec V_{scent} 16.70 ft/sec F_p 0.952 °F

Elapsed Time (min)	Particulate Sampling Data										Fuel Weight (lb)		Temperature Data (°F)										Stack Gas Data									
	Gas Meter 1 (ft ³)	Gas Meter 1 (ft ³)	Sample Rate 1 (cfm)	Sample Rate 2 (cfm)	Orifice dH 1 ("H ₂ O)	Meter 1 Temp (°F)	Meter 1 Vacuum ("Hg)	Orifice dH 2 ("H ₂ O)	Meter 2 Temp (°F)	Meter 2 Vacuum ("Hg)	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Firebox Top	Firebox Bottom	Firebox Back	Firebox Left	Firebox Right	Avg. Stove Surface Temp	Catalyst Exit Temp	Stack	Filter 1	Dryer Exit 1	Filter 2	Dryer Exit 2	Ambient	Draft ("H ₂ O)	CO ₂ (%)	CO (%)	
380	47.783	48.986	0.13	0.13	1.53	93	-0.39	1.01	92	-1.1	97	0.058	99	99	0.2	-0.2	283	369	308	360	424	349	N/A	176	85	79	87	78	86	-0.041	4.86	1.67
390	49.032	50.277	0.12	0.13	1.53	94	-0.39	1.01	92	-1.1	97	0.058	98	99	0.1	-0.1	280	369	307	356	417	346	N/A	174	86	79	88	79	86	-0.040	4.43	1.74
400	50.285	51.568	0.13	0.13	1.55	94	-0.39	1.01	92	-1.1	97	0.058	99	99	0.0	-0.1	277	367	306	352	407	342	N/A	174	86	79	88	79	87	-0.039	4.42	1.85
Avg/Tot	50.285	51.568	0.13	0.13	1.56	89		1.00	88		97	0.058	100	100							94.2				77	85	75	84	-0.052			

Wood Heater Lab Data - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home Equipment Numbers: _____
 Model: 57ST-ACC-C
 Tracking No.: 2187
 Project No.: 0061WS092E
 Run #: 7
 Date: 6/7/17

TRAIN 1 (First Hour emissions)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D151	122.8	119.8	3.0
C. Rear filter catch	Filter				0.0
D. Probe catch*	Probe				0.0
E. Filter seals catch*	Seals				0.0

Sub-Total	Total Particulate, mg:	3.0
------------------	------------------------	-----

TRAIN 1 (Post First Hour Change-out)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D153	123.0	122.3	0.7
C. Rear filter catch	Filter	D152	123.5	124.0	-0.5
D. Probe catch*	Probe	14	114550.8	114550.6	0.2
E. Filter seals catch*	Seals	R483	3507.2	3506.7	0.5

Sub-Total	Total Particulate, mg:	0.9
------------------	------------------------	-----

Train 1 Aggregate	Total Particulate, mg:	3.9
--------------------------	------------------------	-----

TRAIN 2

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch	Filter	D154	128.7	123.7	5.0
B. Rear filter catch	Filter	D155	120.0	119.5	0.5
C. Probe catch*	Probe	16	114267.5	114267.4	0.1
D. Filter seals catch*	Seals	R484	3331.3	3331.1	0.2

Total Particulate, mg:	5.8
------------------------	-----

AMBIENT

Sample Component	Reagent	Filter # or Probe #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch*	Filter	D78	121.4	120.8	0.6

Total Particulate, mg:	0.6
------------------------	-----

*Particulate catch that results in a negative number, is assumed to be zero for probes and seals, negative numbers for filters are assumed to be part of the seal weight.

Component	Equations:
A. Front filter catch	Final (mg) - Tare (mg) = Particulate, mg
B. Rear filter catch	Final (mg) - Tare (mg) = Particulate, mg
C. Probe catch	Final (mg) - Tare (mg) = Particulate, mg

Technician Signature: 

Wood Heater Test Fuel Data - ASTM E2780

Manufacturer: **Hearth & Home**
 Model: **57ST-ACC-C**
 Tracking No.: **2187**
 Project No.: **0061WS092E**
 Test Date: **6/7/2017**
 Run No.: **7**

Firebox Volume (ft ³):	2.92
Fuel Piece Length (in):	19
2x4 Crib Weight (lb):	10.2
4x4 Crib Weight (lb):	8.8

Total Fuel Weight (Dry Basis, lb):	16.0	
Fuel Density (lb/ft ³ , Dry Basis):	27.51	OK
Loading Density (lb/ft ³ , Wet Basis):	6.51	OK
2x4 Percentage:	54%	OK

Coal Bed Range (20-25%): **3.8 - 4.75**

Test Fuel Piece	Weight (lb)	Size	Readings (Dry Basis %)			Dry Weight (lb)
1	2	2"x 4"	19.8	22.0	21.7	1.65
2	2.2	2"x 4"	21.9	19.5	20.0	1.83
3	2.1	2"x 4"	20.8	20.9	19.5	1.74
4	2.3	2"x 4"	20.2	20.3	20.9	1.91
5	4.4	4"x 4"	22.6	18.1	21.6	3.64
6	3.6	4"x 4"	19.8	22.2	19.1	2.99

Spacer Readings (Dry Basis %)			
7.0	6.3		
6.5	7.7		
7.1	6.6		
7.4	6.3		
7.0	6.7		
7.7	6.5		
6.5	6.6		
6.7	7.6		
6.3	7.1		
7.4	6.7		
6.3	6.9		
6.5			
6.3			

Technician Signature: _____

OMNI-Test Laboratories, Inc.

Manufacturer: Hearth & Home

Technicians: Brian K. D.

Model: 57ST-ACC-C

Date: 06/07/17

Run: 7

Control #: 0061WS092E

Test Duration: 400

Output Category: 2

Test Results in Accordance with CSA B415.1-09

	HHV Basis	LHV Basis
Overall Efficiency	73.9%	79.8%
Combustion Efficiency	92.5%	92.5%
Heat Transfer Efficiency	80%	86.3%

Output Rate (kJ/h)	15,687	14,881	(Btu/h)
Burn Rate (kg/h)	1.07	2.36	(lb/h)
Input (kJ/h)	21,239	20,147	(Btu/h)

Test Load Weight (dry kg)	7.15	15.75	dry lb
MC wet (%)	17.09		
MC dry (%)	20.61		
Particulate (g)	6.32		
CO (g)	743		
Test Duration (h)	6.67		

Emissions	Particulate	CO
g/MJ Output	0.06	7.10
g/kg Dry Fuel	0.88	103.89
g/h	0.95	111.39
lb/MM Btu Output	0.14	16.50

Air/Fuel Ratio (A/F)	13.42
-----------------------------	-------

VERSION:

2.2

12/14/2009

VERSION: 2.2

12/14/2009

Manufacturer: Hearth & Home
 Model: 57ST-ACC-C
 Date: 6/7/2017
 Run: 7
 Control #: 0061WS092E

Test Duration: 400

Output Category: 2

Appliance Type: Non-Cat (Cat, Non-Cat, Pellet)

Temp. Units F (F or C)
 Weight Units lb (kg or lb)

Wood Moisture (% wet):	17.09	HHV	19,810	kJ/kg
Load Weight (lb wet):	19.00	%C	48.73	
Burn Rate (dry kg/h):	1.07	%H	6.87	
Total Particulate Emissions:	6.32 g	%O	43.9	
		%ASH	0.5	

Fuel Data**D. Fir**

Elapsed Time (min)	Fuel Weight Remaining (lb)	Flue Gas Composition (%)			Flue Gas Temp.	Room Temp
		CO	CO ₂	O ₂		
0	19.00	1.41	2.91		196.0	78.0
10	17.70	1.75	14.86		453.0	79.0
20	15.30	0.59	14.88		514.0	80.0
30	13.60	0.14	11.20		391.0	81.0
40	12.50	0.21	11.48		369.0	81.0
50	11.30	0.45	14.09		400.0	81.0
60	10.00	1.00	14.50		405.0	83.0
70	8.60	0.59	13.99		396.0	83.0
80	7.40	0.70	13.36		385.0	85.0
90	6.30	0.85	12.02		362.0	86.0
100	5.50	0.73	11.21		335.0	85.0
110	5.00	1.00	9.28		301.0	84.0
120	4.60	1.19	8.80		278.0	84.0
130	4.10	1.06	8.31		261.0	84.0
140	3.80	1.46	6.23		232.0	84.0
150	3.60	1.41	6.46		220.0	83.0
160	3.50	1.44	6.61		212.0	84.0
170	3.30	1.38	6.45		207.0	84.0
180	3.10	1.49	6.37		201.0	84.0
190	3.00	1.53	6.54		199.0	84.0
200	2.80	1.60	6.40		196.0	84.0
210	2.60	1.81	5.93		195.0	84.0
220	2.40	1.86	5.85		191.0	84.0
230	2.30	1.80	5.86		189.0	84.0
240	2.20	1.87	5.68		186.0	84.0
250	2.00	1.91	5.72		184.0	85.0
260	1.90	2.13	5.60		182.0	85.0
270	1.70	1.96	5.66		181.0	85.0
280	1.60	1.81	5.81		183.0	85.0
290	1.50	1.82	5.77		182.0	85.0
300	1.30	1.89	5.65		182.0	85.0
310	1.20	2.05	5.07		181.0	86.0
320	1.00	1.51	5.45		179.0	86.0
330	0.90	1.57	5.42		179.0	86.0
340	0.70	1.32	5.64		179.0	86.0
350	0.60	1.35	5.48		178.0	86.0
360	0.50	1.47	5.25		178.0	86.0
370	0.40	1.60	5.06		177.0	86.0
380	0.20	1.67	4.86		176.0	86.0
390	0.10	1.74	4.43		174.0	86.0
400	0.00	1.85	4.42		174.0	87.0

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run Sheets

Client: Hearth & Home

Project Number: 0061WS092E

Run Number: 7

Model: 57ST-ACC-C


Tracking Number: 2187

Date: 6-7-17

Test Crew: B. Davis

OMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419,
432, 265, 413, 283A**Wood Heater Run Notes****Air Control Settings**

Primary:



Secondary:

fixed

Tertiary/Pilot:

Boost A. not used


Fan:

Not used**Preburn Notes**

Time	Notes
42	Leveled coal bed

Test Notes

Sketch test fuel configuration:



Start up procedures & Timeline:

Bypass: N/A
 Fuel loaded by: 50 seconds
 Door closed at: 57 seconds
 Primary air: fully open until 5:00 then set to test setting
Boost Air Locked open @ 0 min.
Then set to time 1 air @ 5:00
Fan not used

Time	Notes
60	changed front filter to front A.

Technician Signature: B. DavisDate: 6/14/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 7Model: 57ST-ACC-CTracking Number: 2187Date: 6-7-17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Fuel Data**

Fuel: Douglas fir, untreated and air dried, standard grade or better dimensional lumber

Pre-Burn Fuel

Calibration: Cal Value (1) = 12% Actual Reading 12
 Cal Value (2) = 22% Actual Reading 22

Piece:	Length:	Reading:	Piece:	Length:	Reading:
1	8	24.5	7	_____	_____
2	8	24.4	8	_____	_____
3	8	23.8	9	_____	_____
4	_____	_____	10	_____	_____
5	_____	_____	11	_____	_____
6	_____	_____	12	_____	_____

Total Pre-Burn Fuel Weight: 0850 Pre-Burn Fuel Average Moisture: 24.23Time (clock): 0850 Room Temperature (F): 68 Initials: BD**Test Fuel**

Firebox Volume (ft³): 2.95 Test Fuel Piece Length (in): 18
 Load Weight Range (lb): 20.65 Total Wet Fuel Load Weight (lb): 19.0

Fuel Type & Amount: 2 x 4: 4 4 x 4: 2
 Weight (with spacers): 10.2 Weight (with spacers): 8.8

Piece:	Weight (lbs):	Moisture Readings (%DB):			Fuel Type:
1	<u>2.0</u>	<u>19.8</u>	<u>22.0</u>	<u>21.7</u>	<u>2x4</u>
2	<u>2.2</u>	<u>21.9</u>	<u>19.5</u>	<u>20.0</u>	<u>2x4</u>
3	<u>2.1</u>	<u>20.8</u>	<u>20.9</u>	<u>19.5</u>	<u>2x4</u>
4	<u>2.3</u>	<u>20.2</u>	<u>20.3</u>	<u>20.9</u>	<u>2x4</u>
5	<u>26.4.4</u>	<u>22.6</u>	<u>18.1</u>	<u>21.6</u>	<u>4x4</u>
6	<u>3.6</u>	<u>19.8</u>	<u>22.2</u>	<u>19.1</u>	<u>4x4</u>
7	_____	_____	_____	_____	_____

Spacer Moisture Readings (%DB)

<u>7.0</u>	<u>7.0</u>	<u>6.3</u>	<u>6.3</u>	<u>6.3</u>	<u>7.6</u>	_____
<u>6.5</u>	<u>7.7</u>	<u>7.4</u>	<u>6.3</u>	<u>6.7</u>	<u>7.1</u>	_____
<u>7.1</u>	<u>6.5</u>	<u>6.3</u>	<u>7.7</u>	<u>6.5</u>	<u>6.7</u>	_____
<u>7.4</u>	<u>6.7</u>	<u>6.5</u>	<u>6.6</u>	<u>6.6</u>	<u>6.9</u>	_____

Time (clock): 0850 Room Temperature (F): 68 Initials: BDTechnician Signature: BDDate: 6/16/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 7Model: 57ST-ACC-CTracking Number: 2187Date: 6-7-17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Supplemental Data**Start Time: 10:25Booth #: 7Stop Time: 17:05**Stack Gas Leak Check:**Initial: good Final: good**Sample Train Leak Check:**A: 0.0 @ 8.0"Hg
B: 0.0 @ 6.0"HgCalibrations: Span Gas CO₂: 15.96 CO: 5.08

	Pre Test		Post Test	
	Zero	Span	Zero	Span
Time	<u>0957</u>	<u>1000</u>	<u>1711</u>	<u>1711</u>
CO ₂	<u>0.00</u>	<u>15.96</u>	<u>-0.03</u>	<u>15.78</u>
CO	<u>0.005</u>	<u>5.084</u>	<u>-0.001</u>	<u>5.011</u>

Air Velocity (ft/min): Initial: 150 Final: 150Scale Audit (lbs): Initial: 10.0 Final: 10.0Pitot Tube Leak Test: Initial: good Final: goodStack Diameter (in): 6"Induced Draft: 0.0% Smoke Capture: 100%

Flue Pipe Cleaned Prior to First Test in Series:

Date: 5/15/17 Initials: BC

	Initial	Middle	Ending
	P _b (in/Hg)	28.35	28.24
RH (%)	N/A	N/A	N/A
Ambient (°F)	78	84	87

Background Filter Volume: 70.958

Tunnel Traverse		
Microtector Reading	dP (in H ₂ O)	T(°F)
1	.048	87
2	.052	87
3	.054	87
Y	.050	87
1	.050	87
2	.054	87
3	.058	87
Y	.050	87
Center:		
	.058	87

Tunnel Static Pressure (in H ₂ O):	
Beginning of Test	End of Test
-0.574	-0.574
-.287	

Technician Signature: B. DavisDate: 6/16/17

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Run 8

Wood Heater Test Results - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home
 Model: 57ST-ACC-C
 Project No.: 0061WS092E
 Tracking No.: 2187
 Run: 8
 Test Date: 06/08/17

Burn Rate	1.88 kg/hr dry
Average Tunnel Temperature Average Gas Velocity in Dilution Tunnel - vs Average Gas Flow Rate in Dilution Tunnel - Qsd	100 degrees Fahrenheit 16.25 feet/second 9977.6 dscf/hour
Average Delta p Total Time of Test	0.056 inches H2O 225 minutes

	AMBIENT	SAMPLE TRAIN 1	SAMPLE TRAIN 2	FIRST HOUR FILTER (TRAIN 1)
Total Sample Volume - Vm	40.132 cubic feet	28.306 cubic feet	29.018 cubic feet	7.367 cubic feet
Average Gas Meter Temperature	82 degrees Fahrenheit	86 degrees Fahrenheit	85 degrees Fahrenheit	86 degrees Fahrenheit
Total Sample Volume (Standard Conditions) - Vmstd	36.614 dscf	25.862 dscf	26.289 dscf	6.731 dscf
Total Particulates - m _n	0.5 mg	4.3 mg	3.6 mg	2.9 mg
Particulate Concentration (dry-standard) - C _s /C _d	0.000014 grams/dscf	0.00017 grams/dscf	0.00014 grams/dscf	0.00043 grams/dscf
Total Particulate Emissions - E _T	0.51 grams	5.71 grams	4.61 grams	4.30 grams
Particulate Emission Rate	0.14 grams/hour	1.52 grams/hour	1.23 grams/hour	4.30 grams/hour
Emissions Factor		0.81 g/kg	0.65 g/kg	0.83 g/kg
Difference from Average Total Particulate Emissions		0.55 grams	0.55 grams	
Dual Train Comparison Results Are Acceptable				

FINAL AVERAGE RESULTS	
Complete Test Run	
Total Particulate Emissions - E _T	5.16 grams
Particulate Emission Rate	1.38 grams/hour
Emissions Factor	0.73 grams/kg
First Hour Emissions	
Total Particulate Emissions - E _T	4.30 grams
Particulate Emission Rate	4.30 grams/hour
Emissions Factor	0.83 grams/kg

QUALITY CHECKS	
Filter Temps < 90 °F	OK
Filter Face Velocity (47 mm)	OK
Dryer Exit Temp < 80F	OK
Leakage Rate	OK
Ambient Temp (55-90°F)	OK
Negative Probe Weight Eval.	OK
Pro-Rate Variation	OK
Train Precision ≤ 7.5%	10.63
Train Precision ±0.5 g/kg	0.16
Stove Surface ΔT	OK

Technician Signature: _____

Wood Heater Preburn Data - ASTM E2780

Run:	8
Manufacturer:	Hearth & Home
Model:	57ST-ACC-C
Tracking No.:	2187
Project No.:	0061WS092E
Test Date:	6/8/2017
Beginning Clock Time:	8:53

Coal Bed
Range **3.7** **4.7**
(lb): **(min)** **(max)**

Technician Signature:

Wood Heater Test Data - ASTM E2780 / ASTM E2515

Run:	8	Manufacturer:	Hearth & Home	PM Control Modules:	371, 372	Avg. Tunnel Velocity:	16.25 ft/sec.	
Model:	57ST-ACC-C	Dilution Tunnel MW(dry):	29.00 lb/lb-mole	Initial Tunnel Flow:	165.8 scfm	Technician Signature:		
Tracking No.:	2187	Dilution Tunnel MW(wet):	28.78 lb/lb-mole	Average Tunnel Flow:	166.3 scfm			
Project No.:	0061WS092E	Dilution Tunnel H2O:	2.00 percent	Post-Test Leak Check (1):	0.000 cfm @ 7 in. Hg			
Test Date:	08-Jun-17	Dilution Tunnel Static:	-0.524 "H2O	Post-Test Leak Check (2):	0.000 cfm @ 9 in. Hg			
Beginning Clock Time:	10:22	Tunnel Area:	0.19635 ft ²	Average Test Piece Fuel Moisture:	22.23 Dry Basis %			
Meter Box Y Factor:	1.001 (1)	Pitot Tube Cp:	0.99					
Total Sampling Time:	225 min							
Recording Interval:	5 min							
Background Sample Volume:	40.132 cubic feet							
Barometric Pressure:	Begin Middle End Average							
	28.11 28.14 28.16 28.14 "Hg							
OMNI Equipment Numbers:								

Velocity Traverse Data

	Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center
Initial dP	0.048	0.050	0.056	0.052	0.050	0.056	0.058	0.054	0.056
Temp:	100	100	99	99	99	99	99	99	99
V _{strav}	16.25	ft/sec	V _{scent}	16.66	ft/sec	F _p	0.976		"H2O °F

Elapsed Time (min)	Particulate Sampling Data												Temperature Data (°F)												Stack Gas Data							
	Gas Meter 1 (ft ³)	Gas Meter 2 (ft ³)	Sample Rate 1 (cfm)	Sample Rate 2 (cfm)	Orifice dH 1 ("H ₂ O)	Meter 1 Temp (°F)	Meter 1 Vacuum ("Hg)	Orifice dH 2 ("H ₂ O)	Meter 2 Temp (°F)	Meter 2 Vacuum ("Hg)	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Firebox Top	Firebox Bottom	Firebox Back	Firebox Left	Firebox Right	Avg. Stove Surface Temp	Catalyst Exit Temp	Stack	Filter 1	Dryer Exit 1	Filter 2	Dryer Exit 2	Ambient	Draft ("H ₂ O)	CO ₂ (%)	CO (%)	
0	0.000	0.000			0.98	74	0.13	0.89	75	-0.8	99	0.056		18.7		243	507	278	570	602	440	N/A	280	83	63	83	64	82	-0.049	2.66	0.73	
5	0.594	0.642	0.12	0.13	1.68	75	-0.6	1.03	75	-1.1	110	0.056	97	102	17.9	-0.8	345	511	256	542	570	445	N/A	576	87	71	86	70	82	-0.092	13.93	0.3
10	1.207	1.280	0.12	0.13	1.60	76	-0.58	1.01	76	-1.1	120	0.056	101	103	16.3	-1.6	516	514	253	545	558	477	N/A	676	88	71	86	71	82	-0.098	16.34	1.25
15	1.821	1.912	0.12	0.13	1.62	77	-0.63	0.99	78	-1.1	127	0.056	102	102	14.4	-1.9	607	513	258	568	566	502	N/A	705	90	72	88	71	82	-0.099	17.11	1.1
20	2.431	2.541	0.12	0.13	1.60	79	-0.63	0.98	80	-1.1	130	0.056	101	101	12.7	-1.7	642	510	265	598	579	519	N/A	697	88	73	89	72	82	-0.098	17.16	0.91
25	3.036	3.173	0.12	0.13	1.62	80	-0.64	0.99	81	-1.2	128	0.056	100	101	11.2	-1.5	647	507	270	618	592	527	N/A	647	88	74	87	73	82	-0.095	16.61	0.62
30	3.648	3.806	0.12	0.13	1.61	82	-0.63	0.99	83	-1.2	123	0.056	100	101	9.9	-1.3	630	505	271	632	602	528	N/A	614	87	75	87	73	83	-0.094	16.31	0.5
35	4.262	4.438	0.12	0.13	1.59	83	-0.63	0.98	84	-1.2	121	0.056	100	100	8.8	-1.1	616	505	271	642	611	529	N/A	596	87	76	87	74	83	-0.094	15.99	0.42
40	4.878	5.071	0.12	0.13	1.60	84	-0.63	0.98	85	-1.2	119	0.056	100	100	7.8	-1	596	504	273	656	622	530	N/A	575	86	76	87	74	83	-0.091	15.26	0.41
45	5.497	5.704	0.12	0.13	1.61	85	-0.62	0.99	86	-1.2	117	0.056	100	100	6.8	-1	553	504	275	672	634	528	N/A	543	86	77	86	75	83	-0.088	14.35	0.5
50	6.118	6.339	0.12	0.13	1.61	86	-0.61	0.99	87	-1.2	114	0.056	100	99	6.0	-0.8	518	504	276	688	645	526	N/A	509	85	78	86	75	83	-0.085	13.22	0.38
55	6.742	6.974	0.12	0.13	1.61	87	-0.59	0.99	88	-1.2	112	0.056	100	99	5.3	-0.7	479	504	278	695	655	522	N/A	469	84	79	85	76	84	-0.082	11.78	0.27
60	7.367	7.612	0.13	0.13	1.62	87	-0.58	0.99	88	-1.2	109	0.056	100	99	4.7	-0.6	446	505	279	693	664	517	N/A	445	83	79	85	76	84	-0.080	10.84	0.18
65	7.999	8.251	0.13	0.13	1.63	88	-0.55	1.00	89	-1.2	107	0.056	101	99	4.1	-0.6	414	506	282	685	670	511	N/A	424	83	79	84	76	84	-0.077	10.16	0.08
70	8.634	8.893	0.13	0.13	1.63	88	-0.53	1.00	89	-1.2	106	0.056	101	99	3.9	-0.2	390	507	285	676	670	506	N/A	405	83	80	84	77	84	-0.075	9.74	0.08
75	9.273	9.536	0.13	0.13	1.63	89	-0.51	1.01	90	-1.2	104	0.056	101	99	3.5	-0.4	368	508	285	668	663	498	N/A	398	83	80	84	77	84	-0.074	9.27	0.16
80	9.911	10.181	0.13	0.13	1.65	90	-0.51	1.01	90	-1.1	103	0.056	101	100	3.2	-0.3	349	510	283	660	654	491	N/A	385	83	80	84	77	85	-0.072	8.7	0.14
85	10.554	10.828	0.13	0.13	1.65	90	-0.5	1.01	91	-1.1	102	0.056	102	100	3.0	-0.2	317	511	278	648	642	479	N/A	349	83	80	83	77	85	-0.069	7.42	0.25
90	11.199	11.475	0.13	0.13	1.65	90	-0.51	1.02	90	-1.1	100	0.056	102	100	2.9	-0.1	291	512	271	634	626	467	N/A	330	83	80	83	78	85	-0.066	6.9	0.39
95	11.844	12.124	0.13	0.13	1.66	90	-0.51	1.01	90	-1.1	98	0.056	102	100	2.7	-0.2	273	514	266	620	610	457	N/A	316	83	79	83	77	85	-0.065	6.78	0.47
100	12.487	12.773	0.13	0.13	1.61	90	-0.47	1.02	89	-1.1	97	0.056	101	100	2.6	-0.1	261	515	261	608	595	448	N/A	305	82	79	82	77	84	-0.063	6.78	0.55
105	13.122	13.421	0.13	0.13	1.62	90	-0.47	1.01	89	-1.1	96	0.056	100	100	2.4	-0.2	247	516	255	596	581	439	N/A	292	82	79	82	77	84	-0.063	5.82	0.74
110	13.760	14.070	0.13	0.13	1.62	90	-0.47	1.03	89	-1.1	95	0.056	100	100	2.3	-0.1	236	516	249	584	567	430	N/A	284	81	78	81	77	84	-0.060	5.74	0.8
115	14.396	14.719	0.13	0.13	1.62	89	-0.47	1.02	88	-1.1	94	0.056	100	100	2.2	-0.1	228	515	242	570	553	422	N/A	275	81	78	81	77	84	-0.060	5.33	0.86
120	15.034	15.369	0.13	0.13	1.62	89	-0.48	1.03	88	-1.1	93	0.056	100	100	2.2	0	220	514	237	555	540	413	N/A	267	81	77	84	77	84	-0.059	5.14	0.92
125	15.670	16.018	0.13	0.13	1.62	89	-0.48	1.03	88	-1.2	92	0.056	100	99	2.0	-0.2	215	511	232	542	528	406	N/A	262	81	77	80	76	83	-0.057	5.16	0.91
130	16.304	16.668	0.13	0.13	1.63	89	-0.48	1.02	87	-1.1	91	0.056	99	100	1.9	-0.1	210	509	228	531	518	399	N/A	259	81	77	80	76	83	-0.058	5.25	0.92
135	16.941	17.318	0.13	0.13	1.63	88	-0.48	1.03	87	-1.1	91	0.056	100	100	1.9	0	206	506	224	522	508	393	N/A	256</								

Wood Heater Test Data - ASTM E2780 / ASTM E2515

Run:	8	Manufacturer:	Hearth & Home	PM Control Modules:	371, 372	Avg. Tunnel Velocity:	16.25 ft/sec.		
Model:	57ST-ACC-C	Total Sampling Time:	225 min	Dilution Tunnel MW(dry):	29.00 lb/lb-mole	Initial Tunnel Flow:	165.8 scfm		
Tracking No.:	2187	Recording Interval:	5 min	Dilution Tunnel MW(wet):	28.78 lb/lb-mole	Average Tunnel Flow:	166.3 scfm		
Project No.:	0061WS092E			Dilution Tunnel H ₂ O:	2.00 percent				
Test Date:	08-Jun-17			Dilution Tunnel Static:	-0.524 "H ₂ O	Post-Test Leak Check (1):	0.000 cfm @ 7 in. Hg	Technician Signature:	
Beginning Clock Time:	10:22	Background Sample Volume:	40.132 cubic feet	Tunnel Area:	0.19635 ft ²	Post-Test Leak Check (2):	0.000 cfm @ 9 in. Hg		
Meter Box Y Factor:	1.001 (1)	0.993 (2)	0.997 (Amb)	Pitot Tube Cp:	0.99	Average Test Piece Fuel Moisture:	22.23 Dry Basis %		
Barometric Pressure:	Begin	Middle	End	Average					
	28.11	28.14	28.16	28.14 "Hg					
OMNI Equipment Numbers:									

Velocity Traverse Data

	Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center
Initial dP	0.048	0.050	0.056	0.052	0.050	0.056	0.058	0.054	0.056
Temp:	100	100	99	99	99	99	99	99	99

"H₂O

V _{strav}	16.25	ft/sec	V _{scent}	16.66	ft/sec	F _p	0.976
--------------------	-------	--------	--------------------	-------	--------	----------------	-------

Elapsed Time (min)	Particulate Sampling Data												Temperature Data (°F)												Stack Gas Data									
	Gas Meter 1 (ft ³)	Gas Meter 2 (ft ³)	Sample Rate 1 (cfm)	Sample Rate 2 (cfm)	Orifice dH 1 ("H ₂ O)	Meter 1 Temp (°F)	Meter 1 Vacuum ("Hg)	Orifice dH 2 ("H ₂ O)	Meter 2 Temp (°F)	Meter 2 Vacuum ("Hg)	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Firebox Top	Firebox Bottom	Firebox Back	Firebox Left	Firebox Right	Avg. Stove Surface Temp	Catalyst Exit Temp	Stack	Filter 1	Dryer Exit 1	Filter 2	Dryer Exit 2	Ambient	Draft ("H ₂ O)	CO ₂ (%)	CO (%)			
190	23.897	24.466	0.13	0.13	1.63	87	-0.49	1.03	85	-1.1	87	0.056	99	100	0.7	-0.1	183	468	212	472	450	357	N/A	235	83	74	83	73	80	-0.054	5.09	0.93		
195	24.528	25.116	0.13	0.13	1.63	87	-0.48	1.03	85	-1.1	87	0.056	99	100	0.6	-0.1	183	465	215	472	449	357	N/A	235	83	74	83	73	80	-0.055	5.23	0.95		
200	25.156	25.766	0.13	0.13	1.63	87	-0.49	1.03	85	-1.1	87	0.056	99	100	0.5	-0.1	184	463	218	472	449	357	N/A	236	83	74	83	73	80	-0.054	5.34	0.94		
205	25.787	26.416	0.13	0.13	1.63	87	-0.48	1.03	85	-1.1	87	0.056	99	100	0.4	-0.1	183	460	224	473	450	358	N/A	238	83	74	83	73	80	-0.055	5.55	0.85		
210	26.418	27.066	0.13	0.13	1.63	86	-0.49	1.03	84	-1.1	87	0.056	99	100	0.3	-0.1	184	457	229	474	452	359	N/A	241	82	74	82	73	79	-0.057	5.56	0.86		
215	27.051	27.717	0.13	0.13	1.63	86	-0.48	1.03	84	-1.1	86	0.056	99	100	0.2	-0.1	185	454	233	475	453	360	N/A	241	82	74	82	73	79	-0.056	5.38	0.83		
220	27.679	28.368	0.13	0.13	1.63	86	-0.49	1.03	84	-1.1	86	0.056	99	100	0.1	-0.1	183	451	235	477	454	360	N/A	238	82	74	82	73	79	-0.055	5.24	0.86		
225	28.306	29.018	0.13	0.13	1.63	86	-0.49	1.02	83	-1.1	86	0.056	98	100	0.0	-0.1	182	449	236	477	455	360	N/A	239	82	73	82	72	79	-0.056	5.3	0.87		
Avg/Tot	28.306	29.018	0.13	0.13	1.61	86	0.056	1.01	85	0.056	100	0.056	100	100	0.0	-0.1							80.2						76	83	74	82	-0.068	

Wood Heater Lab Data - ASTM E2780 / ASTM E2515

Manufacturer: Hearth & Home Equipment Numbers: _____
 Model: 57ST-ACC-C
 Tracking No.: 2187
 Project No.: 0061WS092E
 Run #: 8
 Date: 6/8/17

TRAIN 1 (First Hour emissions)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D156	122.8	119.9	2.9
C. Rear filter catch	Filter				0.0
D. Probe catch*	Probe				0.0
E. Filter seals catch*	Seals				0.0

Sub-Total	Total Particulate, mg:	2.9
------------------	------------------------	-----

TRAIN 1 (Post First Hour Change-out)

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
B. Front filter catch	Filter	D157	123.9	123.4	0.5
C. Rear filter catch	Filter	D158	121.3	121.5	-0.2
D. Probe catch*	Probe	17	114562.8	114562.5	0.3
E. Filter seals catch*	Seals	R485	3425.3	3424.5	0.8

Sub-Total	Total Particulate, mg:	1.4
------------------	------------------------	-----

Train 1 Aggregate	Total Particulate, mg:	4.3
--------------------------	------------------------	-----

TRAIN 2

Sample Component	Reagent	Filter, Probe or Dish #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch	Filter	D159	122.9	120.4	2.5
B. Rear filter catch	Filter	D160	122.9	123.7	-0.8
C. Probe catch*	Probe	21	114393.3	114393.1	0.2
D. Filter seals catch*	Seals	R486	3310.5	3308.8	1.7

Total Particulate, mg:	3.6
------------------------	-----

AMBIENT

Sample Component	Reagent	Filter # or Probe #	Weights		
			Final, mg	Tare, mg	Particulate, mg
A. Front filter catch*	Filter	D79	122.3	121.8	0.5

Total Particulate, mg:	0.5
------------------------	-----

*Particulate catch that results in a negative number, is assumed to be zero for probes and seals, negative numbers for filters are assumed to be part of the seal weight.

Component	Equations:
A. Front filter catch	Final (mg) - Tare (mg) = Particulate, mg
B. Rear filter catch	Final (mg) - Tare (mg) = Particulate, mg
C. Probe catch	Final (mg) - Tare (mg) = Particulate, mg

Technician Signature: 

Wood Heater Test Fuel Data - ASTM E2780

Manufacturer: **Hearth & Home**
 Model: **57ST-ACC-C**
 Tracking No.: **2187**
 Project No.: **0061WS092E**
 Test Date: **6/8/2017**
 Run No.: **8**

Firebox Volume (ft ³):	2.92
Fuel Piece Length (in):	18
2x4 Crib Weight (lb):	9
4x4 Crib Weight (lb):	9.7

Total Fuel Weight (Dry Basis, lb):	15.6	
Fuel Density (lb/ft ³ , Dry Basis):	28.29	OK
Loading Density (lb/ft ³ , Wet Basis):	6.40	OK
2x4 Percentage:	48%	OK

Coal Bed Range (20-25%): **3.74 - 4.675**

Test Fuel Piece	Weight (lb)	Size	Readings (Dry Basis %)			Dry Weight (lb)
1	1.9	2"x 4"	22.7	22.4	21.7	1.55
2	1.8	2"x 4"	22.6	20.8	21.7	1.48
3	1.7	2"x 4"	22.6	23.1	22.0	1.39
4	2	2"x 4"	22.4	21.1	22.4	1.64
5	4.3	4"x 4"	21.9	21.6	22.0	3.53
6	4.7	4"x 4"	24.2	22.2	22.8	3.82

Spacer Readings (Dry Basis %)			
6.9	7.4		
6.2	7.4		
7.0	7.7		
7.9	6.9		
7.6	7.2		
7.4	6.7		
7.4	7.0		
6.6	8.1		
6.7	8.1		
6.3	6.8		
6.9	7.0		
7.9			
7.6			

Technician Signature: _____

OMNI-Test Laboratories, Inc.

Manufacturer: Hearth & Home
Model: 57ST-ACC-C
Date: 06/18/17
Run: 8
Control #: 0061WS092E
Test Duration: 225
Output Category: 3

Technicians: Brian D.

Test Results in Accordance with CSA B415.1-09

	HHV Basis	LHV Basis
Overall Efficiency	71.9%	77.7%
Combustion Efficiency	95.7%	95.7%
Heat Transfer Efficiency	75%	81.1%

Output Rate (kJ/h)	26,349	24,995	(Btu/h)
Burn Rate (kg/h)	1.85	4.08	(lb/h)
Input (kJ/h)	36,668	34,784	(Btu/h)

Test Load Weight (dry kg)	6.94	15.30	dry lb
MC wet (%)	18.19		
MC dry (%)	22.23		
Particulate (g)	5.16		
CO (g)	417		
Test Duration (h)	3.75		

Emissions	Particulate	CO
g/MJ Output	0.05	4.22
g/kg Dry Fuel	0.74	60.04
g/h	1.38	111.12
lb/MM Btu Output	0.12	9.80

Air/Fuel Ratio (A/F)	13.73
-----------------------------	-------

VERSION: 2.2 12/14/2009

VERSION: 2.2

12/14/2009

Manufacturer: Hearth & Home
 Model: 57ST-ACC-C
 Date: 6/18/2017
 Run: 8
 Control #: 0061WS092E

Appliance Type: Non-Cat (Cat, Non-Cat, Pellet)

Temp. Units F (F or C)
 Weight Units lb (kg or lb)

Test Duration: 225

Output Category: 3

Fuel Data


D. Fir

Wood Moisture (% wet):	18.19	HHV	19,810	kJ/kg
Load Weight (lb wet):	18.70	%C	48.73	
Burn Rate (dry kg/h):	1.85	%H	6.87	
Total Particulate Emissions:	5.16 g	%O	43.9	
		%ASH	0.5	

Elapsed Time (min)	Fuel Weight Remaining (lb)	Flue Gas Composition (%)			Flue Gas Temp.	Room Temp
		CO	CO ₂	O ₂		
0	18.70	0.73	2.66		280.0	82.0
5	17.90	0.30	13.93		576.0	82.0
10	16.30	1.25	16.34		676.0	82.0
15	14.40	1.10	17.11		705.0	82.0
20	12.70	0.91	17.16		697.0	82.0
25	11.20	0.62	16.61		647.0	82.0
30	9.90	0.50	16.31		614.0	83.0
35	8.80	0.42	15.99		596.0	83.0
40	7.80	0.41	15.26		575.0	83.0
45	6.80	0.50	14.35		543.0	83.0
50	6.00	0.38	13.22		509.0	83.0
55	5.30	0.27	11.78		469.0	84.0
60	4.70	0.18	10.84		445.0	84.0
65	4.10	0.08	10.16		424.0	84.0
70	3.90	0.08	9.74		405.0	84.0
75	3.50	0.16	9.27		398.0	84.0
80	3.20	0.14	8.70		385.0	85.0
85	3.00	0.25	7.42		349.0	85.0
90	2.90	0.39	6.90		330.0	85.0
95	2.70	0.47	6.78		316.0	85.0
100	2.60	0.55	6.78		305.0	84.0
105	2.40	0.74	5.82		292.0	84.0
110	2.30	0.80	5.74		284.0	84.0
115	2.20	0.86	5.33		275.0	84.0
120	2.20	0.92	5.14		267.0	84.0
125	2.00	0.91	5.16		262.0	83.0
130	1.90	0.92	5.25		259.0	83.0
135	1.90	0.83	5.06		256.0	83.0
140	1.80	0.91	4.97		252.0	83.0
145	1.70	0.95	4.91		249.0	83.0
150	1.60	0.98	4.87		246.0	83.0
155	1.50	0.99	5.00		243.0	82.0
160	1.40	1.01	5.06		242.0	82.0
165	1.30	0.92	4.66		239.0	81.0
170	1.20	0.95	4.81		238.0	81.0
175	1.00	0.94	4.88		238.0	81.0
180	0.90	0.93	4.97		238.0	81.0
185	0.80	0.91	5.08		237.0	81.0
190	0.70	0.93	5.09		235.0	80.0
195	0.60	0.95	5.23		235.0	80.0
200	0.50	0.94	5.34		236.0	80.0
205	0.40	0.85	5.55		238.0	80.0
210	0.30	0.86	5.56		241.0	79.0
215	0.20	0.83	5.38		241.0	79.0
220	0.10	0.86	5.24		238.0	79.0
225	0.00	0.87	5.30		239.0	79.0

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 8Model: 57ST-ACC-CTracking Number: 2187Date: 6-8-17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Run Notes****Air Control Settings**


Primary:

Secondary: fixedTertiary/Pilot: Blast Air not usedFan: on high entire preburn**Preburn Notes**

Time	Notes
28	Adjusted Preburn fuel.
77	Leveled coal bed

Test Notes

Sketch test fuel configuration:



Start up procedures & Timeline:

Bypass: N/A
 Fuel loaded by: 35 seconds
 Door closed at: 40 seconds
 Primary air: fully open entire test
 Notes: Blast Air locked open until 5 min.
The set to timed Air @ 5:00 min
Fan on high entire test.

Time	Notes
60	Changed front filter in train A.

Technician Signature: B. DavisDate: 6/14/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 8Model: 57ST-ACC-CTracking Number: 2187Date: 6-8-17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Fuel Data**

Fuel: Douglas fir, untreated and air dried, standard grade or better dimensional lumber

Pre-Burn Fuel

Calibration: Cal Value (1) = 12% Actual Reading 12
 Cal Value (2) = 22% Actual Reading 22

Piece:	Length:	Reading:	Piece:	Length:	Reading:
1	32	24.05	7	_____	_____
2	32	24.05	8	_____	_____
3	32	24.05	9	_____	_____
4	32	32	10	_____	_____
5	32	22.3	11	_____	_____
6	32	21.9	12	_____	_____

Total Pre-Burn Fuel Weight: 15.9 Pre-Burn Fuel Average Moisture: 22.7Time (clock): 0825 Room Temperature (F): 67 Initials: BD**Test Fuel**

Firebox Volume (ft³): 2.95
 Load Weight Range (lb): 20.65
18.6 22.7

Test Fuel Piece Length (in): 18.0
 Total Wet Fuel Load Weight (lb): 18.7

Fuel Type & Amount: 2 x 4: 44 x 4: 2Weight (with spacers): 9.0Weight (with spacers): 9.7

Piece:	Weight (lbs):	Moisture Readings (%DB):	Fuel Type:
1	1.9	22.7	2x4
2	1.8	22.6	2x4
3	1.7	22.6	2x4
4	2.0	22.4	2x4
5	4.3	21.9	2x4
6	4.7	24.2	2x4
7	_____	_____	_____

Spacer Moisture Readings (%DB)

<u>6.9</u>	<u>7.6</u>	<u>6.7</u>	<u>7.6</u>	<u>6.9</u>	<u>8.1</u>	_____	_____
<u>6.2</u>	<u>7.4</u>	<u>6.3</u>	<u>7.4</u>	<u>7.2</u>	<u>8.1</u>	_____	_____
<u>7.0</u>	<u>7.4</u>	<u>6.9</u>	<u>7.4</u>	<u>6.7</u>	<u>6.8</u>	_____	_____
<u>7.9</u>	<u>6.6</u>	<u>7.9</u>	<u>7.7</u>	<u>7.0</u>	<u>7.0</u>	_____	_____

Time (clock): 0825Room Temperature (F): 67 Initials: BDTechnician Signature: BDDate: 6/14/17

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 8Model: 57ST-ACC-CTracking Number: 2187Date: 6/18/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**Wood Heater Supplemental Data**Start Time: 10:22Booth #: 7Stop Time: 1407**Stack Gas Leak Check:**Initial: good Final: good**Sample Train Leak Check:**A: 0.0 @ 7 "Hg
B: 0.0 @ 9 "HgCalibrations: Span Gas CO₂: 15.96 CO: 5.08

	Pre Test		Post Test	
	Zero	Span	Zero	Span
Time	<u>0935</u>	<u>0935</u>	<u>1414</u>	<u>1444</u>
CO ₂	<u>0.00</u>	<u>15.97</u>	<u>0.06</u>	<u>16.01</u>
CO	<u>0.000</u>	<u>5.082</u>	<u>-0.003</u>	<u>5.075</u>

Air Velocity (ft/min): Initial: 150 Final: 150Scale Audit (lbs): Initial: 10.0 Final: 10.0Pitot Tube Leak Test: Initial: good Final: goodStack Diameter (in): 6"Induced Draft: 0.0% Smoke Capture: 100%

Flue Pipe Cleaned Prior to First Test in Series:

Date: 5/15/17 Initials: BS

	Initial	Middle	Ending
P _b (in/Hg)	<u>28.11</u>	<u>28.14</u>	<u>28.16</u>
RH (%)	<u>n/a</u>	<u>n/a</u>	<u>n/a</u>
Ambient (°F)	<u>82</u>	<u>84</u>	<u>79</u>

Background Filter Volume: 40.132

Tunnel Traverse		
Microtector Reading	dP (in H ₂ O)	T(°F)
1	.048	108
2	.050	100
3	.056	99
4	.052	99
1	.050	99
2	.056	99
3	.058	99
4	.054	99
Center:		
	.056	99

Tunnel Static Pressure (in H ₂ O):	
Beginning of Test	End of Test
<u>-.524</u>	<u>-.524</u>
<u>-.262</u>	

Technician Signature: B. DavisDate: 6/16/17

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Section 4

Quality Assurance/Quality Control

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

QUALITY ASSURANCE/QUALITY CONTROL

OMNI follows the guidelines of ISO/IEC 17025, “General Requirements for the Competence of Testing and Calibration Laboratories,” and the quality assurance/quality control (QA/QC) procedures found in *OMNI*’s Quality Assurance Manual.

OMNI’s scope of accreditation includes, but is not limited to, the following:

- ANSI (American National Standards Institute) for certification of product to safety standards.
- To perform product safety testing by the International Accreditation Service, Inc. (formerly ICBO ES) under accreditation as a testing laboratory designated TL-130.
- To perform product safety testing as a “Certification Organization” by the Standards Council of Canada (SCC).
- Serving as a testing laboratory for the certification of wood heaters by the U.S. Environmental Protection Agency.

This report is issued within the scope of *OMNI*’s accreditation. Accreditation certificates are available upon request.

The manufacturing facilities and quality control system for the production of the 57ST-ACC-C at Hearth and Home Technologies were evaluated to determine if sufficient to maintain conformance with *OMNI*’s requirements for product certification. *OMNI* has concluded that the manufacturing facilities, processes, and quality control system are adequate to produce the appliance congruous with the standards and model codes to which it was evaluated.

This report shall not be reproduced, except in full, without the written approval of *OMNI*-Test Laboratories, Inc.

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Manufacturer's Quality Assurance Plan

The following quality assurance plan has been developed to ensure all that all units within the model line are similar in all material respects that would affect emissions to the sample tested under this report, in accordance with § 60.533 (m).

Redacted as confidential business information

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Sample Analysis

Analysis Worksheets
Tared Filter, Probe, and O-Ring Data

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 1Model: 57ST-ACC-CTracking Number: 2187Date: 5/15/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**ASTM E2515 Lab Sheet**

Assembled By:

B. Davis

Date/Time in Dessicator:

5/21/17 0845

Weighing #1	Weighing #2	Weighing #3	Weighing #4	Weighing #5
Date/Time:	Date/Time:	Date/Time:	Date/Time:	Date/Time:
<u>5/21/17 0830</u>	<u>5/21/17 0830</u>	<u>5/21/17 0850</u>	<u>5/21/17 0830</u>	<u>5/21/17 0845</u>
R/H %:				
<u>20.5</u>	<u>9.4</u>	<u>11.3</u>	<u>7.7</u>	<u>10.2</u>
Temp:	Temp:	Temp:	Temp:	Temp:
<u>77</u>	<u>74</u>	<u>73</u>	<u>74</u>	<u>73</u>
200 mg Audit:				
<u>0.2000</u>	<u>0.2000</u>	<u>0.2000</u>	<u>0.2000</u>	<u>0.2000</u>
2 g Audit:				
<u>1.9997</u>	<u>2.0002</u>	<u>1.9998</u>	<u>1.9998</u>	<u>1.9998</u>
100 g Audit:				
<u>99.9998</u>	<u>99.9990</u>	<u>99.9990</u>	<u>99.9990</u>	<u>99.9990</u>
Initials:	Initials:	Initials:	Initials:	Initials:
<u>BA</u>	<u>BL</u>	<u>BYZ</u>	<u>BA</u>	<u>BR</u>

Train	Element	ID #	Tare (mg)	Weight (mg)	Weight (mg)	Weight (mg)	Weight (mg)
A (First Hour)	Front Filter	D169	122.4	0135.9	135.6	135.7	135.5 ✓
	Rear Filter						
	Probe						
	O-Ring Set	R469					
A (Remainder)	Front Filter	D171	126.0	124.8	124.6	124.6	124.6 ✓
	Rear Filter	D170	123.0	123.9	123.7	123.6	123.6 ✓
	Probe	OES-1	114146.5	114148.1	114146.8	114146.8	114146.9 ✓
	O-Ring Set	R469	3619.9	3620.5	3620.5	3620.1	3619.9 ✓
B	Front Filter	D172	122.2	137.7	137.4	137.3	137.3 ✓
	Rear Filter	D173	123.3	124.1	123.9	123.7	123.7 ✓
	Probe	6	115352.5	115354.4	115352.7	115352.7	115352.7 ✓
	O-Ring Set	R470	3323.3	3324.0	3324.1	3323.8	3323.4 ✓
BG	Filter	D174	120.2	120.2	120.2	120.2	120.2 ✓

Technician Signature: B. DavisDate: 6-1-17

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 2Model: 57ST-ACC-CTracking Number: 2187Date: 5/19/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**ASTM E2515 Lab Sheet**Assembled By: B DavisDate/Time in Dessicator: 5/22/17 0845

Weighing #1	Weighing #2	Weighing #3	Weighing #4	Weighing #5
Date/Time:	Date/Time:	Date/Time:	Date/Time:	Date/Time:
<u>5/21/17 0830</u>	<u>5/21/17 0915</u>	<u>5/21/17 0950</u>	<u>5/21/17 0830</u>	<u>5/21/17 0845</u>
R/H %:				
<u>20.5</u>	<u>7.4</u>	<u>11.3</u>	<u>7.7</u>	<u>10.2</u>
Temp:	Temp:	Temp:	Temp:	Temp:
<u>77</u>	<u>74</u>	<u>73</u>	<u>74</u>	<u>73</u>
200 mg Audit:				
<u>0.2000</u>	<u>0.2000</u>	<u>0.2000</u>	<u>0.2000</u>	<u>0.2000</u>
2 g Audit:				
<u>1.9997</u>	<u>1.9998</u>	<u>1.9998</u>	<u>1.9998</u>	<u>1.9998</u>
100 g Audit:	100 g Audit	100 g Audit	100 g Audit	100 g Audit
<u>99.9998</u>	<u>99.9990</u>	<u>99.9990</u>	<u>99.9990</u>	<u>99.9990</u>
Initials:	Initials:	Initials:	Initials:	Initials:
<u>BD</u>	<u>BD</u>	<u>BD</u>	<u>AA</u>	<u>BD</u>

Train	Element	ID #	Tare (mg)	Weight (mg)	Weight (mg)	Weight (mg)	Weight (mg)
A (First Hour)	Front Filter	D175	122.5	125.9	125.5	125.6	125.5
	Rear Filter						
	Probe						
	O-Ring Set						
A (Remainder)	Front Filter	D176	123.9	127.6	127.4	127.5	127.5
	Rear Filter	D177	120.7	121.1	121.0	120.9	120.9
	Probe	7	114983.3	114985.4	114983.7	114984.0	114984.0
	O-Ring Set	R471	4147.5	4148.0	4147.9	4147.7	4147.3
B	Front Filter	D178	121.9	127.9	127.7	127.6	127.5
	Rear Filter	D179	124.1	124.6	124.5	124.4	124.4
	Probe	8	115595.0	115596.9	115595.2	115598.2	115595.2
	O-Ring Set	R472	3594.4	3595.1	3595.0	3594.7	3594.4
BG	Filter	D73	121.2	121.8	121.7	121.8	121.7

Technician Signature: B DavisDate: 6-1-17

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 3Model: 57ST-ACC-CTracking Number: 2187Date: 5/17/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**ASTM E2515 Lab Sheet**

Assembled By:

B. Davis

Date/Time in Dessicator:

5/21/17 0845

Weighing #1	Weighing #2	Weighing #3	Weighing #4	Weighing #5
Date/Time:	Date/Time:	Date/Time:	Date/Time:	Date/Time:
<u>5/23/17 0830</u>	<u>5/23/17 0815</u>	<u>5/23/17 0850</u>	<u>5/23/17 0830</u>	<u>5/23/17 0845</u>
R/H %:				
<u>20.5</u>	<u>9.4</u>	<u>11.3</u>	<u>7.7</u>	<u>10.2</u>
Temp:	Temp:	Temp:	Temp:	Temp:
<u>77</u>	<u>74</u>	<u>73</u>	<u>74</u>	<u>73</u>
200 mg Audit:				
<u>0.2000</u>	<u>0.2000</u>	<u>0.2000</u>	<u>0.2000</u>	<u>0.2000</u>
2 g Audit:				
<u>1.9997</u>	<u>1.9998</u>	<u>1.9998</u>	<u>1.9998</u>	<u>1.9998</u>
100 g Audit:				
<u>99.9998</u>	<u>99.9990</u>	<u>99.9990</u>	<u>99.9990</u>	<u>99.9990</u>
Initials:	Initials:	Initials:	Initials:	Initials:
<u>BD</u>	<u>BD</u>	<u>BD</u>	<u>BD</u>	<u>BD</u>

Train	Element	ID #	Tare (mg)	Weight (mg)	Weight (mg)	Weight (mg)	Weight (mg)
A (First Hour)	Front Filter	D180	120.1	122.0	121.8	121.8	121.8
	Rear Filter						
	Probe						
	O-Ring Set						
A (Remainder)	Front Filter	D181	121.7	122.2	122.1	122.1	122.1
	Rear Filter	D182	123.8	123.9	123.7	123.8	123.8
	Probe	11	114189.0	114191.0	114189.4	114189.5	114189.6
	O-Ring Set	R473	3532.1	3533.0	3532.8	3532.6	3532.4
B	Front Filter	D183	124.1	126.2	126.2	126.3	126.3
	Rear Filter	D184	120.2	120.1	120.0	120.0	120.0
	Probe	13	114322.9	114324.7	114323.0	114323.0	114323.0
	O-Ring Set	R474	3375.8	3377.2	3377.1	3376.9	3376.4
BG	Filter	D74	123.7	124.0	123.9	124.0	124.0

Technician Signature: BDDate: 6/1/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 4Model: 57ST-ACC-CTracking Number: 2187Date: 5/18/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**ASTM E2515 Lab Sheet**

Assembled By:

B Davis

Date/Time in Dessicator:

5/23/17 0845

Weighing #1	Weighing #2	Weighing #3	Weighing #4	Weighing #5
Date/Time: <u>5/23/17 0830</u>	Date/Time: <u>5/24/17 0915</u>	Date/Time: <u>5/25/17 0930</u>	Date/Time: <u>5/24/17 0930</u>	Date/Time: <u>5/24/17 0945</u>
R/H %: <u>20.5</u>	R/H %: <u>7.4</u>	R/H %: <u>11.3</u>	R/H %: <u>7.7</u>	R/H %: <u>10.2</u>
Temp: <u>77</u>	Temp: <u>74</u>	Temp: <u>73</u>	Temp: <u>74</u>	Temp: <u>73</u>
200 mg Audit: <u>0.2000</u>				
2 g Audit: <u>1.9997</u>	2 g Audit: <u>1.9998</u>	2 g Audit: <u>1.9998</u>	2 g Audit: <u>1.9998</u>	2 g Audit: <u>1.9998</u>
100 g Audit: <u>99.9998</u>	100 g Audit: <u>99.9990</u>	100 g Audit: <u>99.9990</u>	100 g Audit: <u>99.9990</u>	100 g Audit: <u>99.9990</u>
Initials: <u>BD</u>	Initials: <u>BD</u>	Initials: <u>BD</u>	Initials: <u>BD</u>	Initials: <u>BD</u>

Train	Element	ID #	Tare (mg)	Weight (mg)	Weight (mg)	Weight (mg)	Weight (mg)
A (First Hour)	Front Filter	D186	123.7	131.2	131.1	131.1	-
	Rear Filter						
	Probe						
	O-Ring Set						
A (Remainder)	Front Filter	D187	120.8	121.6	121.6	121.6	-
	Rear Filter	D188	121.8	121.6	121.7	121.7	-
	Probe	15	114344.0	114347.1	114345.7	114345.8	114345.8
	O-Ring Set	R475	3290.1	3291.0	3290.9	3290.6	3290.3
B	Front Filter	D189	123.8	130.8	130.5	130.6	130.6
	Rear Filter	D190	120.4	121.0	120.9	120.9	120.7
	Probe	18	114403.2	114406.2	114404.6	114404.6	114404.6
	O-Ring Set	R476	4315.2	4316.0	4315.9	4315.5	4315.2
BG	Filter	D75	120.8	121.3	121.3	121.3	-

Technician Signature: B DavisDate: 6/1/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 5Model: 57ST-ACC-CTracking Number: 2187Date: 5/19/17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**ASTM E2515 Lab Sheet**

Assembled By:

B. Davis

Date/Time in Dessicator:

5/21/17 0845

Weighing #1	Weighing #2	Weighing #3	Weighing #4	Weighing #5
Date/Time:	Date/Time:	Date/Time:	Date/Time:	Date/Time:
<u>5/21/17 0830</u>	<u>5/21/17 0815</u>	<u>5/21/17 0830</u>	<u>5/21/17 0830</u>	<u>5/21/17 0845</u>
R/H %:				
<u>20.5</u>	<u>9.4</u>	<u>11.3</u>	<u>7.7</u>	<u>10.2</u>
Temp:	Temp:	Temp:	Temp:	Temp:
<u>77</u>	<u>74</u>	<u>73</u>	<u>74</u>	<u>73</u>
200 mg Audit:				
<u>0.2000</u>	<u>0.2000</u>	<u>0.2000</u>	<u>0.2000</u>	<u>0.2000</u>
2 g Audit:				
<u>1.9997</u>	<u>1.9998</u>	<u>1.9998</u>	<u>1.9998</u>	<u>1.9998</u>
100 g Audit:	100 g Audit	100 g Audit	100 g Audit	100 g Audit
<u>99.9998</u>	<u>99.9990</u>	<u>99.9910</u>	<u>99.9990</u>	<u>99.9990</u>
Initials:	Initials:	Initials:	Initials:	Initials:
<u>BL</u>	<u>BL</u>	<u>BL</u>	<u>BL</u>	<u>BL</u>

Train	Element	ID #	Tare (mg)	Weight (mg)	Weight (mg)	Weight (mg)	Weight (mg)
A (First Hour)	Front Filter	D191	122.2	131.1	130.7	130.8	130.5
	Rear Filter						
	Probe						
	O-Ring Set						
A (Remainder)	Front Filter	D192	124.2	203.9	203.1	203.7	203.0
	Rear Filter	D193	120.4	122.7	122.5	122.5	122.5
	Probe	20	114255.0	114258.0	114256.6	114256.6	114256.6
	O-Ring Set	R477	3503.6	3504.9	3504.7	3504.5	3504.4
B	Front Filter	D194	122.4	208.0	206.0	206.2	205.4
	Rear Filter	D195	123.3	125.4	125.1	125.1	125.2
	Probe	24	114128.6	114131.7	114129.9	114130.0	114130.1
	O-Ring Set	R478	3340.9	3342.8	3342.4	3342.4	3342.1
BG	Filter	D76	122.2	123.6	123.4	123.5	123.5

Technician Signature: B. DavisDate: 6/1/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run Sheets

Client: Hearth & Home

Project Number: 0061WS092E

Run Number: 7

Model: 57ST-ACC-C

Tracking Number: 2187

Date: 6-7-17

Test Crew: B. Davis

OMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419,
432, 265, 413, 283A**ASTM E2515 Lab Sheet**

Assembled By:

B Davis

Date/Time in Dessicator:

6/9/17 1330

Weighing #1	Weighing #2	Weighing #3	Weighing #4	Weighing #5
Date/Time:	Date/Time:	Date/Time:	Date/Time:	Date/Time:
<u>6-12-17 0810</u>	<u>6-13-17 0815</u>	<u>6-14-17 0815</u>		
R/H %:	R/H %:	R/H %:	R/H %:	R/H %:
<u>17.3</u>	<u>8.0</u>	<u>8.8</u>		
Temp:	Temp:	Temp:	Temp:	Temp:
<u>73.5</u>	<u>71.6</u>	<u>71.0</u>		
200 mg Audit:	200 mg Audit:	200 mg Audit:	200 mg Audit:	200 mg Audit:
<u>0.2001</u>	<u>0.2000</u>	<u>0.2000</u>		
2 g Audit:	2 g Audit:	2 g Audit:	2 g Audit:	2 g Audit:
<u>1.9999</u>	<u>1.9999</u>	<u>1.9999</u>		
100 g Audit:	100 g Audit	100 g Audit	100 g Audit	100 g Audit
<u>99.9990</u>	<u>99.9990</u>	<u>99.9990</u>		
Initials:	Initials:	Initials:	Initials:	Initials:
<u>BL</u>	<u>BL</u>	<u>BL</u>		

Train	Element	ID #	Tare (mg)	Weight (mg)	Weight (mg)	Weight (mg)	Weight (mg)
A (First Hour)	Front Filter	D151	119.8	122.9	122.8		
	Rear Filter						
	Probe						
	O-Ring Set						
A (Remainder)	Front Filter	D153	122.3	123.0	123.0		
	Rear Filter	D152	124.0	123.4	123.5		
	Probe	14	114550.6	114551.3	114550.8	114550.8	
	O-Ring Set	R483	3506.7	3507.2	3507.2		
B	Front Filter	D154	123.7	128.7	128.7		
	Rear Filter	D155	119.5	119.9	120.0		
	Probe	16	114267.4	114267.9	114267.4	114267.5	
	O-Ring Set	R484	3331.1	3331.4	3331.3		
BG	Filter	D78	120.8	121.4	121.4		

Technician Signature: B DavisDate: 6/16/17

OMNI-Test Laboratories, Inc.

ASTM E2780 Wood Heater Run SheetsClient: Hearth & HomeProject Number: 0061WS092ERun Number: 8Model: 57ST-ACC-CTracking Number: 2187Date: 6-8-17Test Crew: B. DavisOMNI Equipment ID numbers: 1, 244, 131, 132, 5142132, 209, 296-T54, 371, 372, 340, 592, 410, 419, 432, 265, 413, 283A**ASTM E2515 Lab Sheet**

Assembled By:

B Davis

Date/Time in Dessicator:

6/9/17 1330

Weighing #1	Weighing #2	Weighing #3	Weighing #4	Weighing #5
Date/Time: <u>6-12-17 0810</u>	Date/Time: <u>6-13-17 0815</u>	Date/Time: <u>6-14-17 0815</u>	Date/Time:	Date/Time:
R/H %: <u>17.3</u>	R/H %: <u>8.0</u>	R/H %: <u>8.8</u>	R/H %:	R/H %:
Temp: <u>73.5</u>	Temp: <u>71.6</u>	Temp: <u>71.0</u>	Temp:	Temp:
200 mg Audit: <u>0.2001</u>	200 mg Audit: <u>0.2000</u>	200 mg Audit: <u>0.2000</u>	200 mg Audit:	200 mg Audit:
2 g Audit: <u>1.9999</u>	2 g Audit: <u>1.9999</u>	2 g Audit: <u>1.9999</u>	2 g Audit:	2 g Audit:
100 g Audit: <u>99.9990</u>	100 g Audit: <u>99.9990</u>	100 g Audit: <u>99.9996</u>	100 g Audit:	100 g Audit
Initials: <u>BD</u>	Initials: <u>BL</u>	Initials: <u>BL</u>	Initials:	Initials:

Train	Element	ID #	Tare (mg)	Weight (mg)	Weight (mg)	Weight (mg)	Weight (mg)
A (First Hour)	Front Filter	D156	119.9	122.9	122.8		
	Rear Filter						
	Probe						
	O-Ring Set						
A (Remainder)	Front Filter	D157	123.4	124.0	123.9		
	Rear Filter	D158	121.5	121.3	121.3		
	Probe	17	114562.5	114563.4	114562.8	114562.8	
	O-Ring Set	R485	3425.5	3425.4	3425.3		
B	Front Filter	D159	120.4	122.9	122.9		
	Rear Filter	D160	123.7	123.0	122.9		
	Probe	21	114393.1	114393.7	114393.4	114393.3	
	O-Ring Set	R486	3308.8	3310.7	3310.5		
BG	Filter	D79	121.8	122.3	122.3		

Technician Signature: B DavisDate: 6/16/17

Tare Sheet: (check one)

Tare Sheet: (check one)
Prepared By: B. Davis

47mm Filters

100mm Filters _____
meter ID #: ~~amni - no 572 A~~

O-Ring Pair ✓
Height ID #/Mass: OMNI-00283A / 5g

Date: _____

Dessicator: _____ Time: _____

Date: 4/13/17 RH %: 60

Temp: 0Y00

Audit 2

2468

R469 3.1

3
12470

2471

3
7th Dec

3

Sthy

July 2000

3

卷之三

3

3

卷之三

卷之三

卷之三

100

100

Initials:

Final Technician Signature: _____
Control No. P-SFDP-0002.xls

Final Technician Signature: Control No. P-SFDP-0002.xls, Effective date: 2/1/2017

Date: 6-1-17

Evaluator signature:

Tare Sheet: (check one)

Prepared By: Dave J

Probes

Balance ID #: AMUL-002244 Thermohygrometer ID #: AMUL-00572

47mm Filters

Audit Weight ID #: AMUL-002834 / 129

O-Ring Pair

ID #	47mm Filters			100mm Filters			O-Ring Pair		
	Date:	Time:	RH %:	Date:	Time:	RH %:	Date:	Time:	Project Number
2481	5/24/13	08:30	18.3	5/25/13	08:30	21	5/24/13	08:55	
2482	5/24/13	08:30	18.3	5/25/13	08:45	21	5/24/13	08:55	
2483	3501.3			3507.0			3537.9		6-6-17
2484	3332.1			3331.8			3537.9		6-6-17
2485	3425.9			3425.5			3537.9		6-6-17
2486	3309.6			3309.4			3537.9		6-6-17
2487	3335.6			3335.3			3537.9		6-6-17
2488	3373.4			3373.0			3537.9		6-6-17
2489	3333.5			3333.1			3537.9		6-6-17
2490	4164.7			4164.4			3332.4		not used
2491	33323.8			3323.6			3332.4		not used
2492	4158.8			4158.6			3322.9		not used
2493	4175.6			4175.3			4174.7		not used
2494	3329.0			3328.7			3328.0		not used
2495	3308.4			3308.0			3307.5		not used
2496	3337.6			3337.4			3337.0		not used
2497	3307.4			3307.2			3307.5		not used
2498	3318.0			3317.2			3317.4		not used
2499	4139.2			4138.8			4138.2		not used
2500	4091.6			4091.3			4090.9		not used

Initials: DR Initials: AN Initials: DR

Tare Sheet: Probes ✓ 47mm Filters ___ 100mm Filters ___ O-Ring Pair ___

Date/time Placed in Dessicator: 5/23/17

Prepared By: B Davis

Analytical Balance ID #: omni- 00247

Thermohygrometer ID #: omni- 00592

Audit Weight ID #: MassOmni- 002834 / 5g.

ID #	Date: 5/24/17 Time: 10:10 RH %: 11.4 T (°F): 70 Audit: 99.9989	Date: 5/25/17 Time: 09:30 RH %: 12.5 T (°F): 70 Audit: 99.9990	Date: 5/30/17 Time: 09:45 RH %: 7.7 T (°F): 74 Audit: 99.9990	Date Used	Project Number	Run No.
1	115016.3	115016.3	-	-	6-6-17	acc105092E
14	114550.4	114550.6	-	-	1	1
16	114262.4	114262.4	-	-	6-7-17	7
17	114562.3	114562.5	-	-	1	1
21	114322.6	114330.0	114333.1	-	6-8-17	8
22	114345.7	114355.9	-	-	1	1
23	114275.6	114285.8	-	-	1	1
29	114272.9	114299.9	-	-	1	1
30	114335.0	114335.2	-	-	1	1
31	114371.2	114371.4	-	-	1	1
33	114528.0	114528.0	-	-	1	1
37	114496.2	114496.8	-	-	1	1
55	-	-	-	-	1	1
58	117068.2	117068.1	-	-	1	1
64	118209.3	118209.6	-	-	1	1
65	117086.0	117086.3	117086.4	-	1	1
67	117236.2	117236.4	-	-	1	1
68	116802.4	116802.2	-	-	1	1
69	117337.8	117337.8	-	-	1	1
	Initials: BD	Initials: BD	Initials: BD	Initials: BD	Initials: BD	Initials: BD

Tare Sheet: (check one) Prepared By: B. Davis

Probes _____	47mm Filters _____	100mm Filters _____	O-Ring Pair _____
Balance ID #: <u>OMN1-0024Y</u>	Thermohygrometer ID #: <u>OMN2-00572</u>		
		Audit Weight ID #: <u>OMN2-02834</u> / <u>200 mg</u>	

Prepared By: B. Das

Probes _____ 47mm Filters ✓

47mm Filters ✓ 100mm Filters

O-Ring Pair

Balance ID #: OMUR-0024

Thermohygrometer ID #0mwi-00S92 A

100mm Filters _____ O-Ring Pair _____

Meter ID # OMNI-00572 Audit Weight ID #/Mass: OMNI-02834

Placed in Dessicator:	Date: <u>4/12/17</u>	Date: <u>4/13/17</u>	Date: _____	Date: _____	Run No.
Date: <u>4-14-17</u>	Time: <u>0945</u>	Time: <u>0830</u>	Time: _____	Time: _____	
Date: <u>4-14-17</u>	RH %: <u>9.8</u>	RH %: <u>9.0</u>	RH %: _____	RH %: _____	
Date: <u>4-14-17</u>	T (°F): <u>70</u>	T (°F): <u>70</u>	T (°F): _____	T (°F): _____	
ID #	Audit: <u>0.2000</u>	Audit: <u>0.2000</u>	Audit: _____	Audit: _____	
D163	0.1223	0.1223	-	-	
D164	0.1236	0.1235	-	-	
D165	0.1203	0.1203	-	-	
D166	0.1223	0.1222	-	-	
D167	0.1225	0.1224	-	-	
D168	0.1205	0.1206	-	-	
D169	0.1225	0.1224	-	-	
D170	0.1231	0.1230	-	-	
D171	0.1202	0.1200	-	-	
D172	0.1222	0.1222	-	-	
D173	0.1233	0.1233	-	-	
D174	0.1201	0.1202	-	-	
D175	0.1224	0.1225	-	-	
D176	0.1239	0.1239	-	-	
D177	0.1208	0.1207	-	-	
D178	0.1218	0.1219	-	-	
D179	0.1241	0.1241	-	-	
D180	0.1201	0.1201	-	-	
D181	0.1217	0.1217	-	-	
D182	0.1231	0.1238	-	-	

Final Technician Signature: Bob Control No. P-SFDP-0002.xls. Effective date: 2/1/2017

Date: 6-1-17

Evaluator signature:

ature: _____

Tare Sheet: (check one) **Probes** _____

47mm Filters _____

100mm Filters _____

O-Ring Pair _____

Prepared BY: **BD** **005** Balance ID #: **OMNI-00244** Thermohygrometer ID #: **OMNI-00572** Audit Weight ID #: **OMNI-002834**

Placed in Dessicator:	Date: <u>4/12/17</u> Time: <u>0945</u> RH %: <u>94</u> T (°F): <u>70</u>	Date: <u>4/13/17</u> Time: <u>0830</u> RH %: <u>90</u> T (°F): <u>70</u>	Date: _____ Time: _____ RH %: _____ T (°F): _____	Project Number	Run No.
ID #	Audit: <u>0.2000</u>	Audit: <u>0.2000</u>	Audit: _____		
3	D183	0.1242	0.1241	5-13-17	0061WS092E
3	D184	0.1202	0.1202	5-13-17	0061WS092E
3	D185	0.1222	0.1222	5-13-17	0061WS092E
4	D186	0.1237	0.1237	5-13-17	0061WS092E
4	D187	0.1208	0.1208	5-13-17	0061WS092E
4	D188	0.1219	0.1218	5-13-17	0061WS092E
4	D189	0.1237	0.1238	5-13-17	0061WS092E
5	D190	0.1201	0.1201	5-13-17	0061WS092E
5	D191	0.1222	0.1222	5-13-17	0061WS092E
5	D192	0.1242	0.1242	5-13-17	0061WS092E
5	D193	0.1205	0.1204	5-13-17	0061WS092E
5	D194	0.1223	0.1224	5-13-17	0061WS092E
5	D195	0.1233	0.1233	5-13-17	0061WS092E
5	D196	0.1195	0.1194	5-13-17	0061WS092E
5	D197	0.1224	0.1224	5-13-17	0061WS092E
5	D198	0.1238	0.1233	5-13-17	0061WS092E
5	D199	0.1199	0.1199	5-13-17	0061WS092E
5	D200	0.1223	0.1223	5-13-17	0061WS092E
5	D201	0.1236	0.1236	5-13-17	0061WS092E
5	D202	0.1206	0.1205	5-13-17	0061WS092E

Tare Sheet: Probes 47mm Filters 100mm Filters O-Ring Pair

Date/time Placed in Dessicator: 4/6/2017

Thermohygrometer ID #: 593

Prepared By: S. Button

Analytical Balance ID #: 244

Audit Weight ID #/Mass: 283A / 200 mg

ID #	Date: 4/7/2017 Time: 14:26 RH %: 18.47 T (°F): 68.1°F Audit: 200.0 mg	Date: 4/6/2017 Time: 8:30 RH %: 51.1% T (°F): 69.0°F Audit: 200.0 mg	Date: RH %: T (°F): Audit:	Date Used	Project Number	Run No.
D141	122.6	122.7			Not used	
D142	120.5	120.6			5/4/17	006/WS092C
D143	123.6	123.5				
D144	122.4	122.4				
D145	120.6	120.5				
D146	123.4	123.3				
D147	122.5	122.6			6-6-17	006/WS092C
D148	120.5	120.6				
D149	123.2	123.2				
D150	122.8	122.7				
D151	119.9	119.8			6-7-17	?
D152	124.1	124.0				
D153	122.4	122.3				
D154	123.8	123.3				
D155	119.6	119.5				
D156	119.8	119.9				
D157	123.6	123.4				
D158	122.3	121.5				
D159	120.4	120.4				
D160	123.8	123.7				
D161	121.4	121.4				
D162	121.4	121.3				
	Initials: S	Initials: S	Initials:	Initials:		

Tare Sheet: Probes ✓ 47mm Filters ✓ 100mm Filters ✓ O-Ring Pair Date/time Placed in Dessicator: 4/30/17 09:00Prepared By: B. DavisAnalytical Balance ID #: O-Mat-aarsThermohygrometer ID #: OMH-00592Audit Weight ID #: 131 / 2834 / 500g / 20gAudit Weight ID #: 131 / 2834 / 500g / 20g

ID #	Date: 2/1/17 Time: 08:15 RH %: 91 T (°F): 64.3 Audit: 0.5001/0.2000	Date: 2/1/17 Time: 08:30 RH %: 10.2 T (°F): 65 Audit: 0.5001/0.2000	Date: 2/1/17 Time: 08:30 RH %: 10.2 T (°F): 65 Audit: 0.5001/0.2000	Date Used	Project Number	Run No.
D61	0.120	0.120	-			
D62	0.1238	0.1237	-			
D63	0.1208	0.1208	-			
D64	0.1223	0.1222	-			
D65	0.1224	0.1224	-			
D66	0.1210	0.1209	-			
D67	0.1218	0.1217	-			
D68	0.1229	0.1228	-			
D69	0.1204	0.1203	-			
D70	0.1203	0.1203	-			
D71	0.1226	0.1225	-			
D72	0.1201	0.1200	-			
D73	0.1213	0.1212	-		5-14-17	0061WS092E
D74	0.1238	0.1237	-		5-14-17	0061WS092E
D75	0.1209	0.1208	-		5-18-17	0061WS092E
D76	0.1222	0.1222	-		5-17-17	0061WS092E
D77	0.1239	0.1237	-		6-6-17	0061WS092E
D78	0.1209	0.1208	-		6-7-17	0061WS092E
D79	0.1220	0.1218	-		6-8-17	0061WS092E
D80	0.1233	0.1231	-			
D81	0.1206	0.1204	-			
	Initials: <u>BD</u>	Initials: <u>BD</u>	Initials:	Initials:		

Calibrations

Methods EPA 28R, ASTM E2515, ASTM E2780

ID #	Lab Name/Purpose	Log Name	Attachment Type
1	Calibrator Dry Gas Meter	Rockwell Int'l Standard Test Meter	Calibration Certificate
244	Scale-Analytical Balance	Sartorius Analytical Balance	Calibration Certificate
132	10 lb Weight	Weight Standard, 10 lb.	Calibration Certificate
5142132	Platform Scale	Panther Platform Scale	Calibration Certificate
209	Barometer	Barometer – Princo	Manual Cover
296-T54	Tape Measure	Stanley Tape Measure	Calibration Log
371	Sample Box / Dry Gas Meter	Apex Automated Emissions Sampling Box	Calibration Log
372	Sample Box / Dry Gas Meter	Apex Automated Emissions Sampling Box	Calibration Log
340	Wood Moisture Meter	Moisture Meter - Delmhorst	See Test Run Notes
592	Thermohygrometer	Omega Digital Thermohygrometer	Calibration Log
410	Microtector	Dwyer Microtector	Manual, Photograph
419	Combustion Gas Analyzer	Infrared Gas Analyzer	Manual, See Test Run Notes
432	Moisture Meter Calibrator	Delmhorst Moisture Content Calibrator	Calibration Log
417	Anemometer	Thermo-anemometer	Calibration Certificate
265	Vaneometer	Dwyer Vaneometer	Manual
413	Ambient filter Dry Gas Meter	Dry Gas Meter	Calibration Log
283A	Weight set	Troemner 21 pc Mass Set	Calibration Log

CERTIFICATE OF CALIBRATION

CUSTOMER: OMNI TEST LABS INC. PORTLAND OR **CALIBRATION DATE:** 10/27/16
PO NUMBER: 160109 **CALIBRATION DUE:** 10/27/17
INST. MANUFACTURER: ROCKWELL **PROCEDURE:** NAVAIR 17-20MG-02
INST. DESCRIPTION: P.D. METER **CALIBRATION FLUID:** AIR @ 14.7 PSIA 70 F
MODEL NUMBER: S-275 **STANDARD(S) USED:** A4, A24 DUE 05-2017
SERIAL NUMBER: 684390L **NIST TRACE #'S:** 1331545884, 1390386562, 1424683640
RATED UNCERTAINTY: +/- .5 % RD. **AMBIENT CONDITIONS:** 762 mm HGA 55 % RH 72 F
UNCERTAINTY GIVEN: TOTAL measurement uncertainty: +/- .190 % RD. K=2 **CERTIFICATE FILE #:** 426663.16
NOTES: AS RECEIVED/ AS LEFT WITHIN SPECS. REFERENCE CONDITIONS ARE: 760 mm HGA 70 F **OMNI-00001**

TEST POINT NUMBER	UUT SCFH	DM.STD. SCFH	CORRECTION FACTOR	K FACTOR
1	0.6115	0.55	0.89943	66.709
2	9.1412	8.75	0.95721	62.682
3	53.5324	54.27	1.01378	59.185
4	100.1887	101.02	1.00830	59.506
5	136.8205	137.38	1.00409	59.756
6	178.5292	176.92	0.99099	60.546
7	215.1102	212.24	0.98666	60.811
8	250.5044	249.92	0.99767	60.140
AVERAGE (Y)=				0.98226405

All instruments used in the performance of the shown calibration have traceability to the National Institute of Standards and Technology (NIST). The uncertainty ratio between the calibration standards (DM.STD.) used and the unit under test (UUT) is a minimum of 4:1, unless otherwise noted. Calibration has been performed per the shown procedure number, in accordance with ISO 10012:2003, ISO 17025:2005, ANSI/NCSL-Z-540.3, and/or MIL-STD-45662A. Test methods: API2530-92 & ASME MFC-3M-1989.

Dick Munns Company • 10572 Calle Lee #130 • Los Alamitos, CA 90720
 Phone (714) 827-1215 • Fax (714) 827-0823

This Calibration Certificate shall not be reproduced except in full, without approval by DICK MUNNS COMPANY. The data shown applies only to the instrument being calibrated and under the stated conditions of calibration.

Date:

10/27/2016

Approved By:

Calibration Technician:

Certificate of Calibration

Certificate Number: **642192**

Omni-Test Laboratories
13327 NE Airport Way
Portland, OR 97230



JJ Calibrations, Inc.
7007 SE Lake Rd
Portland, OR 97267-2105
Phone 503.786.3005
FAX 503.786.2994



OnSite

PO: **170117**

Order Date: **02/06/2017**

Authorized By: **N/A**

0723.01
Calibration

Property #: **Omni-00244**

User: **N/A**

Department: **N/A**

Make: **Sartorius**

Model: **BP 1215**

Serial #: **90709883**

Description: **Balance, Analytical, 120g**

Procedure: **500887**

Accuracy: **± .0005g**

Remarks: * Many factors may cause the unit to drift out of calibration before the recommended due date. Any reported error is the absolute value between the reference and the unit.
Uncertainties include the effects of the unit.

Standards Used

<u>Std ID</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Nomenclature</u>	<u>Due Date</u>	<u>Trace ID</u>
723A	Rice Lake	1mg-200g (Class 0)	Mass Set	02/03/2018	637125

Parameter

Measurement Data

Measurement Description	Range Unit	Reference	Min	Max	*Error	UUT	Uncertainty
Before/After							Accredited = ✓
Force							
	g	0.00100	0.0005	0.0015	0.0000	0.0010 g	4E-02 ✓
	g	0.01000	0.0095	0.0105	0.0001	0.0101 g	4E-02 ✓
	g	0.10000	0.0995	0.1005	0.0000	0.1000 g	4E-02 ✓
	g	0.50000	0.4995	0.5005	0.0000	0.5000 g	4E-02 ✓
	g	2.00000	1.9995	2.0005	0.0000	2.0000 g	4E-02 ✓
	g	23.00000	22.9995	23.0005	0.0002	23.0002 g	4E-02 ✓
	g	48.00000	47.9995	48.0005	0.0004	48.0004 g	4E-02 ✓
	g	72.00000	71.9995	72.0005	0.0003	72.0003 g	4E-02 ✓
	g	95.00000	94.9995	95.0005	0.0005	95.0005 g	4E-02 ✓
	g	120.00000	119.9995	120.0005	0.0005	120.0005 g	4E-02 ✓

JJ Calibrations, Inc. certifies that this instrument has been calibrated in accordance with the JJ Calibrations Quality Assurance Manual with the stated procedure using standards that are traceable to the National Institute of Standards and Technology (NIST), or other National Measurement Institutes (NMI's), or by using natural physical constants, intrinsic standards or ratio calibration techniques. The quality system and this certificate are in compliance with ANSI/NCSL Z540-1-1994, ISO/IEC 17025-2005, ISO 10012-1, the ISO 9000 family and QS 9000. The expanded uncertainties of measurements for this calibration are based upon 95% (2 sigma) confidence limits. Unless otherwise stated, a test accuracy ratio (TAR) of 4:1, if achievable, is maintained. The results reported herein apply only to the calibration of the item described above. This report may not be reproduced, except in full, without prior written consent of JJ Calibrations, Inc.

JJ Calibrations, Inc. quality system has been assessed and accredited to ISO/IEC 17025:2005.


Reviewer

3 Issued 02/10/2017


Rev #15


Inspector

Certificate of Calibration

Certificate Number: 543402

Omni-Test Laboratories
13327 NE Airport Way
Portland, OR 97230



JJ Calibrations, Inc.
7007 SE Lake Rd
Portland, OR 97267-2105
Phone 503.786.3005
FAX 503.786.2994



0723.01
Calibration

Property #: OMNI-00283A

User: N/A

Department: N/A

Make: Troemner Inc

Model: 1mg-100g (Class F)

Serial #: 47883

Description: Mass Set, 21 Pcs.

Procedure: DCN 500901

Accuracy: Class F

Remarks: * Any number of factors may cause the calibration item to drift out of calibration before the recommended interval has expired

Changed set from a Class 4 to a Class F per Jeremy Clark.

Received missing 1g weight.

Refer to attachment for measurement results.

PO: OTL-13-031

Order Date: 09/27/2013

Authorized By: N/A

Calibrated on: 10/09/2013

*Recommended Due: 10/09/2018

Environment: 20 °C 41 % RH

As Received: Other - See Remarks

As Returned: Within Tolerance

Action Taken: Calibrated

Technician: 34

Standards Used					
<u>Std ID</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Nomenclature</u>	<u>Due Date</u>	<u>Trace ID</u>
432A	Sartorius	C-44	Microbalance 5.1g	03/11/2014	517747
479A	Sartorius	MC210S	Scale, 210g	02/22/2014	517755
503A	Rice Lake	1mg-200g (Class O)	Mass Set	12/07/2013	517746
723A	Rice Lake	1mg-200g (Class O)	Mass Set	09/05/2014	540048

JJ Calibrations, Inc. certifies that this instrument has been calibrated in accordance with the JJ Calibrations Quality Assurance Manual with the stated procedure using standards that are traceable to the National Institute of Standards and Technology (NIST), or other National Measurement Institutes (NMI's), or by using natural physical constants, intrinsic standards or ratio calibration techniques. The quality system and this certificate are in compliance with ANSI/NCSL Z540-1-1994, ISO/IEC 17025-2005, ISO 10012-1, the ISO 9000 family and QS 9000. The expanded uncertainties of measurements for this calibration are based upon 95% (2 sigma) confidence limits. Unless otherwise stated, a test accuracy ratio (TAR) of 4:1, if achievable, is maintained. The results reported herein apply only to the calibration of the item described above. This report may not be reproduced, except in full, without prior written consent of JJ Calibrations, Inc.

JJ Calibrations, Inc. quality system has been assessed and accredited to ISO/IEC 17025:2005.

Reviewer

3 Issued 10/11/2013

Rev # 14

Inspector

JJ Calibrations, Inc.

Manufacturer: Troemner Inc.
Model: 1mg-100g (Class F)
Nomenclature: Mass Set, 21 Pc.
Serial: 47883

Certificate #: 543402
Date: 09Oct2013
Technician: 34
Inspection Interval: 60 Months

SCALE WEIGHT CALIBRATION DATA SHEET

Weight to be calibrated: 10 1b

ID Number: 132

Standard Calibration Weight: 10 1b

ID Number: 255

Scale Used: MTW-150K

ID Number: 353

Date: 2/19/13

By: A. Konvitz

Standard Weight (A) (Lb.)	Weight Verified (B) (Lb.)	Difference (A - B)	% Error
10.0	10.0	0.0	Ø

*Acceptable tolerance is 1%.

This calibration is traceable to NIST using calibrated standard weights.

Technician signature:

Date: 2/19/13

Becherini Scale Center, Inc.
317 E. Sprague
Spokane, WA 99202

SCALE CALIBRATION RECORD

Customer: *Hearth + Home*

Date: *11/4/2015*

Work Order Number:

47099

PO Number:

Equipment Mfg.	Serial Number	Specifications	Weight used	Initial Readings	Final Readings
1. MT <i>Panther</i>	<i>5142132</i>	<i>1000 x .1</i>	<i>Ø</i>	<i>Ø</i>	<i>Ø</i>
	(Pass..Fail)	lb	25	25.1	25.0
Notes: <i>Recalibrated Scale Scale checks good</i>			100	100.1	100.0
			200	200.3	200.0
			400	400.5	400.0
<i>ETC-7</i>			<i>Ø</i>	<i>Ø</i>	<i>Ø</i>

Equipment Mfg.	Serial Number	Specifications	Weight used	Initial Readings	Final Readings
2. MT <i>Panther</i>	<i>5237590</i>	<i>1000 x .1</i>	<i>Ø</i>	<i>Ø</i>	<i>Ø</i>
	(Pass..Fail)	lb	25	25.0	25.0
Notes: <i>Recalibrated Scale Scale checks good</i>			100	100.0	100.0
			200	199.9	200.0
			400	400.1	400.0
<i>ETC-5</i>			<i>Ø</i>	<i>Ø</i>	<i>Ø</i>

Equipment Mfg.	Serial Number	Specifications	Weight used	Initial Readings	Final Readings
3. MT <i>Panther</i>	<i>5208324</i>	<i>1000 x .1</i>	<i>Ø</i>	<i>Ø</i>	<i>Ø</i>
	(Pass..Fail)	lb	25	25.0	25.0
Notes: <i>Recalibrated Scale Scale checks good Display going bad (Display shows numerous trimmers lit)</i>			100	100.1	100.0
			200	200.1	200.0
			400	400.2	400.0
<i>ETC-8</i>			<i>Ø</i>	<i>Ø</i>	<i>Ø</i>

Equipment Mfg.	Serial Number	Specifications	Weight used	Initial Readings	Final Readings
4. MT <i>Panther</i>	<i>5237589</i>	<i>1000 x .1</i>	<i>Ø</i>	<i>Ø</i>	<i>Ø</i>
	Pass...Fail	lb	25	25.2	25.0
Notes: <i>Leveled Scale Recalibrated Scale Scale checks good</i>			100	100.6	100.0
			200	201.2	200.0
			400	402.5	400.0
<i>ETC6-1</i>			<i>Ø</i>	<i>Ø</i>	<i>Ø</i>

Additional Comments:

Last Checked: *3/5/14*

Next Check Due: *5/2016*

Weights Certified: *10/2014*

Technician: *Dudley*

OMNI 00209

Instruction Booklet

for use with

PRINCO

Fortin type mercurial
Barometers

Manufactured by

PRINCO INSTRUMENTS, INC.
1020 Industrial Blvd.
Southampton, Pa. 18966-4095
U.S.A.

Phone: 215 355-1500
Fax: 215 355-7766

453
National
Weather
Service
Type

469
NOVA
Economy
Model

Tape Measure Calibration Log

Place the calibrated 12" ruler under the tape measure and verify that each $\frac{1}{2}$ " (i.e. 1.5", 2", 2.5") between 0 and 36" is within 1/8".


CALIBRATED USING OMNI-T - 00281

Tape Measure Number	Description	Cal Dates	Technician Initials
00296 - T32	Stanley Fatmax 16'	7/25/12 9/7/12	JC JC JC
00296 - TS1	Ace 26' Tape Measure	9/3/13 9/3/13	JC JC JC
-T52	Stanley Powerlock 26'	9/3/12 9/3/13	JC JC JC
-T53	Stanley Powerlock 16'	9/3/12	JC
-T11	Stanley 16' Intermatic Tape Measure (cm)	11/30/12 11/30/12 11/30/12	JC JC JC
-T21	MTH Tape Measure (cm)	11/21/13	JC
-T30	Workforce Tape Measure		JC
-T31	Stanley Powerlock Tape Measure	11/21/13	JC JC
-T47	Workforce Tape Measure	11/30/12 11/21/13	JC JC
-T36	Renault 16' Tape Measure	11/20/12 11/21/13	JC JC
-T42	Stanley FatMax 16' Tape Measure	11/30/12 11/21/13	JC JC
-T42 -T40	Stanley FatMax 16' Tape Measure	11/20/12 11/21/13	JC JC
-T54	DeWalt 16' Tape Measure	12/20/12 12/20/12 12/20/12	JC JC JC
-T55	DeWalt 16' Tape Measure	12/20/12 12/20/12 12/20/12	JC JC JC
-T56	DeWalt 25' Tape Measure	12/20/12 12/20/12 12/20/12	JC JC JC
-T57	DeWalt 25' Tape Measure	12/20/12 12/20/12 12/20/12	JC JC JC
-T58	DeWalt 25' Tape Measure	12/20/12 12/20/12 12/20/12	JC JC JC
-T59	DeWalt 25' Tape Measure	12/20/12 12/20/12 12/20/12	JC JC JC
-T42	Stanley PowerLock 26' Tape Measure	11/21/13 11/18/14	JC JC
=T32	Stanley Fat Max 16'	7/24/12	BD
-T51	Ace 26' Tape Measure	9/20/12	JC
-TS2	Stanley Power Lock 26'	11/3/12	JC
-T40	Stanley Fatmax 16' Tape Measure	11/15/12	JC
-T31	Stanley Power Lock Tape Measure	11/29/12	JC
-T47	Work Force Tape Measure	11/29/12	JC
-T57	DeWalt 16' Tape Measure	12/12/12	JC

Thermal Metering System Calibration

Y Factor

Manufacturer: APEX
 Model: XC-60-EP
 Serial Number: 702003
 OMNI Tracking No.: OMNI-00371
 Calibrated Orifice: Yes

Average Gas Meter y Factor	Orifice Meter dH@
1.001	N/A
Calibration Date:	01/18/17
Calibrated by:	B. Davis
Calibration Frequency:	Six months
Next Calibration Due:	7/18/2017
Instrument Range:	1.000 cfm
Standard Temp.:	68 oF
Standard Press.:	29.92 "Hg
Barometric Press., Pb:	29.51 "Hg
Signature/Date:	 1/20/2017

Previous Calibration Comparison			
Date	9/15/2015	Acceptable Deviation (5%)	Deviation
y Factor	1.011	0.05055	0.010
Acceptance	Acceptable		

Current Calibration	
Acceptable y Deviation	0.020
Maximum y Deviation	0.002
Acceptable dH@ Deviation	N/A
Maximum dH@ Deviation	N/A
Acceptance	Acceptable

Reference Standard *		
Standard Calibrator	Model S/N	Standard Test Meter
	OMNI-00001	
	27-Oct-16	
	0.9823	y factor (ref)

Calibration Parameters	Run 1	Run 2	Run 3
Reference Meter Pressure ("H ₂ O), Pr	0.00	0.00	0.00
DGM Pressure ("H ₂ O), Pd	3.29	1.50	0.80
Initial Reference Meter	279.203	290.3	295.8
Final Reference Meter	284.455	295.703	303.914
Initial DGM	0	0	0
Final DGM	5.191	5.37	8.09
Temp. Ref. Meter (°F), Tr	68.0	68.0	69.0
Temperature DGM (°F), Td	75.0	78.0	79.0
Time (min)	26.0	39.0	82.0
Net Volume Ref. Meter, Vr	5.252	5.403	8.114
Net Volume DGM, Vd	5.191	5.37	8.09
Gas Meter y Factor	0.999	1.003	1.002
Gas Meter y Factor Deviation (from avg.)	0.002	0.002	0.001
Orifice dH@	N/A	N/A	N/A
Orifice dH@ Deviation (from avg.)	N/A	N/A	N/A

where:

1. Deviation = |Average value for all runs - current run value|
- ** 2. $y = [Vr \times (y \text{ factor (ref)}) \times (Pb + (Pr / 13.6)) \times (Td + 460)] / [Vd \times (Pb + (Pd / 13.6)) \times (Tr + 460)]$
- ** 3. $dH@ = 0.0317 \times Pd / (Pb (Td + 460)) \times [(Tr + 460) \times \text{time}] / Vr]^2$

* Reference calibration is traceable to NIST through NIST Test # 40674, Kimble ASTM E1272, or NIST traceable laboratory

** Equations come from EPA Method 5

The uncertainty of measurement is ±0.14 ft³/min. This is based on the reference standard having a TAR (Test Accuracy Ratio) of at least 4:1.

**Temperature Calibration
EPA Method 28R, ASTM 2515**

BOOTH:	TEMPERATURE MONITOR TYPE:	EQUIPMENT NUMBER:
N/A	National Instruments Logger	00371, 00372

REFERENCE METER EQUIPMENT NUMBER: 00373 Calibration Due Date: 8/02/17

CALIBRATION PERFORMED BY:	DATE:	AMBIENT TEMPERATURE:	BAROMETRIC PRESSURE:
B. Davis	1/19/17	68	29.51

Input Temperature (F)	Ambient	Meter A						FB Interior
			Meter B	Filter A	Filter B	Tunnel		
0	-1	-1	-1	-1	-1	-1	-1	-1
100	99	99	99	99	99	99	99	99
300	299	299	299	299	299	298	299	299
500	499	499	499	499	499	499	499	499
700	699	699	699	699	698	699	699	699
1000	998	998	998	998	998	998	998	998

Input (F)	FB Top	FB Bottom	FB Back	FB Left	FB Right	Imp A	Imp B	Cat	Stack
0	0	0	0	0	-1	-1	-1	-1	1
100	100	99	99	99	99	99	99	99	101
300	299	299	299	299	299	299	298	299	301
500	499	499	499	499	499	499	498	499	501
700	699	699	699	699	699	699	698	699	701
1000	999	999	999	999	999	998	998	998	1000

1500

1498

2000

1997

Technician signature: B. Davis Date: 1-19-17

Reviewed By: JL Date: 1/20/2017

DIFFERENTIAL PRESSURE GAUGE CALIBRATION DATA SHEET

Instrument to be calibrated: Pressure TransducerMaximum Range: 0-1" WCID Number: OMNI-003713Calibration Instrument: Digital ManometerID Number: OMNI-00633Date: 1/19/17By: DAVISThis form is to be used only in conjunction with Standard Procedure C-SPC.

Range of Calibration Point ("WC")	Digital Manometer Input ("WC")	Pressure Gauge Response ("WC")	Difference (Input - Response)	% Error of Full Span*
0-20% Max. Range <u>0 - 0.2</u>	<u>0.032</u>	<u>0.032</u>	<u>0</u>	<u>0</u>
20-40% Max. Range <u>0.2 - 0.4</u>	<u>0.254</u>	<u>0.255</u>	<u>0.001</u>	<u>0.1</u>
40-60% Max. Range <u>0.4 - 0.6</u>	<u>0.503</u>	<u>0.504</u>	<u>0.001</u>	<u>0.1</u>
60-80% Max. Range <u>0.6 - 0.8</u>	<u>0.702</u>	<u>0.702</u>	<u>0</u>	<u>0</u>
80-100% Max. Range <u>0.8 - 1.0</u>	<u>0.904</u>	<u>0.905</u>	<u>0.001</u>	<u>0.1</u>

*Acceptable tolerance is 4%.

The uncertainty of measurement is ± 0.4 " WC. This is based on the reference standard having a TAR (Test Accuracy Ratio) of at least 4:1.Technician signature: B. Davis Date: 1/19/17Reviewed by: M. Miller Date: 1/20/2017

Thermal Metering System Calibration

Y Factor

Manufacturer: APEX
 Model: XC-60-EP
 Serial Number: 702004
 OMNI Tracking No.: OMNI-00372
 Calibrated Orifice: Yes

Average Gas Meter y Factor	Orifice Meter dH@
0.993	N/A
Calibration Date: 01/18/17	
Calibrated by: B. Davis	
Calibration Frequency: Six months	
Next Calibration Due: 7/18/2017	
Instrument Range: 1.000 cfm	
Standard Temp.: 68 oF	
Standard Press.: 29.92 "Hg	
Barometric Press., Pb: 29.51 "Hg	
Signature/Date: <i>B. Davis 1/20/17</i>	<i>1/20/2017</i>

Previous Calibration Comparison			
Date	9/15/2015	Acceptable Deviation (5%)	Deviation
y Factor	1.003	0.05015	0.010
Acceptance	Acceptable		

Current Calibration	
Acceptable y Deviation 0.020	
Maximum y Deviation 0.001	
Acceptable dH@ Deviation N/A	
Maximum dH@ Deviation N/A	
Acceptance Acceptable	

Reference Standard *		
Standard Calibrator	Model	Standard Test Meter
S/N	OMNI-00001	
Calib. Date	27-Oct-16	
Calib. Value	0.9823	y factor (ref)

Calibration Parameters	Run 1	Run 2	Run 3
Reference Meter Pressure ("H ₂ O), Pr	0.00	0.00	0.00
DGM Pressure ("H ₂ O), Pd	2.34	1.50	0.80
Initial Reference Meter	304.4	312.9	320.9
Final Reference Meter	312.123	318	326.047
Initial DGM	0	0	0
Final DGM	7.723	5.088	5.184
Temp. Ref. Meter (°F), Tr	69.0	69.0	70.0
Temperature DGM (°F), Td	78.0	76.0	80.0
Time (min)	42.0	35.0	49.0
Net Volume Ref. Meter, Vr	7.723	5.100	5.147
Net Volume DGM, Vd	7.723	5.088	5.184
Gas Meter y Factor =	0.993	0.994	0.992
Gas Meter y Factor Deviation (from avg.)	0.000	0.001	0.001
Orifice dH@	N/A	N/A	N/A
Orifice dH@ Deviation (from avg.)	N/A	N/A	N/A

where:

1. Deviation = |Average value for all runs - current run value|
- ** 2. $y = [Vr \times (y \text{ factor (ref)}) \times (Pb + (Pr/13.6)) \times (Td + 460)] / [Vd \times (Pb + (Pd/13.6)) \times (Tr + 460)]$
- ** 3. $dH@ = 0.0317 \times Pd / [(Pb \times (Td + 460)) \times ((Tr + 460) \times \text{time}) / Vr]^2$

* Reference calibration is traceable to NIST through NIST Test # 40674, Kimble ASTM E1272, or NIST traceable laboratory

** Equations come from EPA Method 5

The uncertainty of measurement is ±0.14 ft³/min. This is based on the reference standard having a TAR (Test Accuracy Ratio) of at least 4:1.

**Temperature Calibration
EPA Method 28R, ASTM 2515**

BOOTH:	TEMPERATURE MONITOR TYPE:	EQUIPMENT NUMBER:
N/A	National Instruments Logger	00371, 00372

REFERENCE METER EQUIPMENT NUMBER: 00373 Calibration Due Date: 8/02/17

CALIBRATION PERFORMED BY:	DATE:	AMBIENT TEMPERATURE:	BAROMETRIC PRESSURE:
B. Davis	1/19/17	68	29.51

Input Temperature (F)	Ambient	Meter A						FB Interior
			Meter B	Filter A	Filter B	Tunnel		
0	-1	-1	-1	-1	-1	-1	-1	-1
100	99	99	99	99	99	99	99	99
300	299	299	299	299	299	298	299	299
500	499	499	499	499	499	499	499	499
700	699	699	699	699	698	699	699	699
1000	998	998	998	998	998	998	998	998

Input (F)	FB Top	FB Bottom	FB Back	FB Left	FB Right	Imp A	Imp B	Cat	Stack
0	0	0	0	0	-1	-1	-1	-1	1
100	100	99	99	99	99	99	99	99	101
300	299	299	299	299	299	299	298	299	301
500	499	499	499	499	499	499	498	499	501
700	699	699	699	699	699	699	698	699	701
1000	999	999	999	999	999	998	998	998	1000

1500

1498

2000

1997

Technician signature: B. Davis Date: 1-19-17

Reviewed By: JL Date: 1/20/2017

DIFFERENTIAL PRESSURE GAUGE CALIBRATION DATA SHEET

Instrument to be calibrated: Pressure TransducerMaximum Range: 0-1 "ID Number: 00372 BCalibration Instrument: Digital ManometerID Number: OMNI-00633Date: 1/19/17By: B. DavisThis form is to be used only in conjunction with Standard Procedure C-SPC.

Range of Calibration Point ("WC)	Digital Manometer Input ("WC)	Pressure Gauge Response ("WC)	Difference (Input - Response)	% Error of Full Span*
0-20% Max. Range <u>0. 0.2</u>	<u>0.052</u>	<u>0.052</u>	<u>0</u>	<u>0</u>
20-40% Max. Range <u>0.2- 0.4</u>	<u>0.276</u>	<u>0.279</u>	<u>0.003</u>	<u>0.3</u>
40-60% Max. Range <u>0.4- 0.6</u>	<u>0.575</u>	<u>0.575</u>	<u>0</u>	<u>0</u>
60-80% Max. Range <u>0.6- 0.8</u>	<u>0.795</u> <u>0.788</u>	<u>0.797</u>	<u>0.002</u>	<u>0.2</u>
80-100% Max. Range <u>0.8- 1.0</u>	<u>0.951</u>	<u>0.953</u>	<u>0.002</u>	<u>0.2</u>

*Acceptable tolerance is 4%.

The uncertainty of measurement is ± 0.4 " WC. This is based on the reference standard having a TAR (Test Accuracy Ratio) of at least 4:1.Technician signature: [Signature] Date: 1/19/17Reviewed by: [Signature] Date: 1/20/17

VWR Temperature Hygrometer Calibration Procedure and Data Sheet

Frequency: Every Two Years

Step 1: Locate NIST traceable standard.

Step 2: Place unit to be calibrated, tracking No. OMNI-00592, inside OMNI desiccate box on the same shelf with the NIST traceable standard.

Step 3: After a period of not less than four hours record the temperature and humidity of both units in the spaces provide below.

Step 4: If the unit to be calibrated matches the NIST standard within $\pm 4\%$, it is acceptable. If not, the unit needs to be sent to a repair company or replaced.

Verification Data:

Date: 1/5/17 Technician: B Davis

Time in desiccate: 0900 Recording time: 0845 1/6/17

NIST Standard Temperature: 67.5 °F NIST Standard Humidity: 9.5

Test Unit Temperature Reading: 66.9 °F Test Unit Humidity Reading: 6.1

Test unit OMNI-00592 is X or was not within acceptable limits.

Technician Signature: D. K. Davis

Comments: Humidity Results of 00592 are within $\pm 4\%$ of Reference method
b62-

Certificate of Calibration

Certificate Number: **629694**



JJ Calibrations, Inc.
7007 SE Lake Rd
Portland, OR 97267-2105
Phone 503.786.3005
FAX 503.786.2994

Omni-Test Laboratories
13327 NE Airport Way
Portland, OR 97230



PO: **160099**
Order Date: **08/18/2016**
Authorized By: **N/A**

Property #: **OMNI-00410**

User: **N/A**

Department: **N/A**

Make: **Dwyer**

Model: **1430**

Serial #: **OMNI-00410**

Description: **Microtector**

Procedure: **500908**

Accuracy: **±0.00025" WC**

Calibrated on: **08/29/2016**

*Recommended Due: **08/29/2017**

Environment: **19 °C 50 % RH**

* As Received: **Other - See Remarks**

* As Returned: **Limited**

Action Taken: **Calibrated**

Technician: **34**

Remarks: * Many factors may cause the unit to drift out of calibration before the recommended due date. Any reported error is the absolute value between the reference and the unit.
Uncertainties include the effects of the unit.

Calibrated micrometer head only per Bruce Davis.

Limited Calibration - Calibrated micrometer head only.

Standards Used

<u>Std ID</u>	<u>Manufacturer</u>	<u>Model</u>	<u>Nomenclature</u>	<u>Due Date</u>	<u>Trace ID</u>
541A	Select	E8FED2	8 Piece Gage Block Set	11/24/2016	607288

Parameter

Measurement Data

<u>Measurement Description</u>	<u>Range</u>	<u>Unit</u>	<u>Reference</u>	<u>Min</u>	<u>Max</u>	<u>%Error</u>	<u>UUT</u>	<u>Uncertainty</u>	<u>Accredited = ✓</u>
Before/After									
Length									
	Inch		0.1300	0.129	0.131	0.000	0.130 Inch	1.1E-03	✓
	Inch		0.3850	0.384	0.386	0.000	0.385 Inch	1.1E-03	✓
	Inch		0.6150	0.614	0.616	0.000	0.615 Inch	1.1E-03	✓
	Inch		0.8700	0.869	0.871	0.001	0.871 Inch	1.1E-03	✓
	Inch		1.0000	0.999	1.001	0.001	1.001 Inch	1.1E-03	✓

JJ Calibrations, Inc. certifies that this instrument has been calibrated in accordance with the JJ Calibrations Quality Assurance Manual with the stated procedure using standards that are traceable to the National Institute of Standards and Technology (NIST), or other National Measurement Institutes (NMI's), or by using natural physical constants, intrinsic standards or ratio calibration techniques. The quality system and this certificate are in compliance with ANSI/NCSL Z540-1-1994, ISO/IEC 17025-2005, ISO 10012-1, the ISO 9000 family and QS 9000. The expanded uncertainties of measurements for this calibration are based upon 95% (2 sigma) confidence limits. Unless otherwise stated, a test accuracy ratio (TAR) of 4:1, if achievable, is maintained. The results reported herein apply only to the calibration of the item described above. This report may not be reproduced, except in full, without prior written consent of JJ Calibrations, Inc.


JJ Calibrations, Inc. quality system has been assessed and accredited to ISO/IEC 17025:2005.


Reviewer

3 Issued 08/31/2016

Rev #15

Inspector


Stacy Heath

ZRE

NDIR/O₂



USER'S

MANUAL



1312 West Grove Avenue

Orange, CA 92865-4134

Phone: 714-974-5560 Fax: 714-921-2531

www.gasanalyzers.com

WOOD MOISTURE CONTENT CALIBRATION WORKSHEET

Moisture Content Standard OMNI ID #: 00432

Reference Moisture Content Standard: OMNI # 00430

Notes: _____

Technician signature: SD Date: 5/29/16


CALIBRATION RECORD

VANEOMETER AIR VELOCITY METER OMNI #00265

Certificate of Calibration

Certificate Number: 561978

Omni-Test Laboratories
13327 NE Airport Way
Portland, OR 97230



JJ Calibrations, Inc.
7007 SE Lake Rd
Portland, OR 97267-2105
Phone 503.786.3005
FAX 503.786.2994

Property #: OMNI-00417

User: N/A

Department: N/A

Make: Extech

Model: 451126

Serial #: 08120397

Description: Anemometer

Procedure: DCN 404947/400331

Accuracy: ± 3% READING

Remarks: * Any number of factors may cause the calibration item to drift out of calibration before the recommended interval has expired
Received and returned with case. Replaced battery.

Standards Used					
Std ID	Manufacturer	Model	Nomenclature	Due Date	Trace ID
568	TSI	8705	DP-CALC	09/17/2014	541750
635A	Vaisala	MT70	Thermohygrometer	04/09/2015	555771
636A	Vaisala	HMP75	Humidity/Temp Probe	04/09/2015	555772

Parameter	Measurement Description	Range	Unit	Measurement Data		
				Reference	UUT	Variance
Before/After						
Air Velocity		FPM		600.00	594.5	5.5
		FPM		995.00	986.3	8.7
		FPM		2005.0	1966	39
Temperature / Ambient						
		°F		70.860	71.36	-0.50
						68.86
						72.86

JJ Calibrations, Inc. certifies that this Instrument has been calibrated in accordance with the JJ Calibrations Quality Assurance Manual with the stated procedure using standards that are traceable to the National Institute of Standards and Technology (NIST), or other National Measurement Institutes (NMI's), or by using natural physical constants, intrinsic standards or ratio calibration techniques. The quality system and this certificate are in compliance with ANSI/NCSL Z540-1-1994, ISO/IEC 17025-2005, ISO 10012-1, the ISO 9000 family and QS 9000. The expanded uncertainties of measurements for this calibration are based upon 95% (2 sigma) confidence limits. Unless otherwise stated, a test accuracy ratio (TAR) of 4:1, if achievable, is maintained. The results reported herein apply only to the calibration of the item described above. This report may not be reproduced, except in full, without prior written consent of JJ Calibrations, Inc.

JJ Calibrations, Inc. quality system has been assessed and accredited to ISO/IEC 17025:2005.

Reviewer

Issued 05/20/2014

Rev # 14

Inspector

Thermal Metering System Calibration

Y Factor

Manufacturer: **APEX**
 Model: **DGM-SK25DA-TL**
 Serial Number: **8004298**
 OMNI Tracking No.: **OMNI-00413**
 Calibrated Orifice: Yes

**Average Gas Meter y
Factor**
0.997

**Orifice
Meter
dH@**
N/A

Calibration Date: **03/28/17**
 Calibrated by: **B. Davis**
 Calibration Frequency: **Six month**
 Next Calibration Due: **9/28/2017**
 Instrument Range: **1.000 cfm**
 Standard Temp.: **68 oF**
 Standard Press.: **29.92 "Hg**
 Barometric Press., Pb: **30.36 "Hg**
 Signature/Date: 
3/29/2017

Calibration Parameters	Run 1	Run 2	Run 3
Reference Meter Pressure ("H ₂ O), Pr	-0.50	-1.70	-3.50
DGM Pressure ("H ₂ O), Pd	0.00	0.00	0.00
Initial Reference Meter	577.5	586.1	596.912
Final Reference Meter	585.88	596.709	614.247
Initial DGM	0	0	0
Final DGM	8.393	10.389	16.658
Temp. Ref. Meter (°F), Tr	67.0	67.0	67.0
Temperature DGM (°F), Td	67.0	67.0	67.0
Time (min)	34.0	15.0	15.0
Net Volume Ref. Meter, Vr	8.380	10.609	17.335
Net Volume DGM, Vd	8.393	10.389	16.658
Gas Meter y Factor	0.980	0.999	1.014
Gas Meter y Factor Deviation (from avg.)	0.018	0.002	0.016
Orifice dH@	N/A	N/A	N/A
Orifice dH@ Deviation (from avg.)	N/A	N/A	N/A

where:

1. Deviation = |Average value for all runs - current run value|
- ** 2. $y = [Vr \times (y \text{ factor (ref)}) \times (Pb + (Pr/13.6)) \times (Td + 460)] / [Vd \times (Pb + (Pd/13.6)) \times (Tr + 460)]$
- ** 3. $dH@ = 0.0317 \times Pd / (Pb \times (Td + 460)) \times [(Tr + 460) \times \text{time}]^2 / Vr$

* Reference calibration is traceable to NIST through NIST Test # 40674, Kimble ASTM E1272, or NIST traceable laboratory

** Equations come from EPA Method 5

The uncertainty of measurement is $\pm 0.14 \text{ ft}^3/\text{min}$. This is based on the reference standard having a TAR (Test Accuracy Ratio) of at least 4:1.

Previous Calibration Comparison			
Date	9/22/2016	Acceptable Deviation (5%)	Deviation
y Factor	1.014	0.0507	0.017
Acceptance	Acceptable		

Current Calibration	
Acceptable y Deviation	0.020
Maximum y Deviation	0.018
Acceptable dH@ Deviation	N/A
Maximum dH@ Deviation	N/A
Acceptance	Acceptable

Reference Standard *		
Standard Calibrator	Model S/N	Standard Test Meter
	OMNI-00001	
	Calib. Date 27-Oct-16	
	Calib. Value 0.9823	y factor (ref)

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Example Calculations

Equations and Sample Calculations – ASTM E2780 & E2515

Manufacturer: Hearth & Home
Model: 57ST-ACC-C
Run: 1
Category:

Equations used to calculate the parameters listed below are described in this appendix. Sample calculation are provided for each equation. The raw data and printout results from a sample run are also provided for comparison to the sample calculations.

M_{Sdb} – Weight of test fuel spacers, dry basis, kg

M_{Cdb} – Weight of test fuel crib, excluding nails and spacers, dry basis, kg

D_{Cdb} - Density of fuel crib, excluding spacers and nails, dry basis, lbs/ft³

M_{FTAdb} - Total weight of fuel crib excluding nails, dry basis, kg

BR – Dry burn rate, kg/hr

V_s – Average gas velocity in the dilution tunnel, ft/sec

Q_{sd} – Average gas flow rate in dilution tunnel, dscf/hr

$V_{m(std)}$ – Volume of gas sampled, corrected to dry standard conditions, dscf

m_n – Total particulate matter collected, mg

C_s - Concentration of particulate matter in tunnel gas, dry basis, corrected to standard conditions, g/dscf

E_T – Total particulate emissions, g

PR - Proportional rate variation

PM_R – Particulate emissions for test run, g/hr

PM_F – Particulate emission factor for test run, g/dry kg of fuel burned

M_{Sdb} – Weight of test fuel spacers, dry basis, kg

ASTM E2780 equation (1)

$$M_{Sdb} = (M_{Swb}) (100 / (100 + FM_S))$$

Where,

FM_S = average fuel moisture of test fuel spacers, % dry basis

M_{Swb} = weight of test fuel spacers, wet basis, kg

Sample Calculation:

$$FM_S = 8.6 \%$$

$$M_{Swb} = 2.5 \text{ lbs}$$

0.4536 = Conversion factor from lbs to kg

$$M_{Sdb} = [(2.5 \times 0.4536) (100 / (100 + 8.6))]$$

$$M_{Sdb} = 1 \text{ kg}$$

M_{Cdb} – Weight of test fuel crib, excluding nails and spacers, dry basis, kg

ASTM E2780 equation (2)

$$M_{Cdb} = \sum [(M_{CPnwb})(100/(100 + FM_{CPn}))]$$

Where,

M_{CPnwb} = weight of each test fuel piece n in fuel crib, excluding nails and spacers, wet basis, kg

FM_{CPn} = Average fuel moisture of test fuel n in fuel crib, % dry basis

Sample Calculation (test fuel piece 1):

$$MC_{Pnwb} = 2.3$$

$$FM_{CPn} = 22.0$$

$$= 2.3 (100/(100+ 22.0))$$

$$= 1.9 \text{ lbs}$$

Total crib weight, excluding spacer 13.84 lbs

$$M_{Cdb} = \mathbf{6.28 \text{ kg}}$$

OMNI-Test Laboratories, Inc.

D_{Cdb} - Density of fuel crib, excluding spacers and nails, dry basis, lbs/ft³
ASTM E2780 equation (3)

$$D_{Cdb} = M_{Cdb}/V_C$$

Where,

V_C = Volume of fuel crib, ft³

Sample calculation:

$$V_C = 819 \text{ in}^3$$

1728 = conversion from in³ to ft³

$$D_{Cdb} = \#\#\# / 819 * 1728$$

$$= \mathbf{29.2} \text{ lbs/ft}^3$$

M_{FTAdb} - Total weight of fuel crib excluding nails, dry basis, kg
ASTM E2780 equation (4)

$$M_{FTAdb} = M_{Sdb} + M_{Cdb}$$

Sample calculation:

$$M_{FTAdb} = 1.04 + 6.28$$

$$= \mathbf{7.32} \text{ kg}$$

BR – dry burn rate, kg/hr

ASTM E2780 equation (5)

$$BR = \frac{60 M_{FTAdb}}{\theta}$$

Where,

θ = Total length of test run, min

Sample Calculation:

$$M_{Bdb} = 7.32 \text{ kg}$$

$$\theta = 460 \text{ min}$$

$$BR = \frac{60 \times 7.32}{460}$$

$$BR = 0.95 \text{ kg/hr}$$

V_s – Average gas velocity in the dilution tunnel, ft/sec

ASTM E2515 equations (9)

$$V_s = F_p \times k_p \times C_p \times (\sqrt{\Delta P})_{avg} \times \sqrt{\frac{T_{s(avg)}}{P_s \times M_s}}$$

Where:

$$F_p = \text{Adjustment factor for center of tunnel pitot tube placement, } F_p = \frac{V_{strav}}{V_{scent}}, \text{ ASTM E2515 Equation (1)}$$

V_{scent} = Dilution tunnel velocity calculated after the multi-point pitot traverse at the center, ft/sec

V_{strav} = Dilution tunnel velocity calculated after the multi-point pitot traverse, ft/sec

k_p = Pitot tube constant, 85.49

C_p = Pitot tube coefficient: 0.99, unitless

ΔP* = Velocity pressure in the dilution tunnel, in H₂O

T_s = Absolute average gas temperature in the dilution tunnel, °R; (°R = °F + 460)

P_s = Absolute average gas static pressure in dilution tunnel, = P_{bar} + P_g, in Hg

P_{bar} = Barometric pressure at test site, in. Hg

P_g = Static pressure of tunnel, in. H₂O; (in Hg = in H₂O/13.6)

M_s = **The dilution tunnel wet molecular weight; M_s = 28.78 assuming a dry weight of 29 lb/lb-mole

Sample calculation:

$$F_p = \frac{16.99}{18.10} = 0.938$$

$$V_s = 0.938 \times 85.49 \times 0.99 \times 0.261 \times \left(\left(\frac{\frac{87.5}{28.36} + \frac{460}{13.6}}{-0.61} \right) \times \frac{1}{28.78} \right)$$

$$V_s = \mathbf{16.98 \text{ ft/s}}$$

*The ASTM test standard mistakenly has the square root of the average delta p instead of the average of the square root of delta p. The current EPA Method 2 is also incorrect. This was verified by Mike Toney at EPA.

**The ASTM test standard mistakenly identifies M_s as the dry molecular weight. It should be the wet molecular weight as indicated in EPA Method 2.

Q_{sd} – Average gas flow rate in dilution tunnel, dscf/hr

ASTM E2515 equation (3)

$$Q_{sd} = 3600 \times (1 - B_{ws}) \times v_s \times A \times \frac{T_{std}}{T_{s(avg)}} \times \frac{P_s}{P_{std}}$$

Where:

3600 = Conversion from seconds to hours (ASTM method uses 60 to convert in minutes)

B_{ws} = Water vapor in gas stream, proportion by volume; assume 2%

A = Cross sectional area of dilution tunnel, ft²

T_{std} = Standard absolute temperature, 528 °R

P_s = Absolute average gas static pressure in dilution tunnel, = P_{bar} + P_g, in Hg

T_{s(avg)} = Absolute average gas temperature in the dilution tunnel, °R; (°R = °F + 460)

P_{std} = Standard absolute pressure, 29.92 in Hg

Sample calculation:

$$Q_{sd} = 3600 \times (1 - 0.02) \times 16.98 \times 0.196 \times \frac{528}{87.5 + 460} \times \frac{28.4 + \frac{-0.61}{13.6}}{29.92}$$

$$Q_{sd} = \#\#\#\# \text{ dscf/hr}$$

OMNI-Test Laboratories, Inc.

$V_{m(\text{std})}$ – Volume of Gas Sampled Corrected to Dry Standard Conditions, dscf
 ASTM E2515 equation (6)

$$V_{m(\text{std})} = K_1 V_m Y \frac{P_{\text{bar}} + \left(\frac{\Delta H}{13.6} \right)}{T_m}$$

Where:

K_1 = 17.64 °R/in. Hg

V_m = Volume of gas sample measured at the dry gas meter, dcf

Y = Dry gas meter calibration factor, dimensionless

P_{bar} = Barometric pressure at the testing site, in. Hg

ΔH = Average pressure differential across the orifice meter, in. H_2O

T_m = Absolute average dry gas meter temperature, °R

Sample Calculation:

Using equation for Train 1:

$$V_{m(\text{std})} = 17.64 \times 64.360 \times 1.001 \times \frac{\left(28.36 + \frac{1.60}{13.6} \right)}{\left(85.8 + 460 \right)}$$

$$V_{m(\text{std})} = \mathbf{59.297} \text{ dscf}$$

Using equation for Train 2:

$$V_{m(\text{std})} = 17.64 \times 58.696 \times 0.993 \times \frac{\left(28.36 + \frac{1.10}{13.6} \right)}{\left(86.6 + 460 \right)}$$

$$V_{m(\text{std})} = \mathbf{53.496} \text{ dscf}$$

Using equation for ambient train:

$$V_{m(\text{std})} = 17.64 \times 79.41 \times 0.997 \times \frac{\left(28.36 + \frac{0.00}{13.6} \right)}{\left(79.7 + 460 \right)}$$

$$V_{m(\text{std})} = \mathbf{73.388} \text{ dscf}$$

OMNI-Test Laboratories, Inc.

m_n – Total Particulate Matter Collected, mg

ASTM E2515 Equation (12)

$$m_n = m_p + m_f + m_g$$

Where:

m_p = mass of particulate matter from probe, mg

m_f = mass of particulate matter from filters, mg

m_g = mass of particulate matter from filter seals, mg

Sample Calculation:

Using equation for Train 1 (first hour):

$$m_n = 0.0 + 13.1 + 0.0$$

$$m_n = 13.1 \text{ mg}$$

Using equation for Train 1 (post-first hour):

$$m_n = 0.4 + 5.2 + 0.0$$

$$m_n = 5.6 \text{ mg}$$

Train 1 aggregate:

$$m_n = 13.1 + 5.6$$

$$m_n = 18.7 \text{ mg}$$

Using equation for Train 2:

$$m_n = 0.2 + 15.5 + 0.2$$

$$m_n = 15.9 \text{ mg}$$

**C_s - Concentration of particulate matter in tunnel gas, dry basis, corrected to standard conditions, g/ds
ASTM E2515 equation (13)**

The picture can't be displayed.

$$C_s = K_2 \times \frac{m_n}{V_{m(\text{std})}}$$

Where:

K₂ = Constant, 0.001 g/mg

m_n = Total mass of particulate matter collected in the sampling train, mg

V_{m(std)} = Volume of gas sampled corrected to dry standard conditions, dscf

Sample calculation:

For Train 1:

$$C_s = 0.001 \times \frac{18.7}{59.30}$$

$$C_s = \mathbf{0.00032} \text{ g/dscf}$$

For Train 2

$$C_s = 0.001 \times \frac{15.9}{53.50}$$

$$C_s = \mathbf{0.00030} \text{ g/dscf}$$

For Ambient Train

$$C_r = 0.001 \times \frac{0.0}{73.39}$$

$$C_r = \mathbf{0.000000} \text{ g/dscf}$$

OMNI-Test Laboratories, Inc.

E_T – Total Particulate Emissions, g

ASTM E2515 equation (15)

$$E_T = (C_s - C_r) \times Q_{std} \times \theta$$

Where:

- C_s = Concentration of particulate matter in tunnel gas, g/dscf
C_r = Concentration particulate matter room air, g/dscf
Q_{std} = Average dilution tunnel gas flow rate, dscf/hr
θ = Total time of test run, minutes

Sample calculation:

For Train 1

$$E_T = (\underline{0.000315} - 0.000000) \times \underline{\text{#####}} \times \underline{460} /60$$
$$E_T = \underline{25.95} \text{ g}$$

For Train 2

$$E_T = (\underline{0.000297} - 0.000000) \times \underline{\text{#####}} \times \underline{460} /60$$
$$E_T = \underline{24.46} \text{ g}$$

Average

$$E = \underline{25.20} \text{ g}$$

Total emission values shall not differ by more than 7.5% from the total average emissions

$$7.5\% \text{ of the average} = \underline{1.89}$$

$$\text{Train 1 difference} = \underline{0.75}$$

$$\text{Train 2 difference} = \underline{0.75}$$

PR - Proportional Rate Variation

ASTM E2515 equation (16)

$$PR = \left[\frac{\theta \times V_{mi} \times V_s \times T_{mi} \times T_{si}}{\theta_i \times V_m \times V_{si} \times T_{mi} \times T_s} \right] \times 100$$

Where:

θ = Total sampling time, min

θ_i = Length of recording interval, min

V_{mi} = Volume of gas sample measured by the dry gas meter during the "ith" time interval, dcf

V_m = Volume of gas sample as measured by dry gas meter, dcf

V_{si} = Average gas velocity in the dilution tunnel during the "ith" time interval, ft/sec

V_s = Average gas velocity in the dilution tunnel, ft/sec

T_{mi} = Absolute average dry gas meter temperature during the "ith" time interval, °R

T_m = Absolute average dry gas meter temperature, °R

T_{si} = Absolute average gas temperature in the dilution tunnel during the "ith" time interval, °R

T_s = Absolute average gas temperature in the dilution tunnel, °R

Sample calculation (for the first 1 minute interval of Train 1):

$$PR = \left(\frac{460 \times 1.377 \times 16.98 \times (90.0 + 460) \times (85.8 + 460)}{10 \times 64.36 \times 17.02 \times (87.5 + 460) \times (75.0 + 460)} \right) \times 100$$

$$PR = \underline{101} \text{ \%}$$

PM_R – Particulate emissions for test run, g/hr

ASTM E2780 equation (6)

$$PM_R = 60 (E_T/\theta)$$

Where,

E_T = Total particulate emissions, grams

θ = Total length of full integrated test run, min

Sample Calculation:

$$E_T(\text{Dual train average}) = 25.20 \text{ g}$$

$$\theta = 460 \text{ min}$$

$$PM_R = 60 \times (25.20 / 460)$$

$$PM_R = 3.29 \text{ g/hr}$$

PM_F – Particulate emission factor for test run, g/dry kg of fuel burned
ASTM E2780 equation (7)

$$PM_F = E_T / M_{FTAdb}$$

Sample Calculation:

$$E_T (\text{Dual train average}) = 25.20 \text{ g}$$

$$M_{Bdb} = 7.32 \text{ kg}$$

$$PM_F = 25.20 / 7.32$$

$$PM_F = 3.44 \text{ g/kg}$$

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Section 5

Labeling, & Owner's Manual


**CAUTION:
ATTENTION:**

HOT WHILE IN OPERATION DO NOT TOUCH, KEEP CHILDREN AND CLOTHING AWAY. CONTACT MAY CAUSE SKIN BURNS. KEEP FURNISHINGS AND OTHER COMBUSTIBLE MATERIAL FAR AWAY FROM THE APPLIANCE. SEE NAMEPLATE AND INSTRUCTIONS
 CHAUD LORS DE L'OPÉRATION. NE PAS TOUCHER. GARDEZ LES ENFANTS ET LES VÊTEMENTS LOIN DE L'ESPACE DÉSIGNÉ DE L'INSTALLATION. LE CONTACT PEUT CAUSER DES BRULURES À LA PEAU. GARDEZ LES MEUBLES ET LES MATERIAUX COMBUSTIBLES LOIN DE L'ESPACE DÉSIGNÉ DE L'APPAREIL. VOIR L'ÉTIQUETTE ET LES INSTRUCTIONS.

LISTED ROOM HEATER, SOLID FUEL TYPE. ALSO FOR USE IN MOBILE HOMES (US ONLY). (UM) 84-HUD. "For Use with Solid Wood Fuel Only"

PREVENT HOUSE FIRES

Install and use only in accordance with manufacturer's installation and operating instructions. Contact local building or fire officials about restrictions and installation inspections in your area. Do not obstruct the space beneath heater. For use only with leg and pedestal options intended for this model, refer to owner's manual for appropriate part numbers and installation instructions.

SUITABLE FOR MOBILE HOME INSTALLATION

WARNING - For Mobile Homes: Do not install in a sleeping room. An outside combustion air inlet must be provided and unrestricted while unit is in use. The structural integrity of the mobile home floor, ceiling and walls must be maintained. The stove needs to be properly grounded to the frame of the mobile home. Components required for mobile home installation: Outside Air Kit, Part Number OAK-ACC.

Refer to manufacturer's instructions and local codes for precautions required for passing chimney through a combustible wall or ceiling and maximum offsets. Inspect and clean chimney frequently - Under Certain Conditions of Use, Creosote Buildup May Occur Rapidly. Do not connect this unit to a chimney serving another appliance. Optional Components: Optional Blower, Part BKST-350.

Electrical Rating: 115 VAC, 1.2 Amps, 60 Hz.

Route power cord away from unit. Do not route cord under or in front of appliance.

DANGER: Risk of electrical shock. Disconnect power supply before servicing.

Replace glass only with 5mm ceramic available from your dealer. Do not use grate or elevate fire. Build wood fire directly on hearth. Do not overfire - if heater or chimney connector glows, you are overfiring.

OPERATE ONLY WITH DOORS CLOSED


Open only to add fuel to the fire.

DO NOT operate before fully assembling components.

WARNING: Only used approved wood fuel listed in owners manual. Burning any other fuel will void warranty.

FLOOR PROTECTION:

Floor protector must be Type I Hearth Pad non-combustible material or equivalent, extending beneath heater and to front/sides/rear as indicated on the diagram below. Exception: Non-combustible floor protections must extend beneath the flue pipe when installed with horizontal venting and extend 2 inches (51mm) beyond each side.



APPAREIL DE CHAUFFAGE DE PIÈCE, DE TYPE DE COMBUSTIBLE SOLIDE. Pour Usage Avec Bois Solide Seulement

PRÉVENTION DES FEUX DE MAISON

Installez et utilisez en accord avec les instructions d'installation et d'opération du fabricant. Contactez le bureau de la construction ou le bureau des incendies au sujet des restrictions et des inspections d'installation dans votre voisinage. Ne pas obstruer l'espace en dessous de l'appareil.

Référez vous aux instructions du fabricant et des codes locaux pour les précautions requises pour passer une cheminée à travers un mur ou un plafond combustibles, et les compensations maximas.

Inspectez et nettoyez la cheminée fréquemment. Sous certaines conditions, il se peut que la créolette s'accumule rapidement.

Ne pas connecter cet appareil à une cheminée servant un autre appareil.

Composants Optionnels: Ventilateur Optionnel, Pièce Composants Optionnels: Ventilateur Optionnel, Pièce

BKST-350.

Puissance Électrique: 115 VAC, 1.2 Amps, 60 Hz.

Éloignez le fil électrique de l'appareil. Ne pas faire passer le fil électrique au dessus ou en dessous de l'appareil.

DANGER: Il y a risque de décharge électrique. Déconnectez le fil électrique de la prise de contact avant le service.

Remplacez la vitre seulement avec une vitre céramique de 5 mm disponible chez votre fournisseur.

N'élevez pas le feu. Bâtissez le feu de bois directement sur l'âtre.

Ne pas surchauffer. Si l'appareil de chauffage ou le tuyau de cheminée rougissent, vous surchauffez.


Ouvrez l'appareil seulement lorsque la porte de chargeement est fermée. Ouvrez la porte seulement lorsque vous devez ajouter des combustibles dans le feu.

Ne mettez PAS le pétale en marche tant que tous les composants n'ont pas été entièrement assemblés.

ATTENTION: Seulement utiliser carburant approuvé indiquée dans le manuel des propriétaires. La combustion d'autres combustibles annulera la garantie.

PROTECTION DU PLANCHER:

Le protecteur de plancher doit être du matériau incombustible type I Hearth Pad ou équivalent, s'étendant sous le radiateur et à l'avant / côté / arrière comme indiqué sur le schéma ci-dessous. Exception: les protections de sol incombustibles doivent s'étendre sous le conduit de fumée lorsqu'elles sont installées avec une ventilation horizontale et s'étendent à 2 pouces (51 mm) au-delà de chaque côté.



QUADRA-FIRE®

TESTED TO:/ TESTÉ À:
 UL 1482-11 (R2015), ULC S627-00

Serial No. / N° de série

HF

BARCODE LABEL

5700 Step Top ACC-C

SPÉCIFICATIONS DE LA VENTILATION:

MUR SIMPLE: De six (6 inches) (152mm) de diamètre le connecteur de conduit de minimum d'acier noir ou bleu de minimum de 24MSG, avec une cheminée bâti en usine UL103HT® de Classe "A", adéquate pour usage avec les combustions solides, ou une cheminée de briques, avec espaces libres référés.

MUR DOUBLE: De six (6 inches) (152mm) de diamètre, le connecteur du conduit d'air isolé pour mur double avec une cheminée bâti en usine UL103HT® de Classe "A", ou une cheminée de briques, avec espaces libres alloués.

MAISON MOBILE: Utiliser un conduit de mur double par Dura-Vent DVL, Selkirk Metalbestos DS ou Security DL double wall connector pipe. Must be equipped with a spark arrestor. Apply double wall clearances below when installing unit.

ESPACES LIBRES MIN DES MATERIAUX COMBUSTIBLES: En Pouces & (millimètres)

NOTE: Toutes les dimensions "A", "C", et "F" sont à partir du diamètre intérieur de l'entrée du conduit

VENT SPECIFICATIONS:

SINGLE WALL: Six inch (6 inches) (152mm) diameter, minimum 24 MSG black or blue steel connector pipe, with a listed factory-built UL103HT™ Class "A" chimney, suitable for use with solid fuels, or a masonry chimney, and the referenced clearances.

DOUBLE WALL: Six inch (6 inches) (152mm) diameter, listed double wall air insulated connector pipe with listed factory-built UL103HT™ Class "A" chimney, or a masonry chimney and the referenced clearances

MOBILE HOME: Use double wall pipe by Dura-Vent DVL, Selkirk Metalbestos DS or Security DL double wall connector pipe. Must be equipped with a spark

arrestor. Apply double wall clearances below when installing unit.

MIN CLEARANCES TO COMBUSTIBLE MATERIALS: Inches & (millimeters)

NOTE: All "A", "C" and "F" Dimensions are to Inside diameter of flue collar.

INSTALLATION: FULL VERTICAL INSTALLATION: ENTIEREMENT VERTICALE

	A	B	C	D	E	F	G	H	
SINGLE WALL PIPE	15.75 (400)	9 (229)	25.5 (648)	12 (305)	4 (102)	16.875 (429)	49 (1245)	N/A	CONDUIT DU MUR SIMPLE
DOUBLE WALL PIPE	13.75 (349)	7 (178)	25.5 (648)	12 (305)	1 (25)	13.875 (352)	49 (1245)	N/A	DOUBLE MUR DE TUYAUX

INSTALLATION: HORIZONTAL WITH MINIMUM 2 FT VERTICAL OFF STOVE TOP
INSTALLATION: HORIZONTALE AVEC 609mm VERTICAL MINIMUM DU HAUT DU POËLE

SINGLE WALL PIPE	16.75 (425)	10 (254)	25.5 (648)	12 (305)	4 (102)	16.875 (429)	49 (1245)	18 (457)	CONDUIT DU MUR SIMPLE
DOUBLE WALL PIPE	13.75 (349)	7 (178)	25.5 (648)	12 (305)	1 (25)	13.875 (352)	49 (1245)	12 (305)	DOUBLE MUR DE TUYAUX

INSTALLATION: 90° ELBOW OFF TOP OF STOVE THROUGH BACKWALL
INSTALLATION: 90° DE COURBURE AU DESSUS DU HAUT DU POËLE A TRAVERS LE MUR ARRIERE

SINGLE WALL PIPE	16.75 (425)	10 (254)	25.5 (648)	12 (305)	4 (102)	16.875 (429)	49 (1245)	18 (457)	CONDUIT DU MUR SIMPLE
------------------	-------------	----------	------------	----------	---------	--------------	-----------	----------	-----------------------




INSTALLATION: ALCOVE - Six inch (6 inches) (152mm) diameter listed DOUBLE WALL air insulated connector pipe with UL103 HT* listed factory-built Class "A" chimney, or a masonry chimney. (Mobile Home must be equipped with a spark arrestor.) Maximum depth of Alcove shall be no more than 48 inches (1219mm) and the referenced alcove clearances.

INSTALLATION: ALCOVE - Six pouces (6 pouces) (152mm) de diamètre listé tuyau d'isolation de raccordement à double paroi avec UL103 HT ** coté classe usine construit "A" cheminée ou une cheminée de maçonnerie. (Mobile Home doit être équipé d'un pare-éclatelles). Profondeur maximale de l'alcôve ne doit pas être plus de 48 pouces (1219mm) et les dégagements en alcôve référencés.

(*In Canada must comply with Standard CAN/ULC-S629-M87 for the 650°C Factory-built chimney)

(**Au Canada doit conformer à CAN/ULC-S629-M87 la norme pour 650°C cheminée bâti en usine.)

DOUBLE WALL PIPE	13.75 (349)	7 (178)	25.5 (648)	12 (305)	N/A	N/A	49 (1245)	N/A	DOUBLE MUR DE TUYAUX
------------------	-------------	---------	------------	----------	-----	-----	-----------	-----	----------------------


U.S. ENVIRONMENTAL PROTECTION AGENCY

Certified to comply with 2020 particulate emission standards using crib wood at 1.8 G/Hr EPA Method 28R, ASTM 2515-11 and CSA B415.1-10

This wood heater needs periodic inspection and repair for proper operation. Consult the owner's manual for further information.

It is against federal regulations to operate this wood heater in a manner inconsistent with the operating instructions in the owner's manual

7038-228D

DO NOT REMOVE THIS LABEL / NE PAS ENLEVER L'ÉTIQUE

11.0

Manufactured by:
 Fabriqué par: **HEARTH & HOME technologies**
 352 Mountain House Road, Halifax, PA 17032
www.quadrafire.com

Made in U.S.A. of US and imported parts.

2021 2022 2023 JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC

DO NOT REMOVE THIS LABEL / NE PAS ENLEVER L'ÉTIQUE

UNLESS OTHERWISE SPECIFIED DIMS ARE INCHES[MM] & : TOLERANCES ARE: (2) PLACE DEC : ± 0.03 (3) PLACE DEC: ± 0.005 ANGLE: ± 2° FRACTION: ± 1/16
 ← OUTSIDE MATERIAL → NORMAL DIM & INSIDE MATERIAL ← OUTSIDE APEX → INSIDE APEX - DIMS ENCLOSED BY AN OVAL ARE CRITICAL DIMENSIONS

HEARTH & HOME technologies
 CONFIDENTIAL PROPERTY OF HEARTH & HOME TECHNOLOGIES INC.

PART NAME:
SERIAL LABEL, 5700 STEP TOP, (11" X 8.5")

DRAWN BY: **XXX** SCALE: **NTS** MATERIAL: **SEE NOTE**

THIS PRINT IS CHECKED AND CONTROLLED BY THE ENGINEERING DEPARTMENTS OF HEARTH & HOME TECHNOLOGIES INC.

SHEET: **1 OF 1** PAGE NUMBER: **180** REV: **D** PART NUMBER: **7038-228**

- NOTE:**
1. MATERIAL: NON-ANODIZED ALUMINUM 0.020 THICK
 2. BACKGROUND: SILVER
 3. COPY: BLACK & RED
 4. TEMPERATURE RATING: -50 F TO 350 F

D	UPDATE DATE RANGE	96168	10/04/21	TPS	
C	UPDATE DATE RANGE	91024	06/05/19	IJW	
2	ADDED SLOTTED HOLES	85955	08/01/17	TPS	
1	NEW SAFETY LABEL WITH SLOTTED HOLES		06/20/17	TPS	
REV	REVISIONS	ECO #	DATE	BY	

Owner's Manual

Operation & Care

INSTALLER: Leave this manual with party responsible for use and operation.
OWNER: Retain this manual for future reference.



Contact your dealer with questions on installation, operation, or service.

NOTICE: DO NOT DISCARD THIS MANUAL



5700 STEP TOP WOOD APPLIANCE SERIES AUTOMATIC COMBUSTION CONTROL (ACC)

MODEL NUMBER:
57ST-ACC-C



Installation and service of this appliance should be performed by qualified personnel. Hearth & Home Technologies recommends HHT Factory Trained or NFI certified professionals.



NATIONAL FIREPLACE INSTITUTE
A CERTIFICATION AGENCY



WARNING



If the information in these instructions is not followed exactly, a fire could result causing property damage, personal injury, or death.

- Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance.
- Do not over-fire - If appliance or chimney connector glows, you are over-firing. Over-firing will void your warranty.
- Comply with all minimum clearances to combustibles as specified.

Failure to comply may cause house fire.



WARNING



HOT SURFACES!

Glass and other surfaces are hot during operation AND cool down.

Hot glass and appliance will cause burns.

- Do not touch glass until it is cooled
- Use leather gloves when reloading fuel
- NEVER allow children to touch glass
- Keep children away
- CAREFULLY SUPERVISE children in same room as appliance.
- Alert children and adults to hazards of high temperatures
- **High temperatures may ignite clothing or other flammable materials.**
- Keep clothing, furniture, draperies and other flammable materials away.



WARNING



Fire Risk.

For use with solid wood fuel only. Other fuels may over-fire and generate poisonous gases (i.e. carbon monoxide).

NOTE: To obtain a French translation of this manual, please contact your dealer or visit www.quadrafire.com

REMARQUE : Pour obtenir une traduction française de ce manuel, s'il vous plaît contacter votre revendeur ou visitez www.quadrafire.com


Congratulations 

and Welcome to the Quadra-Fire Family!

NOTE: Clearances may only be reduced by means approved by the regulatory authority having jurisdiction

A. Sample of Serial Number / Safety Label

LOCATION: Back of appliance



Serial Number

Model Number

Test Lab and Report Number

**Safety Alert Key:**

- **DANGER!** Indicates a hazardous situation which, if not avoided will result in death or serious injury.
- **WARNING!** Indicates a hazardous situation which, if not avoided could result in death or serious injury.
- **CAUTION!** Indicates a hazardous situation which, if not avoided, could result in minor or moderate injury.
- **NOTICE:** Indicates practices which may cause damage to the appliance or to property.

TABLE OF CONTENTS

A. Sample of Serial Number / Safety Label	2	4 Troubleshooting Guide	20
B. Warranty Policy	4	5 Service Part Replacement	
C. Quick Start Guide.....	6	A. Glass Replacement	21
1 Listing and Code Approvals		B. Firebrick Replacement	21
A. Appliance Safety Certification	7	C. Snap Disc Replacement	22
B. Appliance Emissions Certification	7	D. Baffle Removal.....	22
C. BTU & Efficiency Specifications.....	7	E. Door Handle Assembly.....	23
D. Glass Specifications.....	8	F. Tube Channel Assembly Replacement	23
E. Mobile Home Approved (USA only)	8	6 Reference Materials	
F. Sleeping Room	8	A. Service & Maintenance Log	24
G. California - Prop65.....	8	B. Exploded View	26
2 Operating Instructions		C. Service Parts	27
A. Over-Firing Your Appliance	9	D. Accessories	31
B. Wood Selection & Storage	9		
C. Burning Process.....	9		
D. Air Controls	10		
E. Using Burn Rate Air Control & ACC System	10		
F. Burn Rates and Operating Efficiency	11		
G. Building A Fire	12		
H. Blower Operating Instructions	13		
I. Opacity (Smoke)	13		
J. Clear Space	14		
K. Negative Pressure	14		
L. Frequently Asked Questions.....	15		
3 Maintenance and Service			
A. Quick Reference Maintenance Guide	16		
B. Cleaning and Operating the Ash Removal System ..	17		
C. General Maintenance.....	17		
D. Correct Baffle & Blanket Placement.....	19		

➔ = Contains updated information

B. Warranty Policy

Hearth & Home Technologies

LIMITED LIFETIME WARRANTY

Hearth & Home Technologies, on behalf of its hearth brands ("HHT"), extends the following warranty for HHT gas, wood, pellet and electric hearth appliances that are purchased from an HHT authorized dealer.

WARRANTY COVERAGE:

HHT warrants to the original owner of the HHT appliance at the site of installation, and to any transferee taking ownership of the appliance at the site of installation within two years following the date of original purchase, that the HHT appliance will be free from defects in materials and workmanship at the time of manufacture. After installation, if covered components manufactured by HHT are found to be defective in materials or workmanship during the applicable warranty period, HHT will, at its option, repair or replace the covered components. HHT, at its own discretion, may fully discharge all of its obligations under such warranties by replacing the product itself or refunding the verified purchase price of the product itself. The maximum amount recoverable under this warranty is limited to the purchase price of the product. This warranty is subject to conditions, exclusions and limitations as described below.

WARRANTY PERIOD:

Warranty coverage for consumers begins at the date of installation. In the case of new home construction, warranty coverage begins on the date of first occupancy of the dwelling or six months after the sale of the product by an independent, authorized HHT dealer/distributor, whichever occurs earlier. However, the warranty shall commence no later than 24 months following the date of product shipment from HHT, regardless of the installation or occupancy date. The warranty period for parts and labor for covered components is produced in the following table.

The term "Limited Lifetime" in the table below is defined as: 20 years from the beginning date of warranty coverage for gas appliances, and 10 years from the beginning date of warranty coverage for wood and pellet appliances. These time periods reflect the minimum expected useful lives of the designated components under normal operating conditions.

Warranty Period		HHT Manufactured Appliances and Venting						
Parts	Labor	Gas	Pellet	Wood	Electric	Venting	Components Covered	
1 Year		X	X	X	X	X	All parts including handles, external enameled components and other material except as covered by Conditions, Exclusions, and Limitations listed	
2 years			X	X			Igniters, Auger Motors, Electronic Components, and Glass	
		X					Electrical components limited to modules, remotes/wall switches, valves, pilots, blowers, junction boxes, wire harnesses, transformers and lights (excluding light bulbs)	
		X		X			Molded Refractory Panels, Glass Liners	
3 years			X				Firepots, burnpots, mechanical feeders/auger assemblies	
5 years	1 year	X					Vent Free Burners, Vent Free Logs	
			X	X			Castings, Medallions and Baffles	
6 years	3 years			X			Catalyst - Limitations Listed	
7 years	3 years		X	X			Manifold tubes, HHT Chimney and Terminations	
10 years	1 year	X					Burners, logs and refractory	
Limited Lifetime	3 years	X	X	X			Firebox and heat exchanger, FlexBurn® System (engine, inner cover, access cover and fireback)	
1 Year	None	X	X	X	X	X	All replacement parts beyond warranty period	

See conditions, exclusions and limitations on the next page

WARRANTY CONDITIONS:

- This warranty only covers HHT appliances that are purchased through an HHT authorized dealer or distributor. A list of HHT authorized dealers is available on the HHT branded websites.
- This warranty is only valid while the HHT appliance remains at the site of original installation.
- This warranty is only valid in the country in which the HHT authorized dealer or distributor that sold the appliance resides.
- Contact your installing dealer for warranty service. If the installing dealer or distributor is unable to provide necessary parts, contact the nearest HHT authorized dealer or supplier. Additional service fees may apply if you are seeking warranty service from a dealer other than the dealer from whom you originally purchased the product.
- Check with your dealer in advance for any costs to you when arranging a warranty call. Travel and shipping charges for parts are not covered by this warranty.
- **Limited Catalyst Warranty**
 - For wood burning products containing a catalyst, the catalyst will be warranted for a six-year period to the original purchaser at the site of original installation. The purchaser must provide the name, address, and telephone number of the location where the product is installed, proof of original purchase date, date of failure, and any relevant information regarding the failure of the catalyst.

WARRANTY EXCLUSIONS:

This warranty does not cover the following:

- Changes in surface finishes as a result of normal use. As a heating appliance, some changes in color of interior and exterior surface finishes may occur. This is not a flaw and is not covered under warranty.
- Damage to printed, plated, or enameled surfaces caused by fingerprints, accidents, misuse, scratches, melted items, or other external sources and residues left on the plated surfaces from the use of abrasive cleaners or polishes.
- Repair or replacement of parts that are subject to normal wear and tear during the warranty period are not covered. These parts include: paint, wood and pellet gaskets, firebricks, grates, flame guides, batteries and the discoloration of glass.
- Expansion, contraction, or movement of certain parts causing noise. These conditions are normal and complaints related to this noise are not covered by this warranty.
- Damages resulting from: (1) failure to install, operate, or maintain the appliance in accordance with the installation instructions, operating instructions, and listing agent identification label furnished with the appliance; (2) failure to install the appliance in accordance with local building codes; (3) shipping or improper handling; (4) improper operation, abuse, misuse, continued operation with damaged, corroded or failed components, accident, or improperly/incorrectly performed repairs (5) environmental conditions, inadequate ventilation, negative pressure, or drafting caused by tightly sealed constructions, insufficient make-up air supply, or handling devices such as exhaust fans or forced air furnaces or other such causes; (6) use of fuels other than those specified in the operation instructions; (7) installation or use of components not supplied with the appliance or any other components not expressly authorized and approved by HHT; (8) modification of the appliance not expressly authorized and approved by HHT in writing; and/or (9) interruptions or fluctuations of electrical power supply to the appliance.
- Non-HHT venting components, hearth connections or other accessories used in conjunction with the appliance.
- Any part of a pre-existing fireplace system in which an insert or a decorative gas appliance is installed.
- HHT's obligation under this warranty does not extend to the appliance's capability to heat the desired space. Information is provided to assist the consumer and the dealer in selecting the proper appliance for the application. Consideration must be given to the appliance location and configuration, environmental conditions, insulation and air tightness of the structure.

This warranty is void if:

- The appliance has been over-fired, operated in atmospheres contaminated by chlorine, fluorine, or other damaging chemicals. Over-firing can be identified by, but not limited to, warped plates or tubes, deformation/warping of interior cast iron structure or components, rust colored cast iron, bubbling, cracking and discoloration of steel or enamel finishes.
- The appliance is subjected to prolonged periods of dampness or condensation.
- There is any damage to the appliance or other components due to water or weather damage which is the result of, but not limited to, improper chimney or venting installation.

LIMITATIONS OF LIABILITY

- The owner's exclusive remedy and HHT's sole obligation under this warranty, under any other warranty, express or implied, or in contract, tort or otherwise, shall be limited to replacement, repair, or refund, as specified above. In no event will HHT be liable for any incidental or consequential damages caused by defects in the appliance. Some states do not allow exclusions or limitation of incidental or consequential damages, so these limitations may not apply to you. This warranty gives you specific rights; you may also have other rights, which vary from state to state. EXCEPT TO THE EXTENT PROVIDED BY LAW, HHT MAKES NO EXPRESS WARRANTIES OTHER THAN THE WARRANTY SPECIFIED HEREIN. THE DURATION OF ANY IMPLIED WARRANTY IS LIMITED TO DURATION OF THE EXPRESSED WARRANTY SPECIFIED ABOVE.


C. Quick Start Guide

NOTE: These are generic drawings and may not represent your specific model.

ITEMS NEEDED FOR FIRST FIRE:


10 Pieces of Newspaper, 10-20 Pieces of Dry Kindling and Few Pieces of Dry Split Wood.

OPEN AIR CONTROLS




1

LOAD WOOD




2

ADD NEWSPAPER




3

ADD KINDLING



LIGHT THE PAPER

4



Warning! Risk of Fire.

Close and securely latch the door after the fire has started, and after refueling, to prevent:


- Spillage of smoke, flame and carbon monoxide
- Spillage of sparks, coals, and logs
- Over firing

DO NOT leave the appliance unattended with the door open.

Starting a fire may not require an open door for draft. The air control should supply adequate draft.

5


ADD MORE WOOD



6

REDUCE AIR CONTROLS

Set to desired heat output.



7

The appliance is ready for normal operation.

1

Listing and Code Approvals

A. Appliance Safety Certification

Model Number:	57ST-ACC-C
Laboratory:	OMNI Test Laboratories, Inc.
Report Number:	0061WS092S
Type:	Listed Room Appliance, Solid Fuel Type
Standard:	UL 1482-11 (R2015) and ULC S627-00 and (UM) 84-HUD

B. Appliance Emissions Certification

Model Number:	57ST-ACC-C
Laboratory:	OMNI Test Laboratories, Inc.
Report Number:	0061WS092E
Standard:	Method 28 and 5G, and ASTM E2515
Can be found at:	www.quadrafire.com/about-us/epa-certification

C. BTU & Efficiency Specifications

EPA Certification Number:	Number: 99-17
EPA Certified Emissions:	1.8 grams per hour
*LHV Tested Efficiency:	80.0%
**HHV Tested Efficiency:	74.0%
***EPA BTU Output:	12,800 to 38,300 / hr
****Peak BTU/Hour Output:	72,100
Vent Size:	6 inches
Firebox Size:	2.92 cubic feet
Recommended Log Length:	22 inches
Fuel:	Seasoned Cord Wood (20% moisture)
<p>* Weighted average LHV (Low Heating Value) efficiency using Douglas Fir dimensional lumber and data collected during EPA emission tests in accordance with the requirements of CSA B415.1. LHV assumes the moisture is already in a vapor state so there is no loss in energy to vaporize.</p>	
<p>** Weighted average HHV (High Heating Value) efficiency using Douglas Fir dimensional lumber and data collected during EPA emission tests in accordance with the requirements of CSA B415.1. HHV includes the energy required to vaporize the water in the fuel.</p>	
<p>*** A range of BTU outputs calculated using HHV Efficiency and the burn rates from the EPA tests, using Douglas Fir dimensional lumber.</p>	
<p>**** A peak BTU out of the appliance calculated using the maximum first hour burn rate from the High EPA Test and BTU content of seasoned cordwood (8600) times the efficiency.</p>	

The 57ST-ACC-C is Certified to comply with 2020 crib wood particulate emission standards.



This wood appliance needs periodic inspection and repair for proper operation. Consult the owner's manual for further information. It is against federal regulations to operate this wood heater in a manner inconsistent with the operating instructions in the owner's manual.

NOTE: This installation must conform with local codes. In the absence of local codes you must comply with the **UL1482-07, (UM) 84-HUD and NFPA211 in the U.S.A. and the ULC S627-00 and CAN/CSA-B365 Installation Codes in Canada. NOT APPROVED FOR MOBILE HOME INSTALLATIONS IN CANADA!**

D. Glass Specifications

This appliance is equipped with 5mm ceramic glass. Replace glass only with 5mm ceramic glass. Please contact your dealer for replacement glass.

E. Mobile Home Approved (USA only)

- This appliance is approved for mobile home installations when not installed in a sleeping room and when an outside combustion air inlet is provided.
- The structural integrity of the mobile home floor, ceiling, and walls must be maintained.
- The appliance must be properly grounded to the frame of the mobile home with #8 copper ground wire, and chimney must be listed to UL103 HT or a listed UL-1777 full length six inch (152mm) diameter liner must be used.
- Outside Air Kit, part OAK-ACC must be installed in a mobile home installation.

F. Sleeping Room

When installed in a sleeping room it is recommended that a smoke and/or CO alarm be installed in the bedroom. The size of the room must be at least 50ft³ per 1,000 Btu/hr stove input, if the stove exceeds the room size, out air must be installed.

G. California - Prop65

WARNING

This product and the fuels used to operate this product (wood), and the products of combustion of such fuels, can expose you to chemicals including carbon black, which is known to the State of California to cause cancer, and carbon monoxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to: WWW.P65Warnings.ca.gov



WARNING



Fire Risk.

Hearth & Home Technologies disclaims any responsibility for, and the warranty will be voided by, the following actions:

- Installation and use of any damaged appliance.
- Modification of the appliance.
- Installation other than as instructed by Hearth & Home Technologies.
- Installation and/or use of any component part not approved by Hearth & Home Technologies.
- Operating appliance without fully assembling all components.
- Operating appliance without legs attached (if supplied with appliance).
- Do NOT Over fire - If appliance or chimney connector glows, you are over firing.

Any such action that may cause a fire hazard.

Improper installation, adjustment, alteration, service or maintenance can cause injury or property damage.

For assistance or additional information, consult a qualified installer, service agency or your dealer.

NOTE: Hearth & Home Technologies, manufacturer of this appliance, reserves the right to alter its products, their specifications and/or price without notice.

User Guide

2 Operating Instructions

A. Over-Firing Your Appliance



WARNING



Fire Risk. Do not over-fire.

Over-firing may ignite creosote or will damage the appliance and chimney.

To prevent over-firing your appliance, DO NOT:

- Use flammable liquids
- Overload with wood
- Burn trash or large amounts of scrap lumber
- Permit too much air to the fire

Visit www.quadrafire.com/shopping-tools/videos to view product and use & care videos.

1. Symptoms of Over-Firing

Symptoms of over-firing may include one or more of the following:

- Chimney connector or appliance glowing
- Roaring, rumbling noises
- Loud cracking or banging sounds
- Metal warping
- Chimney fire

2. What To Do if Your Appliance is Over-Firing

- Immediately close the door and air controls to reduce air supply to the fire.
- If you suspect a chimney fire, call the fire department and evacuate your house.
- Contact your local chimney professional and have your appliance and appliance pipe inspected for any damage.
- Do not use your appliance until the chimney professional informs you it is safe to do so.

Hearth & Home Technologies WILL NOT warranty appliances that exhibit evidence of over-firing. Evidence of over-firing includes, but is not limited to:

- Warped air tube
- Deteriorated refractory brick retainers
- Deteriorated baffle and other interior components

B. Wood Selection & Storage

Burn only dry seasoned wood. Store wood under cover, out of the rain and snow. Dry and well-seasoned wood will not only minimize the chance of creosote formation, but will give you the most efficient fire. Even dry wood contains at least 15% moisture by weight, and should be burned hot enough to keep the chimney hot for as long as it takes to dry the wood out - about one hour. It is a waste of energy to burn unseasoned wood of any kind.

Dead wood lying on the forest floor should be considered wet, and requires full seasoning time. Standing dead wood can be considered to be about 2/3 seasoned. To tell if wood is dry enough to burn, check the ends of the logs. If there are cracks radiating in all directions from the center, it is dry. If your wood sizzles in the fire, even though the surface is dry, it may not be fully cured.

Splitting wood before it is stored reduces drying time. Wood should be stacked so that both ends of each piece are exposed to air, since more drying occurs through the cut ends than the sides. This is true even with wood that has been split. Store wood under cover, such as in a shed, or covered with a tarp, plastic, tar paper, sheets of scrap plywood, etc., as uncovered wood can absorb water from rain or snow, delaying the seasoning process.

C. Burning Process

In recent years there has been an increasing concern about air quality. Much of the blame for poor air quality has been placed on the burning of wood for home heating. In order to improve the situation, we at Quadra-Fire have developed cleaner-burning wood appliances that surpass the requirements for emissions established by our governing agencies. These wood appliances, like any other appliances, must be properly operated in order to insure that they perform the way they are designed to perform. Improper operation can turn most any wood appliance into a smoldering environmental hazard.

1. Kindling or First Stage

It helps to know a little about the actual process of burning in order to understand what goes on inside a appliance. The first stage of burning is called the kindling stage. In this stage, the wood is heated to a temperature high enough to evaporate the moisture which is present in all wood. The wood will reach the boiling point of water (212°F) and will not get any hotter until the water is evaporated. This process takes heat from the coals and tends to cool the appliance.

Fire requires three things to burn - fuel, air and heat. So, if heat is robbed from the appliance during the drying stage, the new load of wood has reduced the chances for a good clean burn. For this reason, it is always best to burn dry, seasoned firewood. When the wood isn't dry, you must open the air controls and burn at a high burn setting for a longer time to start it burning. The heat generated from the fire should be warming your home and establishing the flue draft, not evaporating the moisture out of wet, unseasoned wood, resulting in wasted heat.

2. Second Stage

The next stage of burning, the secondary stage, is the period when the wood gives off flammable gases which burn above the fuel with bright flames. During this stage of burning it is very important that the flames be maintained and not allowed to go out. This will ensure the cleanest possible fire. If the flames tend to go out, it is set too low for your burning conditions. The air control located at the upper right hand corner is used to adjust for burn rates. This is called the Burn Rate Air Control (Figure 10.1).

3. Final Stage

The final stage of burning is the charcoal stage. This occurs when the flammable gases have been mostly burned and only charcoal remains. This is a naturally clean portion of the burn. The coals burn with hot blue flames.

It is very important to reload your appliance while enough lively hot coals remain in order to provide the amount of heat needed to dry and rekindle the next load of wood. It is best to open the Burn Rate Air and Start-Up Air Controls before reloading. This livens up the coal bed and reduces excessive emissions (opacity/smoke). Open door slowly so that ash or smoke does not exit appliance through opening. You should also break up any large chunks and distribute the coals so that the new wood is laid on hot coals.

Air quality is important to all of us, and if we choose to use wood to heat our homes we should do so responsibly. To do this we need to learn to burn our appliances in the cleanest way possible. Doing this will allow us to continue using our wood appliances for many years to come.

D. Air Controls

Users will need to find their preferred setting between high and low based on desired heat output, installation configuration, and fuel type.

1. Burn Rate Air Control

This air supply enters at the upper front of the firebox, near the top of the glass door. This preheated air supplies the necessary fresh oxygen to mix with the unburned gases, helping to create second, third and fourth combustions. This air is regulated by the Burn Rate Air Control. When the control is moved all the way up it is on the High setting and when moved all the way down it is on the Low setting (Figure 10.1).

2. Automatic Combustion Control System (ACC)

To engage the Automatic Combustion Control (ACC) timer system push the lever towards the back of the appliance to the "HI" position, then pull forwards towards the front of the appliance until the knob stops. The timer will slowly close in about 25 minutes. Use this feature when reloading fuel or if you want more air supplied to the fire (Figure 10.1, Figure 10.2 and Figure 10.3).

E. Using Burn Rate Air Control & ACC System

1. Start up and Reloading Fuel

Open both Burn Rate Air Control and ACC systems fully. To do this with the Burn Rate Air Controls push spring handle up to high. For the ACC timer system push knob towards back of appliance until the knob is located under the high position (Figure 10.1).

2. Maximize Heat with The ACC System

To maximize heat output with the ACC timer System or also known as high burn push the ACC Air Control lever towards the back of the appliance and leave. This combined with having the main burn rate control lever pushed up will deliver the most amount of air needed to achieve the highest amount of heat output (Figure 10.1).

3. Manual Timer Over-Ride

If you need to shut the ACC system off before it goes through the cycle of shutting itself off; 25 minutes, reach towards the back of the appliance on the right side and pull the lever towards the front of the appliance (Figure 10.2).





Figure 10.1




Figure 10.2




Figure 10.3

F. Burn Rates and Operating Efficiency

For maximum operating efficiency

This wood appliance has a manufacturer-set minimum low burn rate that must not be altered. It is against federal regulations to alter this setting or otherwise operate this wood appliance in a manner inconsistent with operating instructions in this manual.

- Burn dry, well-seasoned wood.

Burn Rates

1. Low burn setting:

- Burn Rate Air Control spring handle up to high position for 5 minutes.
- Then activate the ACC timer system by pushing the knob all the back toward the appliance to "HI" then pull forwards towards the front of the appliance until the knob stops (**Figure 10.1 on page 10**).
- At that point close the Burn Rate Air Control by moving the spring handle to the low setting.

2. Medium low burn setting:

- Burn Rate Air Control spring handle up to high position for 5 minutes.
- Then activate the ACC timer system by pushing the knob all the back toward the appliance to "HI" then pull forwards towards the front of the appliance until the knob stops.
- At that point move the Burn Rate Air Control spring handle to 1/8"-1/2" from the low setting.

3. Medium high burn setting:

- Burn Rate Air Control spring handle up to high position.
- Then activate the ACC timer system by pushing the knob all the back toward the appliance to "HI" then pull forwards towards the front of the appliance until the knob stops.
- At that point move the Burn Rate Air Control spring handle to 1/2" – high.

4. High burn setting:

- Burn Rate Air Control spring handle up to high position
- Also activate ACC timer system knob pushed back to the "HI" position.

NOTE: If using the optional blower use burn settings 1-3 burn settings the blower shall be off for the first 30 minutes and then be operated in the high position at 30 minutes. For high burn setting, blower may continue to be on full after the loading of the fuel.

NOTE: The above information is provided as a guideline only. Altitude and other circumstances may require control adjustments to achieve the desired burn rates.

NOTE: Operate appliance on High Burn 45 minutes a day to help keep flue/chimney clean.



WARNING

Risk of Fire.

When set on High Burn Rate and over-riding the Automatic Combustion Control system an over fire situation can occur and may result in a chimney fire.
Over firing will void the appliance warranty.




Figure 11.1

This is a generic drawing and may not represent your model.

After activating the timer (ACC), if the control is placed within the rear air section on the label it will allow rear air to enter the firebox. This will not interfere with the timer gradually closing the front air channel in 25 minutes. If control is set on "HI" it over-rides the timer (ACC).

G. Building A Fire

Before lighting your first fire in the appliance:

NOTE: The special high temperature paint that your appliance is finished with will cure as your appliance heats. You will notice an odor and perhaps see some vapor rise from the appliance surface; this is normal. We recommend that you open a window until the odor dissipates and paint is cured.

1. Confirm the baffle is correctly positioned. It should be even with the front tube and resting on all tubes (**Figure 12.1 and Figure 12.2**).
2. Remove all labels from glass and inside of appliance.

There are many ways to build a fire. The basic principle is to light easily-ignitable tinder or paper, which ignites the fast burning kindling, which in turn ignites the slow-burning firewood. Here is one method that works well:

1. Open the Burn Rate Air and ACC Controls fully (Refer to page 6 Start-Up Guide).
2. Place several wads of crushed paper on the firebox floor. Heating the flue with slightly crumpled newspaper before adding kindling keeps smoke to a minimum.
3. Lay small dry sticks of kindling on top of the paper.
4. Make sure that no matches or other combustibles are in the immediate area of the appliance. Be sure the room is adequately ventilated and the flue unobstructed.
5. Light the paper in the appliance. NEVER light or rekindle fire with kerosene, gasoline, or charcoal lighter fluid; the results can be fatal.
6. Once the kindling is burning quickly, add several full-length logs 3 inches (76mm) or 4 inches (102mm) in diameter. Be careful not to smother the fire. Stack the pieces of wood carefully; near enough to keep each other hot, but far enough away from each other to allow adequate air flow between them.
7. Set the Burn Rate Air Control and activate the ACC timer system.
8. When ready to reload, It is best to fully open both the Burn Rate Air and Start-up Air Controls **before reloading**. This livens up the coal bed and reduces excessive emissions (opacity/smoke). Open door slowly so that ash or smoke does not exit appliance through opening. Large logs burn slowly, holding a fire longer. Small logs burn fast and hot, giving quick heat.
9. As long as there are hot coals, repeating steps 6 through 8 will maintain a continuous fire.

NOTE:

- Build fire on brick firebox floor.
- Do NOT use grates, andirons or other methods to support fuel. It will adversely affect emissions.

WARNING

Fire Risk.

- Do NOT store wood:
- Closer than required clearances to combustibles to appliance
 - Within space required for loading or ash removal.
- Do NOT operate appliance:
- With appliance door open.
 - With ash removal system door open.




Figure 12.1





Figure 12.2



WARNING

Fire Risk.

- Do NOT burn wet or green wood.
- Store wood in dry location.
- Stack wood so both ends are exposed to air.

Wet, unseasoned wood can cause accumulation of creosote.

H. Blower Operating Instructions

NOTE: If your Quadra-Fire wood appliance is equipped with an optional blower, you should follow these guidelines:

- 1. Initial (cold) start-up and all Burn Settings**
The blower can be plugged in and turned on right away. The blower fan is turned on and off by a snap disc. When your appliance has reached a certain temperature the blower will turn on and when your appliance has cooled down to a certain temperature it will turn off. Switch on blower control must be set to auto for this feature to work.
- 2. The blower is equipped with a speed control.** Adjust the fan speed by turning the speed control clockwise to "Low" or counterclockwise to "High".
- 3. Snap Disc Location**
If you find the blower coming on and off at undesirable temperatures, relocate the snap disc to another location in the designated zone on the back of the appliance (**Figure 13.1**). There is a manual over-ride switch to deactivate the snap disc, if necessary.




Figure 13.1




Figure 13.2

I. Opacity (Smoke)

This is the measure of how cleanly your appliance is burning. Opacity is measured in percent; 100% opacity is when an object is totally obscured by the smoke column from a chimney, and 0% opacity means that no smoke column can be seen. As you become familiar with your appliance, you should periodically check the opacity. This will allow you to know how to burn as nearly smoke-free as possible (goal of 0% opacity).



WARNING

Fire Risk.

- DO NOT BURN GARBAGE OR FLAMMABLE FLUIDS SUCH AS GASOLINE, NAPHTHA OR ENGINE OIL.
- Do NOT burn treated wood or wood with salt (driftwood).
- May generate carbon monoxide if burn material other than wood.

May result in illness or possible death.



WARNING

Fire Risk.

Keep combustible materials, gasoline and other flammable vapors and liquids clear of appliance.

- Do NOT store flammable materials in the appliance's vicinity.
- DO NOT USE GASOLINE, LANTERN FUEL, KEROSENE, CHARCOAL LIGHTER FLUID OR SIMILAR LIQUIDS TO START OR "FRESHEN UP" A FIRE IN THIS APPLIANCE.
- Keep all such liquids well away from the appliance while it is in use.
- Combustible materials may ignite.



CAUTION

When burning your first fire, you will experience smoke and odor from the appliance resulting from the curing of paint and burning off of any oils remaining from manufacturing.

OPEN WINDOWS DURING INITIAL BURN TO DISSIPATE SMOKE AND ODORS!

- Odors may be irritating to sensitive individuals.
- Smoke detectors may activate.

J. Clear Space

- Do NOT place combustible objects within 4 ft (1.2 m) of the front of appliance (**Figure 14.1**).
- Mantel - avoid placing candles and other heat-sensitive objects on mantel or hearth. Heat may damage these objects.

WARNING

Do NOT place combustible objects in front of the appliance. High temperatures may ignite clothing, furniture or draperies.




Figure 14.1

K. Negative Pressure



WARNING

Asphyxiation Risk.

- Negative pressure can cause spillage of combustion fumes, soot and carbon monoxide.
- Appliance needs to draft properly for safety.

Negative pressure results from the imbalance of air available for the appliance to operate properly. It can be strongest in lower levels of the house.

Causes include:

- Exhaust fans (kitchen, bath, etc.)
- Range hoods
- Combustion air requirements for furnaces, water appliances and other combustion appliances
- Clothes dryers
- Location of return-air vents to furnace or air conditioning
- Imbalances of the HVAC air handling system
- Upper level air leaks such as:
 - Recessed lighting
 - Attic hatch
 - Duct leaks

To minimize the effects of negative air pressure:



- Install the outside air kit with the intake facing prevailing winds during the heating season
- Ensure adequate outdoor air for all combustion appliances and exhaust equipment
- Ensure furnace and air conditioning return vents are not located in the immediate vicinity of the appliance
- Avoid installing the appliance near doors, walkways or small isolated spaces
- Recessed lighting should be a “sealed can” design
- Attic hatches weather stripped or sealed
- Attic mounted duct work and air handler joints and seams taped or sealed

L. Frequently Asked Questions

ISSUES	SOLUTIONS
Odor from appliance	When first operated, this appliance may release an odor for the first several hours. This is caused by the curing of the paint and the burning off of any oils remaining from manufacturing.
Metallic noise	Noise is caused by metal expanding and contracting as it heats up and cools down, similar to the sound produced by a furnace or heating duct. This noise does not affect the operation or longevity of the appliance.
Whirring sound	If the optional blower has been installed, the blower produces a whirring sound which increases in volume as the speed is increased.

Table 15.1

CONTACT YOUR DEALER for additional information regarding operation and troubleshooting.
Visit www.quadrafire.com to find a dealer.



3 Maintenance and Service

A. Quick Reference Maintenance Guide

When properly maintained, your fireplace will give you many years of trouble-free service. Contact your dealer to answer questions regarding proper operation, troubleshooting and service for your appliance. Visit www.quadrafire.com/owner-resources to view basic troubleshooting, FAQs, use & care videos.



CAUTION

Allow the appliance to completely cool down before performing any cleaning or maintenance. Start the first inspection after the first 2 months of use, or if performance changes, and adjust your schedule accordingly. Maintenance is required for safe operation and must be performed to maintain your warranty.

	FREQUENCY	TASK
Baffle & Blanket 	MONTHLY or after every one (1) cord of wood	Baffle and blanket placement is critical to heat output, efficiency and overall life of the appliance. Make sure the baffle is pushed all of the way to the back of the firebox and the blanket is laying flat. Inspect baffle for cracks.
Optional Blower 	YEARLY or after every four (4) cords of wood	Vacuum the blower impellers.
Chimney System 	EVERY TWO MONTHS or after every four (4) cords of wood	The chimney and chimney cap must be inspected for soot and creosote every two months during the burn season or more frequency if chimney exceeds or is under 14-16 ft (4.3m-4.8m) measured from bottom of appliance. This will prevent pipe blockage, poor draft, and chimney fires. Always burn dry wood to help prevent cap blockage and creosote build-up.
Firebrick & Ash Removal 	WEEKLY or after every 25 loads of wood	Ashes must be cool before you can dispose of the ashes in a non-combustible container. Firebrick is designed to protect your firebox. After ashes are removed, inspect the firebrick and replace firebricks that are crumbling, cracked or broken.
Door & Glass Assemblies 	WEEKLY or after every 25 loads of wood	Keep door and glass gasket in good shape to maintain good burn. <u>To test:</u> place a dollar bill between the appliance and door and then shut the door. If you can pull the dollar out, remove one washer from door handle behind latch cam and try again. If you can still pull it out, replace the door gasket. Check the glass frame for loose screws to prevent air leakage. Check glass for cracks.
Door Handles 	WEEKLY or after every 25 loads of wood	Check the door latch for proper adjustment. This is very important especially after the door rope has formed to the appliance face. Check door handle for smooth cam operation.

These are generic drawings and may not represent your model.

Table 16.1

B. Cleaning and Operating the Ash Removal System



WARNING

Fire Risk.



Make sure Ash Removal System door is sealed tight against the gasket.

Air leakage may cause:

- Over-fire condition
- Flame and/or smoke spillage
- Wood to burn too fast

Do NOT use Ash Removal System while stove is burning.




Figure 17.1

Access Cover Handle

Insert Access Cover Handle handle into slot of ARS Cover to remove ARS Cover for cleaning ash out of firebox.




Figure 17.2

1. The appliance and ashes must be completely cool before using the Ash Removal System (ARS):
 - a. Locate the ash removal door handle under the left side of the stove in the center.
 - b. Grasp the handle with your fingers and place your thumb on the latch release.
 - c. Press the latch release inward.
 - d. Keep the latch release pressed in and lower the handle gently.
 - e. Take your thumb off the release once the handle is clear of the latch and guide the handle back until it stops.
2. Remove cast iron cap from inside the firebox using tools supplied:
 - a. Clean ash through the ash removal system channel into the drawer below (**Figure 17.2**).
 - b. Make sure all ash is removed from the top of ARS door.
 - c. Lift up the grate and inspect the top of the door to ensure all ash has been removed.

NOTE: You can rapidly move the ARS latch handle up and down to help remove any ash from the door.

- d. Use a small brush to clean off the top of the door if any ash remains.



CAUTION



Fire Risk.

Be sure to replace the cap before operating the stove.

It is recommended to leave 1/4 to 1/2 inch (6-13mm) of ash on the firebox floor to allow air to flow freely underneath wood.

3. Close the door handle, you will hear a "click" when it closes. The ash drawer will not pull out if the door handle is left in the open position. Wear gloves to remove the drawer. Dispose of the ashes properly as described in your owner's manual.

C. General Maintenance

1. Creosote (Chimney) Cleaning

Frequency: Every 2 months during heating season or as recommended by a certified chimney sweep; more frequently if chimney exceeds or is under 14-16 ft. (measured from bottom of appliance)

By: Certified Chimney Sweep

Remove all ash from the firebox and extinguish all hot embers before disposal. Allow the appliance to cool completely. Disconnect flue pipe or remove baffle and ceramic blanket from appliance before cleaning chimney. Otherwise residue can pile up on top of the baffle and ceramic blanket and the appliance will not work properly. (See Baffle Removal on **page 23**). Close the door tightly. The creosote or soot should be removed with a brush specifically designed for the type of chimney in use. Clean out fallen ashes from the firebox.

It is also recommended that before each heating season the entire system be professionally inspected, cleaned and repaired if necessary.

Inspection:

Inspect the system at the appliance connection and at the chimney top. Cooler surfaces tend to build creosote deposits quicker, so it is important to check the chimney from the top as well as from the bottom.

Formation and Need For Removal:

When wood is burned slowly, it produces tar and other organic vapors which combine with expelled moisture to form creosote.

The creosote vapors condense in the relatively cool chimney flue of a newly-started or a slow-burning fire. As a result, creosote residue accumulates on the flue lining. When ignited, this creosote creates an extremely hot fire which may damage the chimney or even destroy the house.

The chimney connector and chimney should be inspected once every 2 months during the heating season to determine if a creosote or soot buildup has occurred. If creosote or soot has accumulated, it should be removed to reduce the risk of a chimney fire.



WARNING

Fire Risk.



Prevent creosote buildup.

- Inspect chimney connector and chimney once every two months during heating season.
- Remove creosote to reduce risk of chimney fire.
- Ignited creosote is extremely HOT.



WARNING



Fire Risk.

- Do not use chimney cleaners or flame colorants in your appliance. Will corrode chimney pipe.

2. Cleaning Plated Surfaces

- **Frequency:** Prior to first burn and then as desired
- **By:** Homeowner

Clean all the fingerprints and oils from plated surfaces **BEFORE** firing the appliance for the first time. If not cleaned properly before lighting your first fire, the oils can cause permanent markings on the plating.

After the plating is cured, the oils will not affect the finish and little maintenance is required. Wipe clean as needed.



CAUTION

- Do not use polishes with abrasives. It will scratch plated surfaces.

3. Disposal of Ashes

- **Frequency:** When ash is within 1-3/4 in. (44mm) of firebox lip

- **By:** Homeowner

Ashes should be placed in a metal container with a tight fitting lid. The closed container of ashes should be placed on a non-combustible floor or on the ground, well away from all combustible materials, pending final disposal. If the ashes are disposed of by burial in soil or otherwise locally dispersed, they should be retained in the closed container until all cinders have thoroughly cooled.



WARNING

Fire Risk. Disposal of Ashes



- Ashes should be placed in metal container with tight fitting lid.
- Do not place metal container on combustible surface.
- Ashes should be retained in closed container until all cinders have thoroughly cooled.

4. Glass Cleaning

- **Frequency:** As desired
- **By:** Homeowner

Clean glass with a non-abrasive glass cleaner. Abrasive cleaners may scratch and cause glass to crack. If the deposits on the glass are not very heavy, normal glass cleaners work well. Heavier deposits may be removed by using a damp cloth dipped in wood ashes or by using a commercially available oven cleaner.

After using an oven cleaner, it is advisable to remove any residue with a glass cleaner or soap and water. Oven cleaner left on during the next firing can permanently stain the glass and damage the finish on metal surfaces.

A portion of the combustion air entering the firebox is deflected down over the inside of the door glass. This air flow "washes" the glass, helping to keep smoke from adhering to its surface.

When operated at a low burn rate, less air will be flowing over the glass and the smokey, relatively cool condition of a low fire will cause the glass to become coated.


Operating the appliance with the Burn Rate Air Control and Start-Up Air Control all the way open for 30-45 minutes should remove the built up coating.




CAUTION

- Do not use polishes with abrasives. It will scratch surfaces.


D. Correct Baffle & Blanket Placement



INCORRECT POSITIONS



Ceramic Blanket and Baffle Board are NOT in contact with the back of the firebox.



Ceramic Blanket is NOT in contact with the back of the firebox and NOT even with the Baffle Board in the front.




Figure 19.1




Figure 19.2

4 Troubleshooting Guide

With proper installation, operation, and maintenance your wood appliance will provide years of trouble-free service. If you do experience a problem, this troubleshooting guide will assist you or a qualified service person in the diagnosis of a problem and the corrective action to be taken.

Start Fire Problems	Possible Cause	Solution
Can not get fire started Excessive smoke or spillage Burns too slowly Not enough heat output	Not enough kindling/paper or no kindling/paper	Use dry kindling, more paper. Arrange kindling & wood for air movement.
	Not enough air for fire to ignite	Check for restricted termination cap
		Check for blockage of outside air kit (if installed).
		Check for flue blockage.
		Pre-warm flue before starting fire (refer to Building a Fire Section).
		Check for adequate vent height (refer to Chimney Height Section).
		Open window below the appliance towards the wind.
	Wood condition is too wet, too large	Use dry, seasoned wood (refer to Seasoned Wood Section).
	Bed of coals not established before adding wood	Start with paper & kindling to establish bed of coals (refer to Building a Fire Section).
	Flue blockage such as birds' nests or leaves in termination cap	Have chimney inspected for creosote and cleaned by a certified chimney sweep.
Fire burns too fast	Down draft or negative pressure Competition with exhaust devices	Do not use exhaust fans during start-up (refer to Negative Pressure Section).
		Open window below the appliance towards the wind.
	Extremely dry or soft wood	Mix in hardwood.
		Mix in less seasoned wood after fire is established (refer to Wood Fuel Section).
	Over drafting	Check for correct vent height; too much vertical height creates over drafting.
		Check location of vent termination (refer to Chimney Termination Requirement Section).

Table 20.1

5 Service Part Replacement

A. Glass Replacement

NOTE: Replace with 5mm ceramic glass only.

Service Part: SRV7000-014

1. Ensure that the fire is out and the appliance is cool to the touch.
2. Protect a table or counter top with padding or towels. Protect your hands and wear gloves to prevent injury.
3. Remove the door with the broken glass by lifting the door up and off of the hinges.
4. Lay door face down on a table or counter making sure the handle hangs over the edge so the door lays flat, on a soft surface.
5. Remove the screws from each glass retainer and remove the glass. (If screws are difficult to remove, soak with penetrating oil first).
6. Center the glass with edges evenly overlapping the opening in the door, (i.e. same space top and bottom, left and right sides).
7. Replace the glass retainers. Be careful not to cross thread the screws.
8. Tighten each retainer just a few turns until each is secured. Check again for centering of glass in door frame. Continue to tighten each retainer alternately, a few turns at a time, until the glass is secure.

NOTE: DO NOT OVER TIGHTEN - can cause glass to break.

9. Replace the door on the appliance.

Quadra-Fire appliances are equipped with ceramic super heat-resistant glass, which can only be broken by impact or misuse.



WARNING




Injury Risk.

- Use only glass specified in manual.
- DO NOT REPLACE with any other material.



CAUTION!



Handle glass assembly with care.
When cleaning glass:

- Avoid striking, scratching or slamming glass.
- Do NOT clean glass when hot.
- Do NOT use abrasive cleaners.
- Use a hard water deposit glass cleaner on white film.
- Use commercial oven cleaner on heavier deposits.
- Remove all residue of oven cleaner or will permanently stain glass on next firing.

Refer to maintenance instructions.

B. Firebrick Replacement

Service Part: SRV7038-054

Replace the firebrick if they become crumbly and/or if there is a 1/4 inch (6.35mm) gap between the bricks.

Inspect the firebrick after each ash removal.

The firebox is lined with high quality firebrick, which has exceptional insulating properties. There is no need to use a grate; simply build a fire on the firebox floor. Do not operate appliance without firebrick.

1. After the coals have completely cooled, remove all old brick and ash from appliance and vacuum firebox.
2. Remove new brick set from box and lay out to diagram shown.
3. Lay bottom bricks in appliance.
4. Install rear bricks on the top of the bottom bricks. Slide top of bricks under clip on back of firebox wall and push bottom of brick back.
5. Install side bricks. Slide top of brick under clips on side of firebox and push the bottom of the brick until it is flush with the side of the appliance.




Figure 21.1

Placement	Dimensions	Qty Required
1	9" x 4.5" x 1.25"	13
2	9" x 1.75" x 1.25"	3
3	7" x 4.5" x 1.25"	1
4	5" x 4.5" x 1.25"	3
5	7" x 4.5 x 1.25"	4
6	6" x 4.5" x 1.25"	4
7	6" x 1.75" x 1.25"	1

Table 21.1

C. Snap Disc Replacement

Service Part: SRV230-0470

1. Locate the snap disc bracket assembly at the bottom left rear corner of the appliance.
2. A magnet holds the bracket to the appliance. Pull the bracket down away from the appliance to expose the snap disc.
3. Pull the snap disc and spade connectors up and out of bracket as shown in **Figure 22.1**.
4. Using a Phillips head screw driver, remove the 2 screws from the snap disc and then remove the snap disc from the spade connectors. Replace with new snap disc and re-connect to spade connectors.
5. Push the snap disc and spade connectors back inside bracket and re-attach the bracket to the appliance.




Figure 22.1




Figure 22.2 - Baffle



Figure 22.3 - Ceramic Blanket




Figure 22.4




Figure 22.5

E. Door Handle Assembly

Service Parts: SRV7033-071

1. Slide door handle through door.
2. Install additional washer(s) as shown in **Figure 23.1**.
3. Install key in groove.
4. Align groove in latch cam with key; slide latch cam over shaft
5. Install locknut but do not over tighten, the handle needs to rotate smoothly.
6. Install fiber handle (**Figure 23.1**).




Figure 23.1



CAUTION!

Do not over tighten lock nut. The door handle needs to move smoothly.




Figure 23.2

F. Tube Channel Assembly Replacement

Service Part: SRV7038-008



Removing Tube Channel Assembly

1. Remove the right side shield by removing three (3) Phillips screws from back of appliance; then pull back of side out and push back on side.
2. Remove four (4) Phillips screws from channel access cover and remove cover.
3. Locate three (3) channel nuts inside of chamber and remove using a 7/16 socket wrench (**Figure 23.2**).
4. Inside of firebox, remove the right five (5) side bricks and one (1) right rear brick (**Figure 23.2**).
5. Remove the two (2) brick retainers by sliding back and then up (**Figure 23.2**).
6. Remove the baffle protection channel by rolling forward and out of the firebox (**Figure 23.2**).
7. Remove three (3) bolts from inside fire box (**Figure 23.2**).

NOTE: Soak the bolts with penetrating oil for at least 15 minutes before trying to remove them.

Replacing Tube Channel Assembly

8. Slide the tube channel assembly to the left. Drop the right side down, then slide the assembly back to right.
9. The ceramic blanket and both baffle boards can be removed at the same time you remove the tube channel assembly.
10. When the tube channel assembly is free of the left side support, rotate clockwise and pull assembly, blanket and baffles out through the front opening.
11. Re-install in reverse order.



6 Reference Materials

A. Service & Maintenance Log


B. Exploded View

QUADRA-FIRE® Service Parts

Step Top Wood Stove
Advanced Combustion Control

57ST-ACC-C

Beginning Manufacturing Date: Sept 2017
Ending Manufacturing Date: Active



Part number list on following page.

07/21

C. Service Parts



57ST-ACC-C

Beginning Manufacturing Date: Sept 2017
Ending Manufacturing Date: Active




Stocked
at Depot


IMPORTANT: THIS IS DATED INFORMATION. Parts must be ordered from a dealer or distributor. **Hearth and Home Technologies does not sell directly to consumers.** Provide model number and serial number when requesting service parts from your dealer or distributor.

ITEM	DESCRIPTION	COMMENTS	PART NUMBER
1	Air Channel, Convection		SRV7038-214
2	Air Supply Back		SRV7038-216
3	Outside Air Supply Back		SRV7038-215
4	Panel Assembly Side, Left		SRV7038-006
5	Blanket, Ceramic Fiber		SRV7038-117
6	Baffle Protection Channel (illustration on page 5)		SRV7038-179
7	Baffle Board	Qty: 2	SRV7038-118
8	Rear Channel Assembly		SRV7038-001
9	Air Supply Front		SRV7038-212
10	Tube Channel Rack		SRV7038-174
11	Tube Channel Assembly		SRV7038-008
12	Secondary Tube Gasket		SRV7038-187

#13 Door Assembly



#14 Handle Assembly




13	Door Assembly	Black	DR-57BK-FH
		Nickel Trim	DR-57NL-FH
13.1	Hinge Pin, 1/2"	Black	7000-606/2
		Nickel Trim	SRV430-5320
13.2	Rope, Door, 3/4" x 84"	7 Ft.	832-1680
13.3	Door Glass Assembly		SRV7000-014
	Gasket, Glass Tape, 3/4" x 1/8"	5 Ft.	832-0460
13.4	Glass Frame Set	4 pcs.	GLA-FRM-5700
13.5	Screw Flat Head Phillips 8-32 x 1/2	Pkg of 12	220-0490/12
	Logo, Quadra-Fire	Pkg of 10	7000-694/10
14	Door Handle Assembly		SRV7033-071
14.1	Fiber Handle		SRV7060-212
14.2	Door Handle		SRV7044-188
14.3	Washer, Sae, 3/8 (3 Ea)	Pkg of 3	832-0990
14.4	Cam Latch		SRV430-1141
14.5	Key, Cam Latch		SRV430-1151
14.6	Nut, 2-Wy Side-Lock Jam 3	Pkg of 24	226-0100/24

Additional service part numbers appear on following page.


Stocked at Depot



IMPORTANT: THIS IS DATED INFORMATION. Parts must be ordered from a dealer or distributor. **Hearth and Home Technologies does not sell directly to consumers.** Provide model number and serial number when requesting service parts from your dealer or distributor.

ITEM	DESCRIPTION	COMMENTS	PART NUMBER	Stocked at Depot
15	Brick Retainer, Side	Qty: 4	SRV7038-145	
16	Heat Shield		SRV7038-211	

#17 Brick Set


17	Brick Assembly - Complete Set	Pkg of 28	SRV7038-054	
17.1	Brick, 9 x 4.5 x 1.25" (Qty 13 Req)	Pkg of 1	832-0550	
		Pkg of 6	832-3040	
17.2	Brick, 9 x 1.75 x 1.25"	Qty. 3 Req.	SRV7128-020	
17.3	Brick, 7 x 1.75 x 1.25"	Qty. 1 Req.	SRV7128-042	
17.4	Brick, 5 x 4.50 x 1.25"	Qty. 2 Req.	SRV7128-040	
17.5	Brick, 7 x 4.5 x 1.25"	Qty. 4 Req.	SRV7128-011	
17.6	Brick, 6 x 4.5 x 1.25"	Qty. 4 Req.	SRV7128-002	
17.7	Brick, 6 x 1.75 x 1.25"	Qty. 1 Req.	SRV7128-043	
18	Brick Retainer, Rear		SRV7038-148	
19	Leg Adapter Set (Bracket), Left & Right		SRV7038-028	
20	Panel Assembly Side, Right		SRV7038-005	
21	Manifold Cover Plate		SRV7038-236	
22	Secondary Air Diverter		SRV7038-238	
23	Manifold Tube Cover		SRV7038-237	

Additional service part numbers appear on following page.

#24 Burn Rate Control & Associated Parts

#25 Pedestal Assembly


IMPORTANT: THIS IS DATED INFORMATION. Parts must be ordered from a dealer or distributor. **Hearth and Home Technologies does not sell directly to consumers.** Provide model number and serial number when requesting service parts from your dealer or distributor.


Stocked at Depot

ITEM	DESCRIPTION	COMMENTS	PART NUMBER	Stocked at Depot
24.1	Burn Rate Control Assembly		SRV7038-059	
24.2	Spring Handle, 1/4"	Black Nickel	SRV7000-614	Y
24.3	Knob		250-8340	Y
24.4	Air Control Rod Guide		SRV7033-210	
24.5	Latch, Magnet		SRV229-0631	
24.6	Control Arm Assembly Rear		SRV7038-004	
24.7	Timer Door Control Arm Assembly		SRV7038-062	
	Door Gasket		7033-282	Y
24.8	Timer (Only) Replacement Assembly		SRV480-1940	Y
24.9	Timer Arm Assembly		SRV7033-034	Y
25.1	ARS Access Cover		SRV7038-196	
25.2	Handle, Acces Cover		SRV7038-197	
25.3	Channel, Ash Removal System		SRV7033-172	
25.4	ARS Gasket		SRV7033-296	
25.5	ARS Assemby		SRV7060-048	
25.6	ARS Latch Assembly		SRV7062-034	
25.7	Pedestal Kit		PED-KIT-57	
25.8	Ash Pan, Pedestal Model w/Door		SRV7038-010	
	Component Pack, Pedestal, Step-Top (Includes Gasket For Ash Removal & Fasteners)		7038-048	

Additional service part numbers appear on following page.

Beginning Manufacturing Date: Sept 2017
 Ending Manufacturing Date: Active

Stocked at Depot

IMPORTANT: THIS IS DATED INFORMATION. Parts must be ordered from a dealer or distributor. **Hearth and Home Technologies does not sell directly to consumers.** Provide model number and serial number when requesting service parts from your dealer or distributor.

ITEM	DESCRIPTION	COMMENTS	PART NUMBER
#26 Legs Assembly			
26.1	ARS Access Cover		SRV7038-196
26.2	Channel, Ash Removal System		SRV7033-172
26.3	ARS Gasket		SRV7033-296
26.4	ARS Assembly		SRV7060-048
26.5	ARS Latch Assembly		SRV7062-034
26.6	Ash Pan Door Handle		SRV7033-274
26.7	Ash Pan Assembly		SRV7033-008
	Ash Pan Leg - ARS		SRV7033-050
	Component Pack, Leg Step Top (Includes Gasket For Ash Removal & Fasteners)	7037-036	
26.8	Legs, Queen Anne	Qty: 4	831-1240
		Qty: 4	LEGS-QANL
26.9	Leg Adapter Set (Bracket), Left & Right		SRV7038-028
	Leg Kit & Ash Removal System (ARS)	Black	LEG-KIT-BK
		Nickel	LEG-KIT-NL
	Component Pack (Includes Gasket for Ash Removal & Fasteners)		SRV7038-017
	Component Pack (Includes Touch-Up Paint, Owners Manual, Warranty Card & Access Cover Handle)	For the Appliance	SRV7038-058
	Handle, Access Cover		SRV7038-197
	Paint Touch-Up		3-42-19905
	Upgrade, Door, Nickel		UK-DRNL
	Gasket, Manifold	Pkg of 4	7038-168/4
<u>Side view</u> Front looking into unit Baffle protection channel sits in between front tube and fiber baffle Ceramic blanket Fiber baffle This tab sits behind the front tube			
	Baffle Protection Channel		SRV7038-179

Additional service part numbers appear on following page.

D. Accessories



57ST-ACC-C

**Beginning Manufacturing Date: Sept 2017
Ending Manufacturing Date: Active**

IMPORTANT: THIS IS DATED INFORMATION. Parts must be ordered from a dealer or distributor. **Hearth and Home Technologies does not sell directly to consumers.** Provide model number and serial number when requesting service parts from your dealer or distributor.



**Stocked
at Depot**

QUADRA-FIRE®

NOTHING BURNS LIKE A QUAD

CONTACT INFORMATION

Hearth & Home Technologies
352 Mountain House Road
Halifax, PA 17032
Division of HNI INDUSTRIES

Please contact your Quadra-Fire dealer with any questions or concerns.
For the number of your nearest Quadra-Fire dealer
log onto www.quadrafirer.com



CAUTION



DO NOT DISCARD THIS MANUAL

- Important operating and maintenance instructions included.
- Read, understand and follow these instructions for safe installation and operation.
- Leave this manual with party responsible for use and operation of this appliance.



We recommend that you record the following pertinent information for your heating appliance.

Date purchased/installed:

Serial Number:

Location on appliance:

Dealership purchased from:

Dealer Phone: 1() -

Notes:

This product may be covered by one or more of the following patents: (United States) 5341794, 5263471, 6688302, 7216645, 7047962 or other U.S. and foreign patents pending.


HEARTH & HOME
technologies™

Installation Manual

Installation & Appliance Set-Up



INSTALLER: Leave this manual with party responsible for use and operation.

OWNER: Retain this manual for future reference.

NOTICE: DO NOT DISCARD THIS MANUAL

QUADRA-FIRE®
5700 STEP TOP WOOD APPLIANCE SERIES
AUTOMATIC COMBUSTION CONTROL
(ACC)

MODEL:
57ST-ACC-C



Installation and service of this appliance should be performed by qualified personnel. Hearth & Home Technologies recommends HHT Factory Trained or NFI certified professionals.

hearthED
FACTORY TRAINING
Fuel Your Fire



NATIONAL FIREPLACE INSTITUTE
A CERTIFICATION AGENCY

WARNING



If the information in these instructions is not followed exactly, a fire could result causing property damage, personal injury, or death.

- Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance.
- **Do not over-fire** - If appliance or chimney connector glows, you are over-firing. Over-firing will void your warranty.
- Comply with all minimum clearances to combustibles as specified. Failure to comply may cause house fire.

WARNING



HOT SURFACES!

Glass and other surfaces are hot during operation AND cool down.

Hot glass and appliance will cause burns.

- Do not touch glass until it is cooled
- Use leather gloves when reloading fuel
- NEVER allow children to touch glass
- Keep children away
- CAREFULLY SUPERVISE children in same room as appliance.
- Alert children and adults to hazards of high temperatures
- **High temperatures may ignite clothing or other flammable materials.**
- Keep clothing, furniture, draperies and other flammable materials away.

WARNING



Fire Risk.

For use with solid wood fuel only. Other fuels may over-fire and generate poisonous gases (i.e. carbon monoxide).

NOTE: To obtain a French translation of this manual, please contact your dealer or visit www.quadrafirer.com

REMARQUE : Pour obtenir une traduction française de ce manuel, s'il vous plaît contacter votre revendeur ou visitez www.quadrafirer.com



Safety Alert Key:

- **DANGER!** Indicates a hazardous situation which, if not avoided will result in death or serious injury.
- **WARNING!** Indicates a hazardous situation which, if not avoided may result in death or serious injury.
- **CAUTION!** Indicates a hazardous situation which, if not avoided, may result in minor or moderate injury.
- **NOTICE:** Indicates practices which may cause damage to the appliance or to property.

TABLE OF CONTENTS

1 Important Safety Information

A. Appliance Certification	3
B. BTU & Efficiency Specifications	3
C. Mobile Home Approved (USA only)	4
D. Glass Specifications	4
E. Non-Combustible Materials	4
F. Combustible Materials	4
G. Sleeping Room	4
H. California - Prop65	4

2 Getting Started

A. Design and Installation Considerations	5
B. Fire Safety	5
C. Negative Pressure	5
D. Tools And Supplies Needed	6
E. Inspection of Appliance and Components	6
F. Removal of Appliance from Shipping Materials	6
G. Install Checklist	7

3 Dimensions and Clearances

A. Appliance Dimensions	8
B. Hearth Protection Requirements	11
➔ C. Clearances to Combustibles	12

4 Chimney Systems

A. Locating Your Appliance & Chimney	13
B. Chimney Termination Requirements	14
C. 2-10-3 Rule	14
D. Chimney Height / Rise and Run	15
E. Venting Components	15
F. Chimney Systems	15
G. Installing Chimney Components	17
H. Proper Draft	17

5 Appliance Set-Up

A. Pedestal Assembly & ARS Installation	18
B. Access Cover Handle	20
C. Leg Kit & ARS Installation	20
D. Traditional Leg Installation	22
E. Door Handle Assembly	23
F. Outside Air Kit Installation	23
G. BKST-350 Blower Kit (Optional)	24
H. Adjusting The Blower Speed Control	24

6 Mobile Home Installation

7 Reference Materials

A. Service and Maintenance Log	26
B. Accessory List	27

➔ = Contains updated information

1

Important Safety Information**A. Appliance Certification**

Model:	5700 Step Top ACC Wood Appliance
Laboratory:	OMNI Test Laboratories, Inc.
Report No:	0061WS092S
Type:	Listed Room Appliance, Solid Fuel Type
Standard:	UL1482-11 (R2015) and ULC S627-00 and (UM) 84-HUD

B. BTU & Efficiency Specifications

Emissions Certification Number:	0061WS092E
EPA Certification Number:	99-17
EPA Certified Emissions:	1.8 grams per hour
*LHV Tested Efficiency:	80.0%
**HHV Tested Efficiency:	74.0%
***EPA BTU Output:	12,800 to 38,300 / hr
****Peak BTU/Hour Output:	72,100
Vent Size:	6 inches
Firebox Size:	2.92 cubic feet
Recommended Log Length:	22 inches
Fuel Orientation:	Front-to-Back
Fuel	Seasoned Cordwood (20% moisture)

*Weighted average LHV (Low Heating Value) efficiency using Douglas Fir dimensional lumber and data collected during EPA emission tests. LHV assumes the moisture is already in a vapor state so there is no loss in energy to vaporize.

**Weighted average HHV (High Heating Value) efficiency using Douglas Fir dimensional lumber and data collected during EPA emission tests. HHV includes the energy required to vaporize the water in the fuel.

***A range of BTU outputs calculated using HHV Efficiency and the burn rates from the EPA tests, using Douglas Fir dimensional lumber.

****A peak BTU out of the appliance calculated using the maximum first hour burn rate from the High EPA Test and BTU content of seasoned cordwood (8600) times the efficiency.

This 5700 Step Top is Certified to comply with 2020 crib wood particulate emission standards.



This wood appliance needs periodic inspection and repair for proper operation. Consult the owner's manual for further information. It is against federal regulations to operate this wood heater in a manner inconsistent with the operating instructions in the owner's manual.

NOTE: This installation must conform with local codes. In the absence of local codes you must comply with the UL1482-07, (UM) 84-HUD and NPFA211 in the U.S.A. and the ULC S627-00 and CAN/CSA-B365 Installation Codes in Canada. NOT APPROVED FOR MOBILE HOME INSTALLATIONS IN CANADA!

C. Mobile Home Approved (USA only)

- This appliance is approved for mobile home installations; when not installed in a sleeping room and when an outside combustion air inlet is provided.
- The structural integrity of the mobile home floor, ceiling, and walls must be maintained.
- The appliance must be properly grounded to the frame of the mobile home with #8 copper ground wire.
- Outside Air Kit, part OAK-ACC must be installed in a mobile home installation.

D. Glass Specifications

This appliance is equipped with 5mm ceramic glass. Replace glass only with 5mm ceramic glass. Please contact your dealer for replacement glass.

E. Non-Combustible Materials

Material which will not ignite and burn, composed of any combination of the following:

- Steel
- Plaster
- Brick
- Iron
- Concrete
- Tile
- Glass
- Slate

Materials reported as passing ASTM E 136, Standard Test Method for Behavior of Metals, in a Vertical Tube Furnace of 750° C.

F. Combustible Materials

Material made of/or surfaced with any of the following materials:


- Wood
- Compressed Paper
- Plant Fibers
- Plastic
- Plywood/OSB
- Sheet Rock (drywall)

Any material that can ignite and burn: flame proofed or not, plastered or non-plastered.

G. Sleeping Room

When installed in a sleeping room it is recommended that a smoke and/or CO alarm be installed in the bedroom. The size of the room must be at least 50ft³ per 1,000 Btu/hr stove input, if the stove exceeds the room size, out air must be installed.

H. California - Prop65



WARNING

Fire Risk

Hearth & Home Technologies disclaims any responsibility for, and the warranty will be voided by, the following actions:



- Installation and use of any damaged appliance.
- Modification of the appliance.
- Installation other than as instructed by Hearth & Home Technologies.
- Installation and/or use of any component part not approved by Hearth & Home Technologies.
- Operating appliance without fully assembling all components.
- Operating appliance without legs attached (if supplied with appliance).
- Do NOT Over fire - If appliance or chimney connector glows, you are over firing.

Any such action that may cause a fire hazard.

Improper installation, adjustment, alteration, service or maintenance can cause injury or property damage.

For assistance or additional information, consult a qualified installer, service agency or your dealer.

NOTE: Hearth & Home Technologies, manufacturer of this appliance, reserves the right to alter its products, their specifications and/or price without notice.

Hearth & Home Technologies WILL NOT warranty appliances that exhibit evidence of over-firing. Evidence of over-firing includes, but is not limited to:

- Warped air tube
- Deteriorated refractory brick retainers
- Deteriorated baffle and other interior components

2 Getting Started

A. Design and Installation Considerations

Consideration must be given to:

- Safety
- Convenience
- Traffic flow
- Chimney and chimney connector required

It is a good idea to plan your installation on paper, using exact measurements for clearances and floor protection, before actually beginning the installation. If you are not using an existing chimney, place the appliance where there will be a clear passage for a factory-built listed chimney through the ceiling and roof.

We recommend that a qualified building inspector and your insurance company representative review your plans before and after installation.

If this appliance is in an area where children may be near it is recommended that you purchase a decorative barrier to go in front of the appliance. Remember to always keep children away while it is operating and do not let anyone operate this appliance unless they are familiar with these operating instructions.



CAUTION

Check building codes prior to installation.

- Installation MUST comply with local, regional, state and national codes and regulations.
- Consult insurance carrier, local building, fire officials or authorities having jurisdiction about restrictions, installation inspection, and permits.



WARNING

Asphyxiation Risk.



- Do NOT connect this appliance to a chimney flue servicing another appliance.
- Do NOT connect to any air distribution duct or system.

May allow flue gases to enter the house.

NOTICE: Hearth & Home Technologies assumes no responsibility for the improper performance of the appliance system caused by:

- Inadequate draft due to environmental conditions
- Down drafts
- Tight sealing construction of the structure
- Mechanical exhausting devices
- Over drafting caused by excessive chimney heights
- Ideal performance is with height of chimney between 14-16 feet (4.26-4.88m) measured from the base of the appliance.

B. Fire Safety

To provide reasonable fire safety, the following should be given serious consideration:

1. Install at least one smoke detector on each floor of your home to ensure your safety. They should be located away from the heating appliance and close to the sleeping areas. Follow the smoke detector manufacturer's placement and installation instructions, and be sure to maintain regularly.
2. A conveniently located Class A fire extinguisher to contend with small fires resulting from burning embers.
3. A CO detector should be installed in the room with the appliance.
4. A practiced evacuation plan, consisting of at least two escape routes.
5. A plan to deal with a chimney fire as follows:
In the event of a chimney fire:
 - a. Evacuate the house immediately
 - b. Notify fire department.

C. Negative Pressure



WARNING

Asphyxiation Risk.



- Negative pressure can cause spillage of combustion fumes, soot and carbon monoxide.
- Appliance needs to draft properly for safety.

Negative pressure results from the imbalance of air available for the appliance to operate properly. It can be strongest in lower levels of the house.

Causes include:

- Exhaust fans (kitchen, bath, etc.)
- Range hoods
- Combustion air requirements for furnaces, water appliances and other combustion appliances
- Clothes dryers
- Location of return-air vents to furnace or air conditioning
- Imbalances of the HVAC air handling system
- Upper level air leaks such as:
 - Recessed lighting
 - Attic hatch
 - Duct leaks

To minimize the effects of negative air pressure:

- Install optional outside air kit with the intake facing prevailing winds during the heating season
- Ensure adequate outdoor air for all combustion appliances and exhaust equipment
- Ensure furnace and air conditioning return vents are not located in the immediate vicinity of the appliance
- Avoid installing the appliance near doors, walkways or small isolated spaces
- Recessed lighting should be a "sealed can" design
- Attic hatches weather stripped or sealed
- Attic mounted duct work and air handler joints and seams taped or sealed
- Basement installations should be avoided

WARNING

Fire Risk.
Hearth & Home Technologies disclaims any responsibility for, and the warranty will be voided by, the following actions:

- Installation and use of any damaged appliance.
- Modification of the appliance.
- Installation other than as instructed by Hearth & Home Technologies.
- Installation and/or use of any component part not approved by Hearth & Home Technologies.
- Operating appliance without fully assembling all components.
- Operating appliance without legs attached (if supplied with appliance).
- Do NOT Over fire - If appliance or chimney connector glows, you are over firing.
Any such action that may cause a fire hazard.

D. Tools And Supplies Needed

Before beginning the installation be sure the following tools and building supplies are available:

Reciprocating saw	Flat blade screwdriver
Framing material	Electric drill and bits
Pliers	Plumb line
High temp caulking material	Safety glasses
Hammer	Level
Gloves	Tape measure
Phillips screwdriver	Misc. screws and nails
Framing square	7/16 socket or wrench
1/2-3/4 in. length, #6 or #8 self-drilling screws	

F. Removal of Appliance from Shipping Materials

1. Remove box and 2x4 structural boards being careful not to damage product.
2. Using 7/16 socket or wrench remove two bolted bands that are located on each side of the appliance.
3. Carefully pull appliance off of pallet and lay appliance on back side on a protective surface.
4. Reference Section 5 **Appliance Set-Up** on page 18 for ash removal system, leg or pedestal attachment options.




Figure 6.1

WARNING

Fire Risk.
Inspect appliance and components for damage. Damaged parts may impair safe operation.

- Do NOT install damaged components.
- Do NOT install incomplete components.
- Do NOT install substitute components.

Report damaged parts to dealer.

E. Inspection of Appliance and Components

- Remove appliance and components from packaging and inspect for damage.
- Report to your dealer any parts damaged in shipment.
- **Read all the instructions before starting the installation. Follow these instructions carefully during the installation to ensure maximum safety and benefit.**

G. Install Checklist

ATTENTION INSTALLER: Follow this Standard Work Checklist

This standard work checklist is to be used by the installer in conjunction with, not instead of, the instructions contained in this installation manual.

Customer: _____
Date Installed: _____
Lot / Address: _____
Location of Appliance: _____
Installer: _____
Dealer / Distributor Phone #: _____
Serial #: _____
Model: _____

WARNING! Risk of Fire or Explosion! Failure to install appliance according to these instructions can lead to a fire or explosion.

Appliance Install

Verified clearances to combustibles.
Appliance is leveled and connector is secured to appliance.
Hearth extension size/height decided.
Outside air kit installed.
Floor protection requirements have been met.
If appliance is connected to a masonry chimney, it should be cleaned and inspected by a professional. If installed to a factory built metal chimney, the chimney must be installed according to the manufacturer's instructions and clearances.

YES IF NO, WHY?

Chimney

Chimney configuration complies with diagrams.
Chimney installed, locked and secured in place with proper clearance.
Chimney meets recommended height requirements (14-16 feet).
Roof flashing installed and sealed.
Terminations installed and sealed.

Clearances

Combustible materials not installed in non-combustible areas.
Verified all clearances meet installation manual requirements.
Mantels and wall projections comply with installation manual requirements.
Protective hearth strips and hearth extension installed per manual requirements.

Appliance Setup

All packaging and protective materials removed.
Firebrick, baffle and ceramic blanket installed correctly.
All labels have been removed from the door.
All packaging materials are removed from inside/under the appliance.
Manual bag and all of its contents are removed from inside/under the appliance and given to the party responsible for use and operation.

Hearth & Home Technologies recommends the following:

- Photographing the installation and copying this checklist for your file.
- That this checklist remain visible at all times on the appliance until the installation is complete.

Comments: Further description of the issues, who is responsible (Installer/Builder/Other Trades, etc.) and corrective action needed:
Comments communicated to party responsible _____ by _____ on _____

(Builder / Gen. Contractor)

(Installer)

(Date)

3 Dimensions and Clearances

A. Appliance Dimensions

NOTE: Flue Collar size is 6 inch (152mm) diameter (ID)

5700 Step Top Pedestal Model





Figure 8.1 - Front View

Figure 8.3 - Top View




Figure 8.2 - Side View

5700 Step Top Queen Anne Leg Model





Figure 9.1 - Front View

Figure 9.3 - Top View




Figure 9.2 - Side View

5700 Step Top Traditional Leg Model






Figure 10.1 - Front View

Figure 10.3 Top View



5700 Step Top shown with optional BKST-350 fan




Figure 10.2 - Side View

Figure 10.4 - Side view with TRAD-LEG and BKST-350 blower option


B. Hearth Protection Requirements

EMBER PROTECTION: It is necessary to install a Type I floor protector.

Floor protector must be non-combustible material, extending beneath appliance with a minimum of 16 inches (406mm) in front of glass and 8 inches (203mm) to both sides of the fuel loading door. Open the door and measure 8 inches (203mm) from the side edge of the opening in the face of the appliance. *See exception.

In Canada, similar floor protection must be provided 18 inches (457mm) in front and 8 inches (203mm) from the sides and rear of the appliance unless the hearth pad is placed against the wall (Figure 11.2). Then the clearance may be reduced using double wall pipe and the **Clearance to Combustibles** table listed on page 12.

*Exception: Non-combustible floor protector must extend beneath the flue pipe when installed with horizontal venting and extend 2 inches (51mm) beyond each side; See Figure 11.2



USA, minimum flat wall hearth pad dimensions




Figure 11.1

***Canada, flat wall hearth pad dimensions with double wall horizontal venting**




Figure 11.2

**this dimension will vary depending installation.

Corner hearth pad dimensions with single wall pipe




Figure 11.3




Figure 11.5

Corner hearth pad dimensions with double wall pipe




Figure 11.4





Figure 11.6

C. Clearances to Combustibles

→ Note: If mantle clearance specifications are not listed or to reduce mantle clearances you can follow NFPA211 regulations to assure safe installation of this product. Please consult with your local building inspector before attempting any clearance reductions.

MINIMUM CLEARANCES TO COMBUSTIBLE MATERIALS in inches (Millimeters) Note: A, C, and F Dimensions are to the center of the flue collar							
57ST-ACC-C							
INSTALLATION: FULL VERTICAL							
	A	B	C	D	E	F	G
SINGLE WALL PIPE	15-3/4 (400)	9 (229)	25-1/2 (648)	12 (305)	4 (102)	16-7/8 (429)	49 (1245)
DOUBLE WALL PIPE	13-3/4 (349)	7 (178)	25-1/2 (648)	12 (305)	1 (25)	13-7/8 (352)	49 (1245)
INSTALLATION: HORIZONTAL WITH MINIMUM 2 FOOT VERTICAL OFF APPLIANCE TOP							
SINGLE WALL PIPE	16-3/4 (318)	10 (191)	25-1/2 (648)	12 (305)	4 (102)	16-7/8 (429)	49 (1245)
DOUBLE WALL PIPE	13-3/4 (349)	7 (178)	25-1/2 (648)	12 (305)	1 (25)	13-7/8 (352)	49 (1245)
INSTALLATION: 90 DEGREE ELBOW OFF TOP OF STOVE THROUGH BACKWALL							
SINGLE WALL PIPE	16-3/4 (318)	10 (191)	25-1/2 (648)	12 (305)	4 (102)	16-7/8 (429)	49 (1245)
INSTALLATION: ALCOVE							
DOUBLE WALL PIPE	13-3/4 (349)	7 (178)	25-1/2 (648)	12 (305)	N/A	N/A	49 (1245)
For alcove only: Six inch diameter listed Double wall air insulated connector pipe with UL103 HT listed factory built Class A chimney or masonry chimney. Maximum depth of Alcove shall be no more than 48 inches (1219mm) and the referenced alcove clearances. Canada must comply with CAN/ULC-S269 M87 for the 650° factory built chimney.							

Table 12.1



WARNING



Fire Risk.

- Comply with all minimum clearances to combustibles as specified.
- Failure to comply may cause house fire.

4 Chimney Systems

A. Locating Your Appliance & Chimney

Location of the appliance and chimney will affect performance. As shown in **Figure 13.1** the chimney should:

- Install through the warm space enclosed by the building envelope. This helps to produce more draft, especially during lighting and die down of the fire.
- Penetrate the highest part of the roof. This minimizes the affects of wind turbulence and down drafts.

- Consider the appliance location in order to avoid floor and ceiling attic joists and rafters.
- Locate termination cap away from trees, adjacent structures, uneven roof lines and other obstructions. Your local dealer is the expert in your geographic area and can usually make suggestions or discover solutions that will easily correct your flue problem.




Figure 13.1

B. Chimney Termination Requirements

Follow manufacturer's instructions for clearance, securing flashing and terminating the chimney (**Figure 14.1 & 14.2**).

- Must have an approved and Listed cap
- Must not be located where it will become plugged by snow or other material
- Must terminate at least 3 feet (91cm) above the roof and at least 2 feet (61cm) above any portion of the roof within 10 feet (305cm).
- Must be located away from trees or other structures

NOTICE: Locating the appliance in a basement or in a location of considerable air movement can cause intermittent smoke spillage from appliance. Do not locate appliance near

- Frequently open doors
- Central heat outlets or returns

NOTICE:

- Chimney performance may vary.
- Trees, buildings, roof lines and wind conditions affect performance.
- Chimney height may need adjustment if smoking or overdraft occurs.

C. 2-10-3 Rule

These are safety requirements and are not meant to assure proper flue draft.

This appliance is made with a 6 inch (152mm) diameter chimney connector as the flue collar on the appliance.

- Changing the diameter of the chimney can affect draft and cause poor performance.
- It is not recommended to use offsets and elbows at altitudes above 4000 feet above sea level and or when there are other factors that affect flue draft.




Figure 14.1




Figure 14.2

D. Chimney Height / Rise and Run

This product was designed for and tested on a 6 inch (152mm) chimney, 14 to 16 feet (420-480cm) high, (includes appliance height) measured from the base of the appliance. The further your stack height or diameter varies from this configuration, the greater the likelihood it may affect performance.

Chimney height may need to be increased by 2 - 3% per each 1000 feet above sea level. It is not recommended to use offsets or elbows at altitudes above 4000 feet above sea level or when there are other factors that affect flue draft.



WARNING



Fire Risk. Inspection of Chimney:

- Chimney must be in good condition.
- Meets minimum standard of NFPA 211
- Factory-built chimney must be 6 inch (152mm) UL103 HT.



WARNING



Asphyxiation Risk.

- DO NOT CONNECT THIS Appliance TO A CHIMNEY FLUE SERVICING ANOTHER APPLIANCE.
- DO NOT CONNECT TO ANY AIR DISTRIBUTION DUCT OR SYSTEM.
May allow flue gases to enter the house.



WARNING

Improper installation, adjustment, alteration, service or maintenance can cause injury or property damage. Refer to the owner's information manual provided with this appliance. For assistance or additional information consult a qualified installer, service agency or your dealer.

E. Venting Components

Chimney Connector:

It is also known as flue pipe or appliance pipe. The chimney connector joins the appliance to the chimney. It must be a 6 inch (152mm) minimum diameter 24 gauge mild steel black or 26 gauge blued steel, or an approved air-insulated double wall venting pipe.

Thimble:

A manufactured or site-constructed device installed in combustible walls through which the chimney connector passes to the chimney. It is intended to keep the walls from igniting. Site constructed thimbles must meet NFPA 211 Standards. Prefabricated must be suitable for use with selected chimney and meet UL103 Type HT Standards. Follow instructions provided by the manufacturer for manufactured thimbles for masonry chimney and prefabricated chimneys.

Chimney:

The chimney can be new or existing, masonry or prefabricated and must meet the following minimum requirements and as specified in Section 4F.




Figure 15.1 - Prefabricated Exterior Chimney

F. Chimney Systems

Prefabricated Metal Chimney

- Must be minimum 6 inch (152mm) diameter (ID) high temperature chimney listed to UL 103 HT (2100°F) or ULC S629M.
- Must use components required by the manufacturer for installation.
- Must maintain clearances required by the manufacturer for installation.
- Refer to manufacturers instructions for installation.

NOTE: In Canada when using a factory-built chimney it must be safety listed, **Type UL103 HT (2100°F) CLASS "A"** or conforming to **CAN/ULC-S629M, STANDARD FOR 650°C FACTORY-BUILT CHIMNEYS.**

Thimble

Site constructed for masonry chimney installation:

Components

A minimum length of 12 inches [305mm] (longer for thicker walls) of solid insulated factory-built chimney length constructed to UL 103 Type HT 6 inch (152mm) inside diameter. Chimney needs to extend a minimum of 2 inches (51mm) from the interior wall and a minimum of 1 inch (25mm) from the exterior wall.

Wall spacer, trim collar and wall band to fit solid pack chimney selected.

Minimum 8 inch (203mm) diameter clay liner section (if not already present in chimney) and refractory mortar.

When jurisdiction requires install approved chimney liner in masonry chimney.

Air Clearances

- Masonry chimney clearance must meet NFPA 211 minimum requirement of 2 inches (51mm) to sheet metal supports and combustibles.
- Minimum of 1 inch (25mm) clearance around the chimney connector.
- Top of wall opening is a minimum of 13-1/2 inches (343mm) from ceiling or 4-1/2 inches (114mm) below minimum clearance specified by chimney connector manufacturer. NFPA 211 minimum vertical clearance of 18 inches (457mm) from chimney connector and ceiling or minimum recommended by chimney connector manufacturer (**Figure 16.2**).

Instructions:

1. Open inside wall at proper height for the chimney connector to entry the masonry chimney (**Figure 18.2**).
2. Entry hole to masonry chimney must be lined with an 8 inch (203mm) minimum diameter clay liner, or equivalent, secured with refractory mortar.
3. Construct a 17 inch x 17 inch (432mm x 432mm) outside dimension frame from 2 x 2 framing lumber to fit into wall opening. Inside opening of frame should be no less than 14 inch x 14 inch (356mm x 356mm) (**Figure 16.2**).
4. Attach the wall spacer to the chimney side of the frame.
5. Nail the frame into the wall opening. The spacer should be on the chimney side.
6. Insert the section of the solid insulated chimney into the outer wall of the masonry chimney.
7. Tightly secure the length of the solid insulated chimney with the wall band to the masonry chimney.
8. Insert a section of chimney connector into the chimney. Make sure it does not protrude past the edge of the clay chimney liner inside the chimney.
9. Seal the end of the chimney connector to the clay liner with refractory mortar.
10. Install trim collar around the sold pack chimney section.




Figure 16.1 - Prefabricated Interior Chimney




Figure 16.2

Solid Pack Chimney with Metal Supports as a Thimble




Figure 17.1

WARNING



Fire Risk.

Do NOT pack insulation or other combustibles between spacers.

- ALWAYS maintain specified clearances around venting and spacers.
- Install spacers as specified.

Failure to keep insulation or other material away from vent pipe may cause fire.

Solid Pack Chimney with Metal Supports as a Thimble (Cont'd)




Figure 17.2

G. Installing Chimney Components

Chimney Connector

Single wall connector or appliance pipe.

This must be at least 24 gauge mild steel or 26 gauge blue steel. The sections must be attached to the appliance and to each other with the crimped (male) end pointing toward the appliance. All joints, including the connection at the flue collar, should be secured with 3 sheet metal screws. Make sure to follow the minimum clearances to combustibles. Where passage through the wall, or partition of combustible construction is desired in Canada, the installation shall conform to CAN/CSA-B365.

Factory-built listed chimney connector (vented).

A listed connector (vented) must be used when installing this appliance in a mobile home. The listed connectors must conform to each other to ensure a proper fit and seal.




Figure 17.3 - Chimney Connector (Appliance Pipe)

WARNING



Fire Risk.

Follow Chimney Connector Manufacturer's Instructions for Proper Installation.

ONLY use connector:

- Within the room, between appliance and ceiling or wall.

Connector shall NOT pass through:

- Attic or roof space
- Closet or similar concealed space
- Floor or ceiling

Maintain minimum clearances to combustibles

H. Proper Draft

To be sure that your Quadra-Fire insert burns properly, the chimney draft (static pressure) should be approximately -0.10 inches water column (W.C.) during a high burn and -0.04 inches W.C. during a low burn, measured 6 inches (152mm) above the top of the insert after one hour of operation at each burn setting.

5 Appliance Set-Up

A. Pedestal Assembly & ARS Installation

NOTE: The Ash Removal System, must be installed first before installing the pedestal.

Begin installing the ARS System:

1. Remove leg mount brackets packaged inside of firebox and discard.
2. Remove the 2 bricks in the front most part of the firebox (**Figure 18.1**).
3. Lay appliance on its back on a protective pad or pallet (**Figure 18.2**).
4. Remove heat shield by loosening the four bolts using 3/8 open end wrench (**Figure 18.2**).
5. Remove 8 nuts that hold the cover plate on using a 7/16 socket wrench; discard cover plate (**Figure 18.2**).
6. Remove knock out from bottom of firebox by using a hammer (**Figure 18.2**).



WARNING!

CHECK GASKET!

- Verify that the gasket is present and that the glossy side is away from firebox bottom.
- It is important that the gasket is put in correctly for sealing capabilities.

7. Install ash door assembly by sliding the rod at an angle into the slot on the left side (**Figure 18.3**).
8. Slide the ash door over the 8 screws protruding from the bottom of the appliance. Secure with nuts and washers using 7/16 socket wrench (**Figure 18.3**).
9. Install ARS latch by sliding latch assembly over 2 threaded studs protruding from the bottom on the left hand side of the appliance. Secure by using two nuts use 7/16 socket wrench (**Figure 19.1 on page 19**).
10. Add knob to handle rod (**Figure 19.2 on page 19**).
11. Using two bolts and two flange nuts to secure ARS channel using 3/8 open end wrench and 7/16 socket wrench (**Figure 19.3 on page 19**).




WARNING

Do NOT operate before fully assembling components.

Burning your appliance without a pedestal or leg kit attached:

- Will void your warranty.
- May result in property damage or personal injury.



Remove 3 bricks for installation and then re-install

Figure 18.1




Figure 18.2




Figure 18.3




Figure 19.1




Figure 19.4




Figure 19.2




Figure 19.3

Ped Kit and Ash Removal System (Cont'd) Installing Ped Kit

1. Follow **Begin installing the ARS System** instructions provided on page 18
2. Slide pedestal over adapter on bottom of appliance and secure with bolts from heat shield (**Figure 20.1 on page 20**).
3. Install ARS Spacer on left hand side with one bolt using Phillips head screwdriver (**Figure 19.4**).
4. Carefully stand appliance up and place in desired location.

Finishing the ARS Installation

1. Replace front bricks that were removed in step 1 of **Begin installing the ARS System** on page 18 (**Figure 20.2 on page 20**).
2. Install the ash drawer to pedestal base.
3. Install ARS access cover inside of ARS Channel that is located inside the firebox (**Figure 20.2 on page 20**).



CAUTION!

CHECK BAFFLE BOARDS & CERAMIC BLANKET!

- Verify that the baffle boards and ceramic blanket are in their proper locations.
- It is important that the baffle boards and ceramic blanket are correctly installed for proper burn safety.

NOTE: If installing a floor installation of an outside air kit on a Step Top model with a pedestal assembly you must attach the enclosed cover plate with 4 screws to the back of the appliance. Other wise you may discard this piece (**Figure 20.3 on page 20**).




Figure 20.1




Figure 20.2




Figure 20.3

B. Access Cover Handle

Insert Access Cover Handle handle into slot of ARS Cover to remove ARS Cover for cleaning ash out of firebox (Figure 20.4).




Figure 20.4

C. Leg Kit & ARS Installation

NOTE: The Ash Removal System, must be installed first before installing the legs.

Begin installing the ARS System.

1. Remove leg mount brackets packaged inside of firebox and set aside.
2. Remove the 2 bricks in the front most part of the firebox (Figure 18.1 on page 18).
3. Lay appliance on its back on a protective pad or pallet (Figure 18.2 on page 18).
4. Remove heat shield by loosening the four bolts using 3/8 open end wrench (Figure 18.2 on page 18).
5. Remove 8 nuts that hold the cover plate on using a 7/16 socket wrench; discard cover plate (Figure 18.2 on page 18).



WARNING!

CHECK GASKET!

- Verify that the gasket is present and that the glossy side is away from firebox bottom.
- It is important that the gasket is put in correctly for sealing capabilities.

6. Remove knock out from bottom of firebox by using a hammer (Figure 18.2 on page 18).
7. Install ash door assembly by sliding the rod at an angle into the slot on the left side (Figure 18.3 on page 18).
8. Slide the ash door over the 8 screws protruding from the bottom of the appliance. Secure with nuts and washers using 7/16 socket wrench (Figure 18.3 on page 18).
9. Install ARS latch by sliding latch assembly over 2 threaded studs protruding from the bottom on the left hand side of the appliance. Secure by using two nuts use 7/16 socket wrench (Figure 19.1 on page 19).
10. Add knob to handle rod (Figure 19.2 on page 19).
11. Use 2 bolts and two flange nuts to secure ARS channel using 3/8 open end wrench and 7/16 socket wrench (Figure 19.3 on page 19).

Installing Queen Anne Leg ARS Kit

1. Follow Beginning installing the ARS system instructions provided on page 18.
2. Install ARS Spacer on left hand side with one bolt using Phillips head screwdriver (**Figure 19.4 on page 19**).
3. Install leg brackets and ash drawer using four screws using Phillips head screwdriver.
 - a. Start bottom two bolts through ash drawer, leg brackets and into the bottom of the appliance (**Figure 21.1**).
 - b. Align top holes and repeat; secure all four bolts.
4. Install legs onto leg brackets making sure the legs are up against the bracket and secure with bolts and washers using a 3/8 open end wrench (**Figure 21.2**).
5. Install leveling bolts into 2 legs; these leveling legs should be in opposite corners (**Figure 21.2 and Figure 21.3**).
6. Carefully stand appliance up and place in desired location.
7. Use leveling bolts on legs to stabilize and level appliance (**Figure 21.3**).




Figure 21.1




Figure 21.2




Figure 21.3




Figure 21.4

D. Traditional Leg Installation

Installing your traditional legs to your appliance:

1. Remove leg brackets from inside of firebox of appliance.
2. Lay body of appliance on its back on a protective pad or pallet.
3. Remove four screws from bottom of appliance (**Figure 22.1**).
4. Install leg brackets to bottom of appliance using the four just removed screws in step 3.

NOTE: There is a right and a left of the leg brackets (**Figure 22.1**).

5. Install six screws to the bottom of the leg brackets (**Figure 22.1**).
6. Attach legs onto leg brackets and secure with bolts and washers.



CAUTION

Do **NOT** tilt the appliance on the cast iron legs.

- Tilting could lead to property damage.
- Lift the appliance upright and place it into position on the floor protector.

7. Carefully stand appliance up and place in desired location.
8. Thread Allen bolts through nuts until flush (**Figure 22.2**).
9. Slide Allen bolt/nut assemblies into slots of two of the legs with the nuts on the bottom (**Figure 22.3**).

NOTE: Legs with leveling bolts need to be on opposite sides of the appliance - one in the front and one in the back (**Figure 22.1**)

10. Use Allen wrench to adjust legs up and down to desired level (**Figure 22.4**).



CAUTION!

CHECK BAFFLE BOARDS & CERAMIC BLANKET!

- Verify that the baffle boards and ceramic blanket are in their proper locations.
- It is important that the baffle boards and ceramic blanket are correctly installed for proper burn safety.




Figure 22.2




Figure 22.3




Figure 22.1




Figure 22.4

E. Door Handle Assembly

Installation of Door Handle:

- Slide door handle shaft through hole on door.
- Add up to three 3/8 washers on the inside of the door.

NOTE: The quantity of washers added will change how the door seals. You may need to tear down the handle assembly a few times to gain the correct seal.

- Add square key to door handle shaft; may need to use a rubber mallet to ensure key sits firmly into groove of door handle shaft.
- Slide cast iron cam latch over door handle shaft and locking key.



CAUTION!

DO NOT over tighten locking nut; door handle needs to move smoothly!




Figure 23.1

F. Outside Air Kit Installation

A source of air (oxygen) is necessary in order for combustion to take place. Whatever combustion air is consumed by the fire must be replaced. Air is replaced via air leakage around windows and under doors. In homes that have tightly sealed doors and windows, an outside air source is needed. An optional Outside Air Kit is available.

Optional OAK-ACC includes:

Termination cap, (2) wire ties, flex adapter, and fasteners

Items Needed for Installation (not supplied):

- 4 inch flex aluminum pipe, or if using alternate material, then it shall be made from durable, non-combustible, heat resistant material up to 350°F. Cut the pipe to the required length for your installation.
- Phillips head screw driver
- Silicone sealant
- Drills and saws necessary for cutting holes through the wall or flooring in your home.

Installation Instructions:

- Remove all materials from packing box.

Floor & Rear Installation:

Cut a 4 inch (102mm) hole in outside wall or floor to accommodate outside air piping. Use 4 inch (102mm) aluminum metal flex or rigid piping to directly connect outside air to appliance intake. Use the supplied termination cap with a rodent screen. Seal between the wall (or floor) and the pipe with silicone to prevent moisture penetration.



WARNING

Asphyxiation Risk.

Length of outside air supply duct shall NOT exceed the length of the vertical height of the exhaust flue.

- Fire will not burn properly
- Smoke spillage occurs when door is opened due to air starvation




Figure 23.2



WARNING

Fire Risk. Asphyxiation Risk.

Do not draw outside combustion air from:

- Wall, floor or ceiling cavity
- Enclosed space such as an attic or garage
- Close proximity to exhaust vents or chimneys

Fumes or odor may result



WARNING

Asphyxiation Risk.

Outside air inlet must be located to prevent blockage from:

- Leaves
- Snow or ice
- Other debris

Block may cause combustion air starvation
Smoke spillage may set off alarms or irritate sensitive individuals.



G. BKST-350 Blower Kit (Optional)

1. Using #2 Phillips head screwdriver remove 4x screws from back plate of appliance; discard plate.
2. Locate 4x screws supplied with the blower kit.
3. Align mounting flange x4 of blower with screw holes on back of appliance.

NOTE: Blower wire should be positioned towards the bottom as shown in **Figure 24.1**

4. Using #2 Phillips head screwdriver and 4x screws secure blower to appliance (**Figure 24.1**).
5. Locate 1x screw supplied with blower kit.
6. Install junction box to the bottom right back of the appliance shown in **Figure 24.1** by inserting tab into slot and aligning flange; secure with 1x screw by using #2 Phillips head screwdriver.
7. Place the bracket containing the snap disc and magnet lower right side of the appliance as shown in **Figure 24.1**.
8. Install blower cord with rectangle plug into junction box.
9. Plug in power cord to electrical outlet.

See **Owner's Manual** for detailed operating instructions for the blower and snap disc.

H. Adjusting The Blower Speed Control

The blower speed control for this appliance is adjusted at the factory, and normally does not require further adjustment.

1. With the appliance plugged in, turn the speed control knob to slow (full clockwise).
2. With a small screwdriver, adjust the blower speed by turning the adjustment mechanism through the hole on the side of the speed control.
3. Adjust the speed so the blower runs slowly, but does not stop. Turn clockwise to slow the blower and counterclockwise to increase the speed.

NOTE: When the speed control is turned clockwise, it will click on to high speed. Continue to turn the speed control clockwise to decrease the speed. At full clockwise, the blower should blow gently, but should not stop.



CAUTION

Shock Risk.



- Do NOT remove grounding prong from plug.
- Route cord away from appliance.
- Do NOT route cord under or in front of appliance.
- Plug directly into properly grounded 3 prong receptacle.





Figure 24.1

6

Mobile Home Installation Approved for USA Installation only!

You must use a Quadra-Fire Outside Air Kit Part OAK-ACC; which is available from your dealer, for installation in a mobile home.

1. An outside air inlet must be provided for combustion.
2. Appliance must be secured to the mobile home structure by bolting the legs to the floor.
3. Appliance must be grounded with #8 solid copper grounding wire or equivalent and terminated at each end with N.E.C. approved grounding device.
4. Appliance must be installed with an approved UL103 HT ventilated chimney connector, UL103 HT chimney, and terminal cap with spark arrestor. Never use a single wall connector (appliance pipe) in a mobile home installation. Use only double-wall connector pipe, Dura-Vent DVL, Selkirk Metalbestos DS or Security DL double-wall connector or any listed double-wall connector pipe.
5. In Canada, this appliance must be connected to a 6 inch (152mm) factory-built chimney conforming to CAN/ULC-629M, STANDARD FOR FACTORY BUILT CHIMNEYS.
6. Follow the chimney and chimney connector manufacturer's instructions when installing the flue system for use in a mobile home.
7. Maintain clearance to combustibles.
8. Floor protection requirements must be followed precisely.
9. Use silicone to create an effective vapor barrier at the location where the chimney or other component penetrates to the exterior of the structure.

NOTE: Offsets from the vertical, not exceeding 45°, are allowed per Section 905(a) of the Uniform Mechanical Code (UMC). Offsets greater than 45° are considered horizontal and are also allowed, providing the horizontal run does not exceed 75% of the vertical height of the vent. Construction, clearance and termination must be in compliance with the UMC Table 9C. This installation must also comply with NFPA 211.

NOTE: Top sections of chimney must be removable to allow maximum clearance of 13.5 feet (411cm) from ground level for transportation purposes.

10. Burn seasoned cord wood only. Other types of fuels may generate poisonous gases (e.g., carbon monoxide).
11. If appliance burns poorly while an exhaust blower is on in home, (i.e., range hood), increase combustion air.
12. Installation shall be in accordance with the Manufacturers Home & Safety Standard (HUD) CFR 3280, Part 24.



CAUTION

THE STRUCTURAL INTEGRITY OF THE MOBILE HOME FLOOR, WALL AND CEILING/ROOF MUST BE MAINTAINED

Do NOT cut through:

- Floor joist, wall, studs or ceiling trusses.
- Any supporting material that would affect the structural integrity.



WARNING

Asphyxiation Risk.

NEVER INSTALL IN A SLEEPING ROOM.
Consumes oxygen in the room.



7

Reference Materials

A. Service and Maintenance Log

B. Accessory List



Service Parts

57ST-ACC-C

Beginning Manufacturing Date: Sept 2017
Ending Manufacturing Date: Active

IMPORTANT: THIS IS DATED INFORMATION. Parts must be ordered from a dealer or distributor. **Hearth and Home Technologies does not sell directly to consumers.** Provide model number and serial number when requesting service parts from your dealer or distributor.



**Stocked
at Depot**

QUADRA-FIRE®

NOTHING BURNS LIKE A QUAD

CONTACT INFORMATION

Hearth & Home Technologies
352 Mountain House Road
Halifax, PA 17032
Division of HNI INDUSTRIES

Please contact your Quadra-Fire dealer with any questions or concerns.
For the number of your nearest Quadra-Fire dealer
log onto www.quadrafirer.com



CAUTION



DO NOT DISCARD THIS MANUAL

- Important operating and maintenance instructions included.
- Read, understand and follow these instructions for safe installation and operation.
- Leave this manual with party responsible for use and operation of this appliance.



We recommend that you record the following pertinent information for your heating appliance.

Date purchased/installed:

Serial Number:

Location on appliance:

Dealership purchased from:

Dealer Phone: 1() -

Notes:

This product may be covered by one or more of the following patents: (United States) 5341794, 5263471, 6688302, 7216645, 7047962 or other U.S. and foreign patents pending.


HEARTH & HOME
technologies™

*Model: 57ST-ACC-C
Hearth and Home Technologies
1445 North Highway
Colville, WA 99114*

Appendix A

Revision History

Model: 57ST-ACC-C
Hearth and Home Technologies
 1445 North Highway
 Colville, WA 99114

Date	Project No.	Tech. & Evaluator	Report Sect.	Summary of Changes
6/30/2017	0061WS092E	Bruce Davis	--	Original report was generated.
1/26/21	0061WS092E Edition 001	Bruce Davis	--	Report revised for ADEC review.
11/10/21	0061WS092E Edition 002	Bruce Davis	1	CSA B415.1 information added to sampling procedure. Negative filter information added to individual run summaries. Firebox volume changed from 2.95 to 2.92, fuel loading density was changed in table 6 on page 10.
			3	Wood heater test fuel data changed to reflect 2.92 cubic foot firebox volume on pages 32, 44, 55, 66, 78, 90, 102, and 114. Train precision was added to pages 27, 39, 51, 62, 73, 85, 97, and 109.
			4	Equipment OMNI-00417 was added to equipment list on page 139. Vaneometer is used as a reference, if air movement is indicated prior to the test, or after the conclusion the Anemometer is used to verify air movement is less than specified by the test method.
			5	All manuals were replaced with updated versions.
			Appendix A	Revision history was added.
08/31/2022	0061WS092E Edition 003	Riley Tiegs Ken Morgan	1	CO Emissions g/hour column added pg. 9 and average.
			1	Pg 8 Uncorrected Emissions values added and footnote
			Preface	Edition 3 update
			3	Run 3 and Run 4 uncorrected results added pg. 52, pg. 64
			1	Dilution Tunnel Schematic added pg. 16