
Vented Gas Logs BEAUTIFUL STYLE. IMPRESSIVE HEAT.







VENTED GAS LOGS


Adding the beauty and warmth of fire to your existing masonry or wood burning fireplace is easier than ever with the vented gas logs from Majestic. Available in a range of sizes to suit your particular requirements, our vented gas logs are a great alternative installing a whole new fireplace.

Meticulous attention to detail makes the vented gas logs from Majestic look incredibly realistic and the glowing embers add to their warm ambiance. Vented gas logs from Majestic are the natural choice for your home.





VWF Split River Oak Refractory





WILD FLAME SERIES


- Up to 22,000 BTUs of radiant heat
- Factory assembled burner, damper clamp, lava rock, vermiculite, and rock wool embers
- Extra large ember bed and built-in accent burner
- Hidden control
- Factory leak tested, CSA design approved
- Limited lifetime warranty

DUZY SERIES

- Three log styles
- Up to 17,000 BTUs of radiant heat
- Manual or Millivolt Control with safety pilot
- Patented Natural Flame[™] stainless steel burner system with outstanding flame realism
- Clean burning design for both natural gas and liquid propane
- Factory leak tested and CSA approved
- Engineered design prevents heat stress to controls
- Unique 24/18" design fits the contour and shape of even the most narrow wood burning fireplaces
- Matchless piezo ignition for quick, easy lighting
- Limited lifetime warranty







OPTIONAL ACCESSORIES



See our Ambient Technologies[®] catalog for a complete line of remotes.



Metal insulated remote reciever cover.



Ember remote reciever cover



Cinders



Decorative fiber ember kit

Specifications CSA and RADCO Vented Gas Logs

| | (Wid | Fireplace Opening 1th x Height x Depth x Rear | Width) | C: BTU | SA J/Hr. | Heating | SA Capacity J/Hr | RAI BTU |)CO /Hr. | Heating | DCO Capacity J/Hr |
|--------------------------------|--------------------------------------|--|--------------------------------------|-----------|-------------|---------|------------------------|------------|-------------|---------|-------------------------|
| MODEL | Manual Control RADCO | Manual SPK Control RADCO | Millivolt Control CSA and RADCO | NG | LP | NG | LP | NG | LP | NG | LP |
| CLASSIC WILD FLAM | E SERIES | | | | | | | , | | ÷ | ÷ |
| VWF18MO Massive Oak | 22"W x 16"H x 13"D x 19"RW | 24"W x 16"H x 13 ½"D x 21"RW | 28"W x 16"H x 13 ½ "D x 25"RW | 60,000 | 60,000 | 14,000 | 14,000 | 80,000 | 60,000 | 18,000 | 14,000 |
| VWF24MO Massive Oak | 28"W x 16"H x 13"D x 25"RW | 30"W x 16"H x 13 ½ "D x 27"RW | 34"W x 16"H x 13 ½ "D x 31"RW | 70,000 | 60,000 | 16,000 | 14,000 | 90,000 | 60,000 | 20,000 | 14,000 |
| VWF30MO Massive Oak | 34"W x 16"H x 13 ½ "D x 31"RW | 36"W x 16"H x 13 ½ "D x 33"RW | 40"W x 16"H x 13 1⁄2"D x37"RW | 80,000 | 60,000 | 14,000 | 22,000 | 90,000 | 60,000 | 22,000 | 14,000 |
| VWF18AO American Oak | 24"W x 16"H x 16"D x 20"RW | 24"W x 16"H x 13 1⁄2"D x 21"RW | 28"W x 16"H x 13 1⁄2"D x 25"RW | 60,000 | 60,000 | 14,000 | 14,000 | 80,000 | 60,000 | 18,000 | 14,000 |
| VWF24AO American Oak | 26"W x 16"H x 13 ½ "D x 26"RW | 30"W x 16"H x 13 ½ "D x 27"RW | 34"W x 16"H x 13 ½ "D x 31"RW | 70,000 | 60,000 | 16,000 | 14,000 | 90,000 | 60,000 | 20,000 | 14,000 |
| VWF30AO American Oak | 34"W x 16"H x 13 ½ "D x 31"RW | 36"W x 16"H x 13 1⁄2"D x 33"RW | 40"W x 16"H x 13 1⁄2"D x37"RW | 80,000 | 60,000 | 14,000 | 22,000 | 90,000 | 60,000 | 22,000 | 14,000 |
| VWF18MOST Massive Oak See-Thru | 24"W x 16"H x 16"D x 20"RW | 24"W x 16"H x 16"D x 24"RW | 28"W x 16"H x 16"D x 28"RW | 60,000 | 60,000 | 14,000 | 14,000 | 80,000 | 60,000 | 14,000 | 18,000 |
| VWF24MOST Massive Oak See-Thru | 28"W x 16"H x 16"D x 26"RW | 30"W x 16"H x 16"D x 30"RW | 34"W x 16"H x 16"D x 34"RW | 70,000 | 60,000 | 16,000 | 14,000 | 90,000 | 60,000 | 20,000 | 14,000 |
| COLOSSAL WILD FLA | ME SERIES | | | | | | | | | | |
| VWF24/18SRO Split River Oak | 22"W x 16"H x 13"D x 19"RW | 24"W x 16"H x 13 ½ "D x 21"RW | 28"W x 16"H x 13 ½ "D x 25"RW | 60,000 | 60,000 | 14,000 | 14,000 | 80,000 | 60,000 | 18,000 | 14,000 |
| VWF30/24SRO Split River Oak | 28"W x 16"H x 13"D x 25"RW | 30"W x 16"H x 13 ½"D x 27"RW | 34"W x 16"H x 13 ½ "D x 31"RW | 70,000 | 60,000 | 16,000 | 14,000 | 90,000 | 60,000 | 20,000 | 14,000 |
| VWF36/30SRO Split River Oak | 34"W x 16"H x 13 1⁄2"D x 31"RW | 36"W x 16"H x 13 ½ "D x 33"RW | 40"W x 16"H x 13 1⁄2"D x37"RW | 80,000 | 60,000 | 14,000 | 22,000 | 90,000 | 60,000 | 22,000 | 14,000 |

Specifications CSA Vented Gas Logs

| | Fireplace Opening (Width x Height x Depth x Rear Width) | | | BTU | Heating Capacity | |
|--------------------|--|--------------------|--------------------------------------|--------|---------------------|---------|
| MODEL | Manual Control | Manual SPK Control | Millivolt Control | NG | LP | BTU/Hr. |
| DUZY SERIES | | | | | | |
| VDY24/18D2A Duzy 2 | 26"W x 16"H x 13 1⁄2"D x 17"RW | - | 26"W x 16"H x 13 ½ "D x 18"RW | 50,000 | 50,000 | 15,000 |
| VDY30D2A Duzy 2 | 32"W x 16"H x 13 1⁄2"D x 18"RW | - | 32"W x 16"H x 13 1⁄2"D x 24"RW | 65,000 | 65,000 | 17,000 |
| VDY24/18D3R Duzy 3 | 26"W x 16"H x 13 1⁄2"D x 17"RW | - | 26"W x 16"H x 13 1⁄2"D x 18"RW | 50,000 | 50,000 | 15,000 |
| VDY30D3R Duzy 3 | 32"W x 16"H x 13 1⁄2"D x 18"RW | - | 32"W x 16"H x 13 1⁄2"D x 24"RW | 65,000 | 65,000 | 17,000 |
| VDY24/18D5R Duzy 5 | 26"W x 16"H x 13 1⁄2"D x 17"RW | - | 26"W x 16"H x 13 1⁄2"D x 18"RW | 50,000 | 50,000 | 15,000 |
| VDY30D5R Duzy 5 | 32"W x 16"H x 13 1⁄2"D x 18"RW | - | 32"W x 16"H x 13 ½ "D x 24"RW | 65,000 | 65,000 | 17,000 |

*Individual results may vary and are dependent on the shape and design of your space, the amount and quality of insulation in your home, the outdoor temperature, and other factors.



YOUR STYLE. YOUR HOME. YOUR LIFE

A Brand of Vermont Castings Group 149 Cleveland Drive Paris, Kentucky 40361 www.majesticproducts.com





To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product, and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended, nor should they be used as a substitute, for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2015 Vermont Castings Group

Warning: Hot glass will cause burns. Do not touch glass until cooled. Never allow children to touch glass.

For more information about Vermont Castings Group and Majestic efficient and environmentally friendly products, please visit www.majesticproducts.com Ver.04 9508MAJ