

# & XLR PLUS

BALANCED FLUE GAS FIREPLACE



HEAT & GLO



# FUNDAMENTALLY MODERN

*XLR PLUS shown with tonic front in graphite, ceramic stones and reflective black porcelain liner.*



*XLR PLUS shown with tonic front in ebony and natural logs.*

## XLR PLUS

Warmth, ambiance and chic contemporary detail. An experience only the XLR Plus can provide. A linear design and long ribbon flame form a broad, hypnotic firescape. Several finishing options create a fundamentally modern look for any space while a standard fan circulates the heat.

Reap the benefits of form and function. Clean lines and elegant ambiance never go out of style.




TONIC FRONT

### TONIC FRONT FINISHES



### INTERIOR OPTIONS



### REFLECTIVE LINER OPTIONS

Create a mood so cool, it's hot. A reflective glass liner or black porcelain liner radiates the fire and intensifies the flame.

## XLR PLUS TECHNOLOGIES



### INTELLIFIRE PLUS IGNITION SYSTEM

An advanced intermittent pilot ignition system with memory settings and a programmable wireless RC300 remote control. IPI Plus constantly monitors ignition, ensures safe functioning and conserves up to \$10/month in energy costs.




### BALANCED FLUE TECHNOLOGY

Balance Flue fireplaces remove 100% of combustion exhaust and odors outside of the home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality.


## XLR PLUS SPECIFICATIONS

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	mJh INPUT	EFFICIENCY	FUEL TYPE/ IGNITION SYSTEM
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING				
XLR PLUS	1218	1270	959	1270	1006	1070	461	460	993 x 337	N - 27.4 B - 27.4	77%	Gas, IntelliFire Plus


LEFT SIDE VIEW




FRONT VIEW



RIGHT SIDE VIEW



TOP VIEW



Model	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
XLR PLUS	1218	1092	993	337	1006	90	174	1195	237	425	25	959	397	168	1060	55	152	435	461	657	248

Dimensions above are in millimeters. Reference dimensions only. We recommend measuring individual units at installation. NOTE: Combustible material should not be installed over the face. Make sure you do NOT cover the decorative door opening.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Pictures in this brochure are not a true representation of the fireplace and/or flames.

For complete information on this model, please contact us at:

**HEAT & GLO**

No one builds a better fire

[www.heatnglo.com](http://www.heatnglo.com)