





DESIGNED | to inspire

COSMO-I30
Gas Fireplace Insert



FRONTS



Standard Front (Black only)



Linear Front (Black only)



Halo Front (Black and Fog Gray)



(Graphite, Fog Gray, High Gloss Red, High Gloss Ebony)



Black

Graphite



FRONT FINISH OPTIONS - MARTINI




Lava



Fog Gray

Martini Front

MEDIA OPTIONS







Crystal Glass Amber Glass Cobalt Glass Black Glass



Fog Gray

White Glass Beads



Ebony

Black Glass Beads



Stones

Also available -Shown on cover Ceramic Fiber Stones - White




RC300 STANDARD MULTI-FUNCTION CONTROL

Controls the temperature of your room by turning the fireplace on and off when it reaches a set temperature.

- Manual thermostat or timer mode
- Celsius or Fahrenheit display
- Time and temperature display
- Flame adjustment
- Optional Child Lock function
- Audible ignition signal
- Includes wall bracket

COSMO-130 SPECIFICATIONS

MODEL	FRONT WIDTH		BACK WIDTH		FRONT HEIGHT		REAR HEIGHT		DEPTH			mJh	
	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING	GLASS SIZE	INPUT	
COSMO-I30AU	775	775	513	514	521	521	432	448	352	371	697 x 325	N	26.5



Dimensions above are in millimeters and for reference only. We recommend measuring individual units at installation. Assumes the use of 10 mm gyprock.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Photos in this brochure may vary in color and dimension [size] from the actual product.

COSMO-I30 FEATURES

- Balanced flue technology provides a sealed combustion chamber, maintaining indoor air quality
- Reflective black glass interior
- IntelliFire™ Plus ignition system provides fuel savings and easy operation
- 76% efficiency
- · Variable flame height and heat output
- Variable speed fan with auto on/off
- Dual 75mm flexible liners allow for easier retro-fit installation
- Multi-function remote provides temperature, flame height, fan speed and thermostat
- GSCS 20181 | AS4553:2008

INTELLIFIRE PLUS

The IntelliFire Plus Ignition System (IPI Plus) is an advanced intermittent pilot ignition system with memory settings, a programmable wireless control and an optional battery backup feature. IPI Plus constantly monitors ignition, ensures safe functioning and helps conserve energy costs.

CONVENIENT OPERATION

Operate the fireplace, adjust the flame height and view the current room temperature all from the comfort of your chair. To protect the little ones, each remote comes with a wall bracket should you wish to locate the remote out of reach, and also activate the optional child safety start for even more protection.

HEALTHY HEARTH

A completely sealed system, Heat & Glo balanced flue gas fireplaces draw 100% of combustion air from the outdoors and exhaust all combustion byproducts back outside, with no affect on indoor air quality. In addition, cold air drafts are eliminated and heat output is maximized. No electricity, power venting or fan are required to operate, eliminating the need for a conventional chimney, and allowing for installation in nearly any room of the home. TR technology, another Heat & Glo invention, allows for venting off the top or rear, providing even greater placement flexibility.

For complete information and valuable assistance on this model, please contact us at:



No one builds a better fire

A brand of Hearth & Home Technologies Inc

Fireplace glass and other surfaces get extremely HOT and can cause severe burns if touched. Do no remove the protective safety screen from the front of the glass. Keep a safe distance away. To learn more visit www.heatnglo.com/fireplacesafety.