

DESIGNED | to inspire

WOOD STOVES





CURVE

This sleek wood stove creates captivating fires and an elegant design statement. Advanced clean burn technology provides eco-friendly heating, while a slender profile offers versatile placement options. Personalize your Curve with a full glass viewing door, and either a stainless steel or black handle.

Curve 300G shown above with optional black handle.



RADIUS

Create warming, contemporary ambiance. The Radius provides artistic flames behind a modern Scandinavian design. Innovative technology helps the sophisticated wood stove achieve 84% efficiency—delivering more heat with less wood. Finish your look with stainless steel accents or panoramic viewing.

Radius 100 shown above.

CURVE MODELS

Four Curve models are available. All offer the same, efficient burn performance and smooth styling.

- Curve 300S offers dual side viewing windows and a steel door
- Curve 300G offers dual side viewing windows and a glass door
- Curve 100S has a full front viewing panel with a steel door
- Curve 100G has a full front viewing panel with a glass door

RADIUS MODELS

Two Radius models are available. Both offer the same, sharp look and high-efficiency performance

- Radius 300 offers views of the fire from 3 sides
- Radius 100 has one large full view glass window



Curve 100S



Curve 100G



Curve 300S



Curve 300G



Radius 100



Radius 300

CURVE FEATURES

- Smooth matte black finish
- · Upright design and slim footprint
- 74% efficiency
- Coaxial flue capable
- Tested and approved to NS3058, NS3059 and EN 13240

OPTIONS

- Full glass viewing door
- Stainless steel or matte black handle
- Cabinet front door kit (100 models only)

RADIUS FEATURES

- Smooth matte black finish
- Compact footprint
- 84% efficiency
- Coaxial flue capable
- Tested and approved to NS3058, NS3059 and EN 13240

OPTIONS

- Stainless steel or matte black handle
- Cabinet door kit

RADIUS





VIEWING DOORS

Curve 100S





















CURVE SPECIFICATIONS

| MODEL | WIDTH | HEIGHT | DEPTH | EFFICIENCY | kWh OUTPUT |
|-----------|-------|--------|-------|------------|------------|
| CURVE 100 | 508 | 1186 | 364 | 74% | 8.7 |
| CURVE 300 | 508 | 1186 | 364 | 74% | 8.7 |



RADIUS SPECIFICATIONS

| MODEL | WIDTH | HEIGHT | DEPTH | EFFICIENCY | kWh OUTPUT |
|------------|-------|--------|-------|------------|------------|
| RADIUS 100 | 463 | 1168 | 361 | 84 | 6.2 |
| RADIUS 300 | 463 | 1168 | 361 | 84 | 6.2 |



Reference dimensions only. Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Photos in this brochure may vary in color and dimension [size] from the actual product.

For complete information on this model, please contact us at:



No one builds a better fire