

DESIGNED | to inspire

MODERN COLLECTION

Direct Vent Gas Fireplaces









HEAT&GLO.

MODERN COLLECTION The beauty of form. The brilliance of function.

The Heat & Glo Modern Collection is a brilliant blend of contemporary design and superior technology. It's a powerful combination—and a tribute to the innovation and inspiration behind the Heat & Glo brand.

Each fireplace in this elite selection offers an integrated whole hearth system to match any home or office. Stunning style and a convenient gas platform provide the best of both worlds, evident in every model.

Deliver a bold design statement—through a functional focal point. Let the Modern Collection provide the power of panache.





ELEVATED SOPHISTICATION

The Solaris is ideal for residential and commercial applications. And, the Solaris can go where other fireplaces cannot; any 2" x 6" studded wall is fair game.


Solaris 36-ST shown with black base, ebony top and bottom panels and gloss white side panels.



SAVOR TWO SIDES

The 33" diameter of the Solaris is easily incorporated into any room. One side is installed with a clean ring of trim. The other side can be outfitted in a variety of styles.

Solaris 36-MR shown with standard trim.



FINISHING OPTIONS

One side of each Solaris is finished with a simple, black trim ring. Customize the other side by mixing and matching panel colors to your style, providing up to 18 color combinations for a truly custom look.

Select from four stylish colors for:

- 1) Top & Bottom panel set
- 2) Side panels set
- 3) Base panel set (black or gloss white only)







Ebony

Gloss White

Spatolato Blue





ALWAYS IN STYLE

Achieve a custom look with the RED Series. Combine media options and finishing materials for a perfect blend of contemporary style and long, captivating flames.

RED 40 shown with LED lights, scarlet media, standard safety mesh and absolute black granite refractory and surround.

MEDIA OPTIONS

The area around your ribbon fire has many options.

MEDIA OPTIONS WITH LED ILLUMINATION









Scarlet E

Using the Crystal glass media you can choose up to 7 different colors of LED illumination









MEDIA OPTIONS WITHOUT LED ILLUMINATION





Onyx

Opal



OUR FLAME, YOUR FIRE

Match your flames with your finish. Drive your décor with a statement of flames reflecting your own style.

RED 40-ST shown with onyx media, porcelain refractory, standard safety mesh and absolute black granite surround.

INTERIOR LINER OPTIONS

Upgrade the your firebox with optional reflective black porcelain panels or highly polished black granite stone.





Black Porcelain refractory

Absolute Black Granite refractory and base

SURROUND OPTIONS



Six-piece Stone Surround Absolute Black Granite



Standard one-piece mesh safety screen

COSMO

A modern marvel

The Cosmo is available as a fireplace and as a fireplace insert. Both models deliver impressive performance and unmatched looks. Upgrade your favorite space with the stunning style of the Cosmo.





BOLD STATEMENT

The Cosmo is a striking example of true contemporary design. Gorgeous glass and stone media or a detailed log set delivers a strong style statement in any home.

Cosmo 42 shown with log set and tonic front in new bronze.



VIVID FLAMES

The Cosmo-I30 and Cosmo-I35 inserts feature a reflective glass refractory liner. This spreads the flames up throughout the firebox and intensifies the presence of fire.

Cosmo-I35 shown with halo front in black and ceramic fiber stones.

MEDIA & INTERIOR OPTIONS



Black Glass



Crystal Glass



Cobalt Glass



Amber Glass



Black Glass Beads



White Glass Beads



Clear Glass Beads



Ceramic Fiber Stones



Log Set



Reflective Glass Liner

FRONT OPTIONS



Martini - Angle mitred frame with tinted glass. (Available for Cosmo 32 & Cosmo 42 only)



Tonic - One-piece frame with mesh. (Available for Cosmo 32 & Cosmo 42 only)



Graphite

Ebony



Fog



Halo - Available in Black & Fog only (Available for Cosmo-I30 & Cosmo-I35 only)

LUX Modern Art, On Fire

The LUX delivers custom looks—without custom costs and installation hassles. Colorful flames rise through sculpted stainless steel while a reflective black glass interior multiplies the fire and radiates the flames. It's an innovative blend of technology, design and safety that creates modern art, on fire.







The LUX delivers a bold design statement in any room . Powerful, high-efficiency heat production is disguised by a clean, artistic appearance. A variety of media and front options help create your own unique contemporary style.

LUX 36 shown with modern front in gray and crystal glass media.

FRONT OPTIONS







Modern (Available in black or gray only)








New Bronze



Gray (Modern front only)

MEDIA OPTIONS









Glass



Ceramic Fiber Stones

6000/8000 MODERN

The 6000/8000 Modern has a reflective black glass refractory adding visual impact to the flame. Easily positioned at any height on the wall, these bold units provide a dramatic focal point in any room.

MODERN FRONT OPTIONS







Black



Fog Gray

MEDIA OPTIONS


Modern Front



(Standard)



Black Glass





Cobalt Glass

Amber Glass

8000 Modern shown with Modern Front in black and amber glass media.





CLEAN, SIMPLE APPEAL

The Metro features clean, simple lines—perfectly highlighting its unique flame. Accent the firebox with a modern front and glass media to complement your space.

Metro shown above with modern front in fog gray and black glass media.

MODERN FRONT OPTIONS







New Bronze

Modern Front

Fog Gray

Black

MEDIA OPTIONS









Black Glass

Crystal Glass

Cobalt Glass

Amber Glass



SOHO

A stunning square studio front and shallow dimensions offer endless creative placements for the Soho. Think outside-the-box when contemplating installation options. This contemporary fireplace enhances the elegance wherever it sits.

Soho shown with studio front in brushed nickel with glass.

STUDIO FRONTS







Studio front in brushed nickel with mesh



Studio front in black with mesh

STANDARD FEATURES







Reflective Firebox Interior



EVEREST

The Everest provides a fresh, welcomed look in any room. It's handsome, upright design is highlighted by impressive flames, a textured interior and powerful heating performance.

Everest shown with atlas cast stone surround.

ATLAS SURROUND

This idyllic surround bolsters the appearance of the Everest. It features concrete construction and a beveled glass shelf with brushed aluminum stands.



Note: The Everest must be elevated a minimum of 5.75" from the floor when using the Atlas Surround to properly fit the surround.



PALOMA

The smart, sophisticated Paloma artfully blends European styling with innovative engineering. Its slender proportions perfectly suit more intimate spaces. Define your favorite room with distinctive style, powerful heating and a graceful design.

Paloma shown with gray outer glass and hearth pad.

FRONT PANEL AND HEARTH PAD **FINISHING OPTIONS**

Standard curved outer glass front and optional hearth pad available in bronze or gray tint.







SPECIFICATIONS

MODEL	FRONT	WIDTH	BACK	WIDTH	HEI	GHT	DE	PTH	GLASS	BTU/HOUR	IGNITION	
MODEL	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	SIZE	INPUT (NG)	SYSTEM	
SOLARIS-ST	47-1/2	47-1/2	47-1/2	47-1/2	55	55-1/4	6-5/8	5-1/2	32 x 32	29,500	IntelliFire Plu	
SOLARIS-MR	47-1/2	47-1/2	47-1/2	47-1/2	55	55-1/4	6-5/8	5-1/2	32 x 32	29,500	IntelliFire Plu	
RED60	68-1/8	70-3/8	68-1/8	70-3/8	50-3/4	51	18-1/8	18-1/4	62-3/4 x 17-3/16	44,000	IntelliFire	
RED40	48-1/8	50-1/4	48-1/8	50-1/4	46-3/4	46-3/4	18-3/4	18-1/4	42-3/4 x 13-3/16	34,000	IntelliFire	
RED40-ST	48-1/8	50-1/4	48-1/8	50-1/4	46-3/4	46-3/4	18-1/8	17-1/4	42-3/4 x 13-3/16	34,000	IntelliFire	
COSMO 42	48	50	37-3/4	50	39-5/8	42-1/4	16-3/4	18-1/4	39-1/16 x 13-1/4	26,000	IntelliFire	
COSMO 32	36-3/4	37-3/4	25-3/4	37-3/4	36	36-1/2	18-5/16	18-1/4	27-1/4 x 13-1/4	20,000	IntelliFire	
COSMO-I35	34-5/8	MIN. FIREBOX OPENING 33-1/4	23-1/2	MIN. FIREBOX OPENING 24	24	MIN. FIREBOX OPENING 22-3/4	15-1/8	MIN. FIREBOX OPENING 15-1/8	34-1/4 x 18-1/4	28,000	IntelliFire Pl	
COSMO-I30	30-1/2	MIN. FIREBOX OPENING 29-1/4	20-1/4	MIN. FIREBOX OPENING 20-1/2	20-1/2	MIN. FIREBOX OPENING 19-1/8	13-7/8	MIN. FIREBOX OPENING 13-7/8	30 x 14-3/4	23,000	IntelliFire Pl	
LUX36	61	59-1/2	59-1/4	59-1/2	57-5/8	56	24	24	35-7/8 x 31-1/16	38,000	IntelliFire Pl	
LUX42	67	65-9/16	65-5/16	65-9/16	62-5/8	61	24	24	41-7/8 x 36-1/16	49,000	IntelliFire Pl	
6000M	41	42	28-1/2	42	39-7/8	40-1/8	21-1/2	22	35-1/2 x 24-3/4	28,000	IntelliFire Pl	
8000M	48	49	35-1/2	49	41-7/8	42-1/8	21-1/2	22	42-1/2 x 26-3/4	32,000	IntelliFire Pl	
METRO 32	36	37	25-3/4	37	34-3/8	43	16-1/4	16-1/4	30-1/2 x 21	21,000	IntelliFire	
METRO-ST	37-5/8	38-1/8	37-5/8	38-1/8	41-1/4	41-1/2	16	15	31-1/2 x 21	22,000	IntelliFire	
SOHO	29-1/8	29-5/8	23-1/16	29-5/8	37-3/16	44-3/16	11	11-1/2	24-1/2 x 24-1/2	14,000	IntelliFire	
EVEREST	34-1/16	35-1/16	17-7/8	35-1/16	50	50-1/2	20-7/8	21-3/8	26-1/2 x 33	33,000	IntelliFire	
PALOMA	18-7/8	-	18-7/8	-	40-3/4	-	15-7/8	-	16-1/2 x 29	28,000	IntelliFire	

Dimensions above are in inches. Reference dimensions only. We recommend measuring individual units at installation. NOTE: Combustible material should not be installed over the face. Make sure you do NOT cover the decorative door opening. Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Pictures in this brochure are not a true representation of the fireplace and/or flames.

U.S. EFFICIENCIES

Steady State - Since most homeowners use their fireplaces for an extended time while they are in the room, Steady State measures how efficiently your fireplace converts fuel to heat once it is warmed up and running in a "steady state".

AFUE - AFUE rating is more typically used with appliances, like your furnace, that continually cycle on and off to maintain a constant temperature.

RATING	SOLARIS- ST	SOLARIS- MR	RED60	RED40	RED40-ST	COSMO 42	COSMO 32	COSMO- I35	COSMO- 130	LUX36	LUX42	M0009	8000M	METRO 32	METRO-ST	оноѕ	EVEREST	PALOMA
Steady State	N/A	N/A	59.0%	67.2%	69.7%	73.0%	60.0%	83.3%	83.3%	60.9%	69.5%	78.5%	77.5%	72.3%	74.2%	61.2%	71.5%	81.5%
AFUE	N/A	N/A	57.2%	52.4%	64.3%	56.0%	57.0%	73.0%	76.7%	59.0%	67.3%	61.1%	55.9%	52.2%	47.5%	38.0%	43.6%	67.4%

CANADA EFFICIENCIES

EnerGuide (CSA P4.1.-02) - EnerGuide is a rating used in Canada to measure annual fireplace efficiency.

RATING	SOLARIS- ST	SOLARIS- MR	RED60	RED40	RED40-ST	COSMO 42	COSMO 32	COSMO- I35	COSMO- 130	PXX1	LUX42	M0009	8000M	METRO 32	METRO-ST	оноѕ	EVEREST	PALOMA
EnerGuide (CSA P.4.1-02)	N/A	N/A	59.7%	57.2%	66.4%	57.0%	57.0%	72.9%	77.2%	59.4%	66.0%	63.0%	61.7%	53.0%	51.4%	40.3%	46.3%	70.8%

AWARD-WINNING DESIGN & INNOVATION



PALOMA 2005 Vesta Hearth Industry Awards



PALOMA 2005 Vesta Hearth Industry Awards



SOLARIS 2009 Vesta Hearth Industry Awards



SOLARIS 2009 Vesta Hearth Industry Awards



SOLARIS 2009 Vesta Hearth Industry Awards



RED SERIES Product 2010 BUILDING PRODUCTS



Products 2012 PROFESSIONAL BUILDER Magazine

INTELLIFIRE PLUS IGNITION SYSTEM

The IntelliFire™ Plus Ignition System (IPI Plus) is an advanced intermittent pilot ignition system with memory settings and a programmable wireless control. IPI Plus constantly monitors ignition, ensures safe functioning and conserves up to \$10/month in energy costs. To learn more about IntelliFire Technology, scan the code to the right with your smartphone, or visit heatnglo.com.



DIRECT VENT TECHNOLOGY

Direct Vent fireplaces remove 100% of combustion exhaust and odors outside of the home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality. To learn more about IntelliFire Technology, scan the code to the right with your smartphone, or visit heatnglo.com.



For complete information on this model, please contact us at:




No one builds a better fire

Web: heatnglo.com Phone: (888) 427-3973 (952) 985-6000 E-mail: info@heatnglo.com



facebook.com/HeatandGlo



youtube.com/HeatandGlo

HNG-1032U-0514

LIMITED LIFETIME WARRANTY*

The strongest in the industry, Heat & Glo provides a limited lifetime warranty on the most important aspects: firebox and heat exchanger.

*For full warranty details, go to www.heatnglo.com. can cause severe burns if touched. Do not remove the protective safety screen from the front of the glass. Keep a safe distance away. To learn more visit www.heatnglo.com/fireplacesafety.



