

## **Light the Fire**

heatilator fireplace selection guide



## A Heritage of Success

The essence of every Heatilator<sup>®</sup> fireplace is exceptional value. It's been that way since the brand's first fireplace in 1927. An extensive line of hearth products deliver long-lasting dependability, easy operation and appeal to different homeowners in a range of affordable styles.

According to the 2011 *Builder* magazine *Brand Use Study*, Heatilator remains the most recognized, preferred and installed fireplace brand by building professionals—a true sign of the value and trust in the Heatilator name.





### **Direct Vent Technology**

Direct Vent gas fireplaces and inserts remove 100% of combustion exhaust and odors outside of the home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality.



To learn more about Direct Vent technology, scan the code with your smartphone, or visit heatilator.com.

### IntelliFire™ Ignition System

The IntelliFire™ Ignition System (IPI) is an advanced intermittent pilot ignition system. IPI constantly monitors ignition, ensures safe functioning and conserves up to \$10/month in energy costs.

IntelliFire™ Plus (IPI Plus) takes this technology to the next level with more safety and memory settings and a programmable wireless remote control.



To learn more about IntelliFire technology, scan the code with your smartphone, or visit heatilator.com.

### **Eco-Friendly Performance**

Heatilator fireplaces and inserts deliver maximum efficiency and eco-friendly performance. Many Heatilator products are also recognized by national green building programs. These programs are outlined below:

Type of Hearth	National Green Building Standards ICC 700-2008	LEED <sup>®</sup> for Homes	Energy Star <sup>®</sup> Indoor Air Package
Gas fireplaces, stoves and inserts - Direct Vent	7 points	1 point - Direct Vent, 2 points - Direct Vent + electronic ignition	Qualify
Wood fireplaces, stoves and inserts - EPA-certified	6 points	1 point - EPA-cert., 2 points - EPA-cert. + back draft potential test	Qualify
Pellet fireplaces, stoves, inserts & furnaces - EPA-certified	6 points	1 point - EPA-cert., 2 points - EPA-cert. + direct venting	Qualify
Electric fireplaces and stoves	7 points	2 points	Qualify

### **Energy Savings**

Heat-Zone<sup>®</sup> technology is an advanced heat management system available with select Heatilator products. Heat-Zone systems help homeowners conserve energy by sending heat into the most used areas of the home.



## Gas

### single-side fireplaces



Heirloom shown with firescreen cabinet front in black, herringbone refractory and custom surround.

### **Heirloom**

The Heirloom offers authentic masonry looks without the cost of a site-built masonry fireplace. The largest 36, 42 and 50-inch viewing areas in their class showcase intense fires and textured brick interiors. High-efficiency, AFUE-rated performance functions with the safety of Direct Vent technology and makes the Heirloom a welcomed addition in any home.

Available in viewing area widths of: 36", 42", 50"

Ignition System	Venting Type	Fan	Refractory	Control
IntelliFire Plus (IPI)	Top DV	N/A	Standard	Standard



Caliber shown with phoenix retreat front and custom surround

### **Caliber**

The Caliber features a deep, masonry-style firebox and impressive heating power. Engineering advancements deliver high efficiency levels and easy operation. Create your unique look by pairing designer front and finish options to define any room.

Available in viewing area widths of: 36", 42"

Ignition System	Venting Type	Fan	Refractory	Control
IntelliFire Plus (IPI)	Top/Rear DV	Optional	Standard	Optional



Caliber nXt shown with contour front.

### Caliber nXt

The Caliber nXt provides high-efficiency heating and traditional ambiance. Realistic logs and bold flames fill the large viewing area with a beautiful, roaring fire. A standard fan helps distribute heat evenly, and multiple fronts and finishes complete homes with style.

Available in viewing area widths of: 36", 42"

Ignition System	Venting Type	Fan	Refractory	Control
IntelliFire Plus (IPI)	Top/Rear DV	Standard	Standard	Standard



### **Novus**

The Novus is the best-selling gas fireplace of all time. Why? Stylish design elements and robust flames—coupled with the long-lasting performance of Heatilator. Glowing embers, realistic logs and attractive finishing options add character to any space.

Available in viewing area widths of: 30", 33", 36", 42"

Ignition System	Venting Type	Fan	Refractory	Control
IntelliFire (IPI)	Top/Rear DV, BV	Optional	Optional	Optional



Novus shown with optional demi front, plymouth mantel and absolute black granite.

### **Novus nXt**

Heatilator has expanded the Novus platform, integrating contemporary styling and advanced technology into the Novus nXt gas fireplace. A 69% AFUE rating, 5-step flame height adjustment and smart technology deliver ultimate convenience for this stunning fireplace.

Available in viewing area widths of: 33", 36"

Ignition System	Venting Type	Fan	Refractory	Control
IntelliFire Plus (IPI)	Top/Rear DV	Optional	Standard	Standard



Novus nXt shown with tres operable front and custom surround.

### **Novus Evolution**

The Novus Evolution blends fashionable style with advanced technology. A minimalist design lets the Evolution's clean lines and contemporary elements shine. A porcelain interior and unique glass media enhance bold fires.

Available in viewing area widths of: 30", 36"

Ignition System	Venting Type	Fan	Interior Liner	Control
IntelliFire Plus (IPI)	Top/Rear DV	Optional	Standard	Optional



Novus Evolution shown with cinema front and blue cobalt glass media.

# Gas

### single-side fireplaces



Rave shown with illusion front in black

### Rave

The Rave brings unmatched value and serious style to your home or office. Contemporary design elements are highlighted by a long, mesmerizing ribbon flame rising through attractive modern media. Define your room or office with class; let the Rave provide the panache.

Available in viewing area widths of: 32", 42"

Ignition System	Venting Type	Fan	Interior Lining	Control
IntelliFire (IPI)	Top DV	N/A	Optional	Standard



Aveo shown with absolute black granite and aveo cabinet system.

### Aveo

A slim, elegant profile makes the Aveo a perfect fit for condos, bedrooms, studies and other small spaces. Its compact design delivers solid heat, ambiance and fashionable style. Create your own unique look with multiple interiors, fronts and finishes.

Available in viewing area widths of: 28"

Ignition System	Venting Type	Fan	Refractory	Control
IntelliFire (IPI)	Top/Rear DV	Optional	Optional	Optional

### Reveal

Recreate the timelessness of a wood-burning fire with the open-hearth Reveal. Match your mood and enjoy full flames with the optional doors open or closed. Enjoy the convenience of gas, and the ambiance of a traditional fire.

Available in viewing area widths of: 36", 42"

Ignition System	Venting Type	Fan	Refractory	Control
IntelliFire (IPI)	B-Vent	N/A	Standard	Optional



RBV4236IT shown with cast insert panels and hearth, DM doors, and custom surround.



### 31" See-Through

Contemporary styling and a compact design allows this See-Through unit to divide two intimate spaces. Complement multiple décor styles and accent each side differently.

Ignition System	Venting Type	Fan	Refractory	Control
IntelliFire (IPI)	Top DV	Optional	Standard	Optional



See-through model shown with simon front and custom surround.

### 36" See-Through

Link two separate spaces and enjoy double the ambiance with this attractive and efficient fireplace. Advanced technology helps bold flames shine, and multiple fronts and finishes offer unique design styles.

Ignition System	Venting Type	Fan	Refractory	Control
IntelliFire (IPI)	Top/Rear DV, BV	Optional*	Standard	Optional

\*Direct vent model only



See-through model shown with craftsmen front and custom surround.

### **Peninsula**

A unique design enables the Peninsula to elegantly divide a space. The three-sided viewing area helps the flames reach out into different rooms. Match heat output and flame intensity to your mood with user-friendly controls.

Ignition System	Venting Type	Fan	Refractory	Control
IntelliFire (IPI)	Top/Rear DV, BV	Optional*	Standard	Optional

\*Direct vent model only



Peninsula model shown with simon front and green granite.

### Corner

Accent any room with this versatile and stylish Direct Vent gas unit. Unique, right or left-facing installation options provide an elegant design upgrade. Make it your own with multiple finishing options.

Ignition System	Venting Type	Fan	Refractory	Control
IntelliFire (IPI)	Top/Rear DV	Optional	Standard	Optional



Corner model shown with simon front and new venetian Gold granite.

# **VOOC**single-side fireplaces



Constitution shown with custom surround.

### **Constitution**

The Constitution is a beautiful, efficient and eco-friendly wood-burning fireplace. Strict air quality regulations or "burn bans" are no match for this clean-burning, Phase II EPA-certified powerhouse. Savor exceptional heating power and extended performance.

Available in viewing area widths of: 36"

Heat	Outside Air	Refractory
Circulating	Standard	Standard



BIR50 shown with grand oak gas log set.

### **Birmingham**

The Birmingham offers the performance and appearance of a custom-built masonry fireplace—all at a fraction of the cost. Whether a crackle or a blaze, the Birmingham is at home in your favorite room.

Available in viewing area widths of: 36", 42", 50"

Heat	Outside Air	Refractory
Radiant	Standard	Optional*

<sup>\*</sup>Required to complete unit



I60H shown with DM glass doors and fireside gas logs.

### **Icon**

The Icon is the industry's largest wood-burning fireplace. Its beauty is highlighted by expansive viewing areas and authentic masonry looks. A clean face design offers a masonry-style, authentic finish. Let the fire roar with the Icon in the room.

Available in viewing area widths of: 36", 42", 50"

Heat	Outside Air	Refractory
Radiant	Standard	Standard



### **SC60**

The SC60 is a heating powerhouse, and extremely effective at distributing heat out into the room. A powerful fan, air kit and flue damper increase efficiency and provide easy control of the fire and heat output.

Available in viewing area widths of: 36"

Heat	Outside Air	Refractory
Circulating	Standard	Standard



SC60 shown with AT doors

### **Accelerator**

The Accelerator features meticulous craftsmanship for an impressive appearance and robust fires. Multiple fronts and traditional or herringbone brick panels add individual style to the Accelerator's valued performance.

Available in viewing area widths of: 36", 42"

Heat	Outside Air	Refractory
Circulating or Radiant	Optional	Standard



A36C shown with phillips hall mantel and beige marble.

### **Element**

The Element helps you get the most out of a roaring wood fire with its luxuriously large viewing area and virtually invisible smoke shield. A textured brick interior creates an authentic masonry appearance at a fraction of the cost.

Available in viewing area widths of: 36", 42"

Heat	Outside Air	Refractory
Radiant	Optional	Standard



EL36 shown with fairfield mantel and green granite.

# MOOC multi-side fireplaces



ST42A shown with plymouth surround, beige marble and gas logs.

### See-Through

The dramatic see-through design of this fireplace provides two-sided fire viewing—and a smart way to bring authentic ambiance into two distinct areas. Enjoy high-efficiency heating, plus finishing options to complement any décor.

Available in front opening widths of: 36", 42"

Heat	Outside Air	Refractory
Radiant	Standard	Standard



FL92 shown with DM doors and gas logs.

### **Peninsula**

A unique design enables the Peninsula to elegantly divide a space. Savor a traditional wood fire from countless angles and incorporate this functional focal point into your home.

Available in front opening width of: 36"

Heat	Outside Air	Refractory
Radiant	Standard	Standard



CL36D shown with DM doors and gas logs.

### Corner

Accent any space with this versatile and stylish fireplace. Unique, right or left-facing installation options and a shallow footprint provide an elegant design upgrade in any environment.

Available in front opening width of: 36"

Heat	Outside Air	Refractory
Radiant	Optional	Standard



### Castlewood

The Castlewood wood fireplace turns any outdoor area into a welcoming and relaxing living space. A large, high opening provides a dramatic view from across the yard, and a textured brick interior offers masonry-style looks at a fraction of the cost. Extend your season in style—with the Castlewood.

Available in front opening width of: 42"

Heat	Outside Air	Refractory
Radiant	N/A	Standard



The Villawood is a versatile wood-burning fireplace at home in a variety of outdoor spaces. Upgrade your outdoor kitchen, or enhance your living area with style and warmth. An attractive stainless steel surround helps accent your outdoor kitchen or contemporary décor.

Available in front opening width of: 36", 42"

Heat	Outside Air	Refractory	
Radiant	N/A	Standard	

### **Carolina**

This attractive gas fireplace can help heat a small deck or patio, or highlight a larger outdoor space. A compact footprint provides versatile installation opportunities—and innovative engineering helps achieve impressive heat output, efficiency and safety. Enhance your outdoor living and extend the season.

Available in front opening width of: 36", 42"

Ignition System	Venting Type	Venting Type Fan		Control	
IntelliFire Plus (IPI)	Not Required	N/A	Standard	Optional	

### Twilight II

Add warmth and beauty to two spaces—with one fireplace. The Twilight II is the world's first see-through indoor/outdoor gas fireplace. Enjoy the fire all year long, and from either side. An advanced design exceeds both window and gas fireplace standards, and rugged construction ensures impressive, consistent performance.

Available in front opening width of: 36"

Ignition System	Venting Type	Fan	Refractory	Control	
IntelliFire (IPI)	Not Required	Optional	Standard	Optional	





Castlewood shown with traditional molded brick interior and outdoor fireside grand oak gas log set.



Villawood shown with traditional brick interior and outdoor fireside realwood gas logs with outdoor hearth kit.



Carolina shown with standard mesh.




Twilight II (Outdoor Side) shown with standard exterior front.

## options & upgrades



Firescreen





Firescreen Arch



Arts & Crafts



Jamestown Operable Doors



**Contour Front** 



Phoenix Retreat Operable Doors



Demi Operable Doors



Demi Front



Tres Operable Doors



Craftsman Front



Cinema Front



Portfolio Front



**DM Glass Non-Operable Front** 



DM Glass Bi-Fold Doors



Simon Front



**Illusion Front** 

**Deco Front** 

	Firescreen	Firescreen Cabinet	Firescreen Arch	Arts & Crafts	Jamestown	Contour	Phoenix Retreat	Demi Operable	Demi Non- Operable	Tres Operable	Crafstman	Cinema	Portfolio	DM Glass Non- Operable	DM Glass Bi-Fold	Simon	llusion	Deco
	Fire	in Si	Fire	ΨO	Jam	ŏ	는 때	g	op op	qo	Ora	Ö	Po	NO do	Β	S	≡	
Gas Single-Sid	ded																	
Heirloom	•	•	•										•					
Caliber, Caliber nXt				•	•	•	•									•		
Novus								•	•	•								
Novus nXt								•	•	•						•		
Novus Evolution								•	•	•		•						
Rave																	•	•
Aveo									•	•								
Reveal														•	•			
Gas Multi-Side	ed																	
31" See-through													•			•		
36" See-through, Peninsula & Corner							•				•					•		

## **meatilator**



**Grand Vista Operable Doors** 



**Contour Operable Doors** 



Mesh Cabinet Style Doors



Glass Bi-Fold Doors



DM Glass Bi-Fold Doors



AT1936 Cabinet Style Glass Doors

	Grand Vista	Contour	Mesh Cabinet Style	Glass Bi-Fold	DM Glass Bi-Fold	AT1936 Cabinet Style
Wood Single-Side	ed					
Constitution <sup>™</sup>						
Birmingham			•	•		
Icon	•	•			•	
SC60					•	•
Accelerator	•	•			•	
Element					•	
Wood Multi-Sided	d					
See-through					•	
Peninsula					•	
Corner					•	



Bronze Bi-Fold Glass Doors



**Bi-Fold Glass Doors** 



**Bronze Screen Doors** 



**Essence Doors** 



Firescreen Front



**Basic Front** 



Visit Heatilator.com to see our complete line of outdoor fireplaces.

	Bronze Bi-Fold Glass Doors	Bi-Fold Glass Doors	Bronze Screen Doors	Essence Doors	Firescreen Front	Basic Front
Outdoor						
Castlewood	•					
Villawood		•				
Carolina			•			
Twilight II				•	•	•



SERIES	MODEL	VENT TYPE	VIEWING AREA	FRAMING DIMENSIONS <sup>1</sup>	BTU/HOUR INPUT (NATURAL GAS <sup>2</sup> )
Gas Single-	Sided <sup>3</sup>				
Heirloom	HEIR36T/H	T DV	38-1/2"w x 33-1/2"h	59-1/2"w x 56"h x 24"d	45,500
Heirloom	HEIR42T/H	T DV	44-1/2"w x 38-1/2"h	65-9/16"w x 61"h x 24"d	54,000
Heirloom	HEIR50T/H	T DV	52-1/2"w x 42-1/2"h	73-9/16"w x 65"h x 24"d	65,000
Caliber	CD4236IR	T/R DV	35-1/2"w x 24-3/4"h	42"w x 40-1/8"h x 22"d	16,000-30,000
Caliber	CD4842IR	T/R DV	42-1/2"w x 26-3/4"h	49"w x 42-1/8"h x 22"d	18,000—35,000
Caliber nXt	CNXT4236I	T/R DV	35-1/2"w x 24-3/4"h	42"w X 40-1/8"h X 22"d	23,000-40,000
Caliber nXt	CNXT4842I	T/R DV	42-1/2"w x 26-3/4"h	49"w X 42-1/8"h 22"d	25,000-45,000
Novus	NDV3630I	T/R DV	30"w x 23"h	36"w x 34-7/8"h x 19-5/8"d	14,000-20,000
Novus	NDV3933I	T/R DV	33"w x 23"h	39"w x 34-7/8"h x 19-5/8"d	15,000-22,000
Novus	NDV4236I	T/R DV	36"w x 23"h	42"w x 34-7/8"h x 19-5/8"d	17,000—25,000
Novus	NDV4842I	T/R DV	42"w x 23"h	48"w x 34-7/8"h x 19-5/8"d	20,500-30,000
Novus	NBV3630I	BV	30"w x 23"h	36"w x 34-7/8"h x 19-5/8"d	14,000-20,000
Novus	NBV3933I	BV	33"w x 23"h	39"w x 34-7/8"h x 19-5/8"d	15,000-22,000
Novus	NBV4236I	BV	36"w x 23"h	42"w x 34-7/8"h x 19-5/8"d	17,000-25,000
Novus	NBV4842I	BV	42"w x 23"h	48"w x 34-7/8"h x 19-5/8"d	20,500-30,000
Novus nXt	NNXT3933I	T/R DV	33"w x 23"h	39"w x 34-7/8"h x 19-5/8"d	16,000 - 29,000
Novus nXt	NNXT4236I	T/R DV	36"w x 23"h	42"w x 34-7/8"h x 19-5/8"d	18,500 - 31,000
Novus Evolution	NEVO3630	T/R DV	33"w x 23"h	36"w x 39-7/8"h x 19-5/8"d	12,000 - 20,000
Novus Evolution	NEVO4236	T/R DV	36"w x 23"h	42"w x 39-7/8"h x 19-5/8"d	12,500 - 25,000
Rave	RAVE3012I	T/R DV	30-1/2"w x 19"h	37-3/4"w x 36-1/2"h x 18-1/4"d	20,000
Rave	RAVE4013I	T/R DV	42-1/2"w x 19"h	50"w x 42-1/4"h x 18-1/4"d	26,000
Aveo	ADVT3428I	T DV	27-3/4"w x 19"h	34"w x 31-1/4"h x 12"d	12,750—18,000
Aveo	ADVR3428I	R DV	27-3/4"w x 19"h	34"w x 31-1/4"h x 12"d	12,750—18,000
Reveal	RBV4236	BV	35-1/2"w x 19-3/4"h	42"w x 39 -3/4"h x 22"d	40,000
Reveal	RBV4842	BV	42-1/2"w x 19-3/4"h	48"w x 39 -3/4"h x 22"d	43,000
BV4236DBI	BV4236DBI	BV	36"w x 22"h	42"w x 40-1/8"h x 22"d	17,000—30,000
BV4842DBI	BV4842DBU	BV	43"w x 22"h	49"w X 42-1/8"h X 22"d	19,500—35,000

Gas Multi-S	Gas Multi-Sided <sup>3</sup>									
See-through	GDST3831	T/R DV	30-1/2"w x 21"h	38-1/8"w x 34-3/4"h x 15"d	14,700—21,000					
See-through	GDST4336	T/R DV	35-1/2"w x 24-3/4"h	43"w x 38-1/8"h x 23"d	26,000-37,000					
See-through	GBST4336	BV	35-1/2"w x 24-3/4"h	43"w x 38-1/8"h x 23"d	26,000-37,000					
Peninsula	GDFL4136	T/R DV	35-1/2"w x 24-3/4"h end panel: 20"w x 23-3/4"h	41"w x 38-3/4"h x 23"d	26,000-37,000					
Peninsula	GBFL4136	BV	35-1/2"w x 24-3/4"h end panel: 20"w x 23-3/4"h	41"w x 38-1/8"h x 23"d	26,000-37,000					
Corner	GDCR/CL4136	T/R DV	35-1/2"w x 24-3/4"h end panel: 20"w x 24-3/4"h	40"w x 38-1/8"h x 24"d	26,000-37,000					

 $<sup>{\</sup>small 1} \ \, \text{These dimensions are for planning purposes only.} \ \, \text{Please follow installation instructions when installing these products.}$ 

<sup>&</sup>lt;sup>2</sup> Btu ratings are for natural gas fireplaces. Select models are also available in propane (LP). Please consult individual model specifications for LP Btu input. <sup>3</sup> Depending upon decorative front, viewing area dimensions may vary slightly



SERIES	MODEL	FIREPLACE OPENING	FRAMING DIMENSIONS <sup>1</sup>	RADIANT OR CIRCULATING
Wood Single	e-Sided			
Constitution <sup>™</sup>	C40	25"w x 12-1/2"h	42"w x 43-7/8"h x 24"d	Heat Circulating
Birmingham	BIR36	36"w x 38"h	47-7/8"w x 74-1/4"h x 28-1/2"d	Radiant
Birmingham	BIR42	42"w x 38"h	53-7/8"w x 74-1/2"h x 28-3/8"d	Radiant
Birmingham	BIR50	50"w x 38"h	61-7/8"w x 74-1/2"h x 28-3/8"d	Radiant
Icon	160	36"w x 28-1/2"h	45-1/2"w x 50"h x 28"d	Radiant
Icon	180	42"w x 28-1/2"h	51-1/2"w x 50"h x 28-1/2"d	Radiant
Icon	l100	50"w x 33"h	61-5/8"w x 60-1/2"h x 30-1/2"d	Radiant
SC60	SC60	36"w x 19"h	43-1/8"w x 41-1/4"h x 25"d	Heat Circulating
Accelerator	A36C	36"w x 23-1/2"h	43"w x 41-1/2"h x 23"d	Heat Circulating
Accelerator	A42C	42"w x 23-1/2"h	49"w x 41-1/2"h x 23"d	Heat Circulating
Accelerator	A36R	36"w x 23-1/2"h	43"w x 41-1/2"h x 23"d	Radiant
Accelerator	A42R	42"w x 23-1/2"h	49"w x 41-1/2"h x 23"d	Radiant
Element	EL36	36"w x 21"h	42"w x 39-3/4"h x 21-1/2"d	Radiant
Element	EL42	42"w x 21"h	48"w x 39-3/4"h x 21-1/2"d	Radiant

Wood Multi-Sided									
See-through	ST36D	36"w x 21"h	41"w x 42-3/4"h x 23"d	Radiant					
See-through	ST42A	42"w x 23"h	48"w x 39"h x 27"d	Radiant					
Peninsula	FL92	36"w x 22-1/2"h end: 20"w x 22-1/2"h	40"w x 47 -1/4"h x 23"d	Radiant					
Corner	CL36D/CR36D	34"w x 22-1/2"h end: 17-1/2"w x 22-1/2"h	36-5/8"w x 42-3/4"h x 22-1/2"d	Radiant					

SERIES	MODEL	VIEWING AREA	FRAMING DIMENSIONS <sup>1</sup>	VENTING
Outdoor				
Castlewood	ODCASTLEWD-42	42"w x 38"h	53-7/8"w x 74-1/2"h x 28-3/8"d	SL11 series pipe
Villawood	ODVILLA-36T/H	36"w x 20-7/8"h	42"w x 39-3/4"h x 21-1/2"d	SL300 series pipe
Villawood	ODVILLA-42T/H	42"w x 20-7/8"h	48"w x 39-3/4"h x 21-1/2"d	SL300 series pipe
Carolina	CARODG36I	33-3/8w x 28-7/8h	44"w x 42-1/2"h x 15-1/2"d	Outdoor - Not required
Carolina	CARODG42I	39-1/8w x 33-3/4h	50"w x 50-1/2"h x 15-1/2"d	Outdoor - Not required
Twilight II	TWILIGHT-II-B	35-5/8"w x 21-1/2"h	44"w x 47-5/8"h x 23"d	Outdoor - Not required

<sup>&</sup>lt;sup>1</sup> These dimensions are for planning purposes only. Please follow installation instructions when installing these products.



a brand of Hearth & Home Technologies Inc.

1915 West Saunders Street Mt. Pleasant, Iowa 52641 800-927-6841 | heatilator.com







Limited Lifetime Warranty<sup>†</sup>
The strongest in the industry, Heatilator provides a limited lifetime warranty on the most important aspects: firebox and heat exchanger.

<sup>†</sup>For full warranty details go to heatilator.com.

Models may be shown with optional accessories. Please refer to individual product literature or MSRP book for specific information. Actual product appearance may differ from product images. The flame and ember appearance may vary based on the type of fuel burned and venting configuration used.

Comparisation to the Surfaces get extremely HOT and can cause severe burns if touched. Do not remove the protective safety screen from the front of the glass. Keep a safe distance away. To learn more visit www.heatilator.com/fireplacesafety

