

Imagine what the right fireplace can do for your home.

Table of Contents


Serenity II _____
Direct Vent Gas Fireplace

page **2**




Serenity III _____
Direct Vent Gas Fireplace

page **4**



Victorian Series Faces _____
for Serenity II & III

page **6**




Arch & Traditional Series Faces _____
for Serenity II & III

page **8**




Harman Built Mantels _____

page **10**



Mantel Stain Colors _____

page **11**



The Harman Difference _____

page **12**



Duct Kit Options _____

page **13**




Venting Options _____

page **14**




Dimensions, Installations & Framing _____

page **15**



Rear Burner, BTU Output & Remote Controls _____

page **16**




Serenity II

Shown with black nickel Arch face, gold Liberty grilles, and gold Arch hood
M1 raised panel mantel shown in dark stain with raised hearth and black marble finish facing



The Harman Built
Serenity II



Serenity II
*Shown with gold Arrow Traditional face and gold Traditional hood
M2 raised panel mantel shown in medium stain with raised hearth and green marble finish facing*

Designed by people who truly understand what a fireplace can bring to a room, the Harman Built Serenity II is a unique combination of elegant good looks and state-of-the-art technology. Our fireplaces reflect a devotion to craftsmanship and a commitment to the lifestyles of our customers. This 31,000 BTU fireplace creates the ambiance and heat for any room in your home, complete with optional remote control and thermostat. The Serenity II is available with any of the faces, mantels, mantel facings, and hearths shown in this brochure.

The Harman Built Serenity III



Serenity III

*Shown with gold Liberty Arch face and gold Arch hood
M2 mantel shown in medium stain with raised hearth, scroll breastplate, and beige marble finish facing*

The Harman Built Serenity III is the ultimate in gas fireplaces. Combining distinct good looks with unequalled convenience, the Serenity III features a super-realistic fire with raised glowing ember bed and an independent rear burner. Turn the rear burner on and off while the front flames continue to burn for a flexibility unmatched by any other fireplace. It also performs the duties of a hot air furnace. Two six inch ducts can be run to floor or wall register up to twenty feet from the fireplace. A special air gate blower system produces higher airflow to quickly warm a room, providing unparalleled comfort. All of the options, faces, mantels, mantel facing, and hearths in this brochure are available for the Serenity III.



Serenity III

*Shown with gold Arrow Arch face and gold Arch hood
Stone or brick can be used to surround and compliment your fireplace*





Victorian Series Faces for Serenity II and III



A testament to timeless beauty, the Harman Built Victorian Series combines the durability Harman has become famous for with delicate hints of an era of ageless grace.

The Victorian Series' all-steel frame allows you to install a fireplace in a smaller space than if a wood mantel were used, and its special design allows drywall to be utilized behind the face, greatly

increasing placement options. In addition, the Victorian's glass front can be removed without removing the face, making access to the firebox extremely easy.

Victorian Mantels

A look unrivaled in the fireplace industry, the Harman Built Victorian Series is available in a variety of intriguing marble finish and solid color options. Choose the mantel most suited to your lifestyle and create a fireplace which is truly your own.

Victorian Mantel



Victorian Mantel Finishes




Solid color options shown here represent a small portion of our selection. Please contact your local Harman Built dealer for a complete listing of choices.


Due to the nature of the printing process, actual colors may vary from samples shown here.



Marble Panel Finishes



Green



Beige



Black

Harman Built marble panel finishes combine the look of solid marble with the durability and heat resistance of a metal finish. And, in addition to our three eye-catching marble finish colors, the Victorian Series face is also available in multiple solid color options.

With its Victorian Series, Harman Built Fireplaces has created the opportunity for an atmosphere of unparalleled elegance. And, because of its convenient installation options, the Victorian can easily become a part of any home.

Create Your Own Look

The Arch Series faces are available in Liberty, Arrow, and Scroll designs with four finish options. The Traditional Series faces (rectangular in shape) are offered in Liberty and Arrow gold-plated designs.

Both Series' have an optional hood that is placed on the top of the face to add style and deflect heat.

The top grille excretes warm air when the blower is turned on. The bottom grille opens to operate the manual controls, but a remote control is also available.

The Traditional and Arch Series faces can be installed with a Harman Built mantel or built-in as shown on page 5.

Marble finish facing and tile are available to compliment your fireplace and match your decor.

The Harman Built

Face Options

Unmistakably elegant, the Traditional and Arch Series faces are available in the styles and options shown below.




24-karat gold-plated Traditional face with Liberty grilles and optional gold-plated hood



Black powder-coated Arch face with black powder-coated Liberty grilles



24-karat gold-plated Arch face with Liberty grilles and optional gold-plated hood



24-karat gold-plated Traditional face with Arrow grilles and optional gold-plated hood



Black powder-coated Arch face with black powder-coated Arrow grilles



24-karat gold-plated Arch face with Arrow grilles



With Harman Built, it's easy to create your own look to accent your decor.

Serenity Collection

Traditional and Arch Series Faces



Black powder-coated face with 24-karat gold-plated Liberty grilles



Black powder-coated face with 24-karat gold-plated Arrow grilles



Black powder-coated face with 24-karat gold-plated Scroll grilles



Black nickel-plated face with 24-karat gold-plated Liberty grilles and optional Arch hood



Black nickel-plated face with 24-karat gold-plated Arrow grilles and optional Arch hood



Black nickel-plated face with 24-karat gold-plated Scroll grilles


Harman Built Mantels

Harman Built mantels are designed to enhance the presence of the Serenity Collection. All mantels are constructed by skilled craftsmen using only the finest materials. Each model can be ordered in oak or birch, with four stain options. Mantels can also be ordered unstained. The M1, M2, and M3 mantels are available in plain, scroll, or raised panel. All Harman mantels can be installed with or without a hearth base. Choose the marble finish facing or tile surround that complements your decor.

M1 Mantel

HB35-Serenity II / HB38-Serenity III


The M1 mantel is designed to be placed flush to a wall where there is space behind the wall for the firebox to be installed.



M2 Cabinet Mantel

HB35-Serenity II / HB38-Serenity III


The M2 is designed to be installed along a wall. The M2 top enclosure is available in plain or raised panels and can be trimmed to fit your ceiling height.



M3 Corner Mantel

HB35-Serenity II / HB38-Serenity III

The M3 corner mantel can be used to install your fireplace in a corner. The M3 top enclosure (not shown) is available in plain or raised panels and can be trimmed to fit your ceiling height.



*Serenity II measurements in black
Serenity III measurements in red*




Wood Mantel Finishes

Arch Tile Facing

HB35-Serenity II / HB38-Serenity III

The Arch Tile Facing Kit is designed to accent fireplaces that are built flush to a wall. The Kit surrounds the fireplace and is available in three tile colors.



(To be used without a mantel)



Light Birch



Light Oak



Medium Birch



Medium Oak



Dark Birch



Dark Oak



Cherry on Birch



Cherry on Oak



Unfinished

Marble Finish Facing and Tile

HB35-Serenity II / HB38-Serenity III

Harman Built marble finish facing combines the look of solid marble with the durability and heat resistance of a metal finish.

Metal Finish Facing



Green

Beige

Black

Ceramic Tile



Green


Beige

Black

The Harman Built

Beyond its exceptional outward appearance, the Serenity Collection boasts a stunning assortment of standard and optional features. An oversized glass area allows an unobstructed view of a superbly realistic log set and fire. And, for maximum comfort, and provides one of the widest heating ranges adjusters and a raised ember bed which that the Serenity Collection truly lives a dual-burner system allows multiple fire options in the industry. Add in precision flame level glows immediately after lighting, and it's clear up to the Harman Built name.

84.5%
Maximum Heating Efficiency



**Additional Serenity III features*

Serenity Collection


More than just
a fireplace

Serenity III Remote Registers

The Serenity III is designed to supply hot air to one or two remote registers. As the illustration shows, registers can be placed on the same floor as the fireplace and the floor above or below.

Floor and wall registers are available, each with a blower inside. When the blower comes on, it opens a damper inside the fireplace that allows hot air to flow to the register. When the blower is off, the damper is closed to prevent unwanted hot air from flowing. A control knob at the register turns the blower on and off and adjusts blower speed. A temperature switch inside the fireplace prevents the blower from coming on before the fireplace is hot enough to blow warm air. Hot air can be supplied to registers up to twenty feet away with impressive results.


Ductwork is available for a variety of home layouts and heating needs, and optional 6" register kits can be customized to your exact specifications.



On the floor register the blower control is recessed into the register. A small door is located over the control for easy access.



On the wall register the blower is controlled by simply turning the knob.



Top Vent

Venting

Top venting options for the Serenity II and top and rear venting options for the Serenity III allow each fireplace to easily become a part of any home. For more information and detailed installation instructions, please contact your local Harman Built dealer.

Firebox

12-Gauge Heat Exchanger

12-Gauge Firebox


Serenity Firebox Thickness

Some Competing Fireboxes

Most Competing Fireboxes



***Rear Vent**



***Air Gate Blower System**

This exclusive Harman feature greatly increases heating efficiency by automatically closing the air gate and sealing the air chamber when the blower comes on. This forces all air from the blower through the heat exchanger then out into the room for maximum airflow.



Ask your dealer for details.

Options

- Remote control
- Remote registers for Serenity III
- Thermostat
- Top or rear vent for Serenity III
- Arch face or Victorian face

**Additional Serenity III features*


Fireplace Dimensions

Installation Options

Top Vent Model

Serenity II


Supplied with a 8 to 6 inch vent reducer



Side View

Front View

Top View




Side View

Front View

Top View

Rear Vent Model

Serenity III




Side View

Front View

Top View

Mantel and Grille


Serenity II



Victorian Series

Arch Face Series


Traditional Series



Victorian Series

Arch Face Series

Traditional Series




Serenity III measurements in red

A hearth is not required. Fireplace may be installed on a wood floor.

Framing

Framing dimensions shown will work for Traditional, Arch, and Victorian Series faces. (A special drywall bracket is required for the Victorian face.)

Before framing begins, all aspects of installation such as placement, venting, gas supply, electrical supply, mantels, hearths, wall materials, and faces should be considered.



A: 42" Serenity II | B: 15-3/4" Serenity II | C: 37" Serenity II
 48" Serenity III | 21-3/4" Serenity III | 43-1/2" Serenity III

Note: Dimensions shown are taken before any wallcoverings are installed.

You set the mood...

Independent Rear Burner

The Serenity III's rear burner can be turned on or off any time the front burner is in operation. This can be done at the control panel or from your favorite chair by remote control. In addition to more heat, the rear flames reflect light off the firebricks which makes the brightness of the fireplace outstanding. The rear flames also become slightly more active in order to capture your attention. This produces a three-dimensional effect which is unequalled in the industry.

When the rear burner is off the mood is more gentle and subdued. The raised ember bed still glows with full radiance and the front burner flames are at full height.

For the ultimate in a low burning fire ambiance, turn the control knob to "low" with the rear burner off. This lowers the flames while leaving the ember bed glowing with superb realism. This setting produces less heat and greatly lowers fuel consumption.



The fire shown above is achieved with the rear burner on and the control knob turned to "high." This combination gives the highest heat output, the tallest flames, and the brightest firebox.

The control knob can be turned to "low" to reduce heat output by 30% and lower all flames.

The fire shown here is created with the rear burner off and the control knob turned to "high." This combination removes the rear flames, reducing light reflection from the firebox. Heat output is reduced by approximately 10,000 BTUs.

The control knob can be turned to "low" to reduce heat output by an additional 30% and lower the flames. The ember bed will continue to glow.

Burner Settings

SERENITY III	Input BTUs (Top Vent)		Input BTUs (Rear Vent)	
	Natural Gas	Propane	Natural Gas	Propane
High (All Burners On)	43,500	43,500	41,500	41,400
High (Rear Burners Off)	33,500	33,500	31,500	31,400
Low (All Burners On)	29,966	30,466	29,466	30,066
Low (Rear Burners Off)	23,300	23,800	22,800	23,400

SERENITY II	Input BTUs (Top Vent)	
	Natural Gas	Propane
High	31,000	31,000
Low	21,000	21,000

Tested to:
ANSI Z21.88-1998-CSA 2.33-M98 "Standard for Vented Gas Fireplace Heaters"
CAN/CGA-2.17-M91 "Gas-Fired Appliances for Use at High Altitudes"

Serenity III

Front Burner Button:
Turns front burner on and off

Rear Burner Button:
Turns rear burner on and off

Remote Control (optional)

Front Burner Button:
Turns front burner on and off

Serenity II





352 Mountain House Road
Halifax, PA 17032

www.harmanbuiltfireplaces.com