



ENDURING WARMTH

Windsor Series Plate Steel Wood Burning Stoves and Insert



STYLE BURNING STRONG

Crafted from premium steel and cast iron, the Windsor Series of Wood Burning Stoves and Insert pair traditional durability with modern convenience — providing a reliable long-term heating system. These low-maintenance non-catalytic stoves use airflow and a baffle system to reburn smoke and gasses, providing a clean, efficient burn. They also feature an Airwash system, which circulates air to keep the large glass doors clear of soot and ash. Available in 3 sizes each offered in 2 styles, there is a Windsor model that is well-suited to your home.

Choose Your Style: Classic or Horizon

Our Classic style features a traditional cast iron door, as well as a 3/16" rolled top. The Horizon design comes equipped with cast iron legs and door featuring a timeless sunburst design. Plus, it offers additional durability with a thicker 5/16" top. For more flexibility in installation, convective side panels come standard with the Horizon style.

Efficiently Manufactured

The Windsor line is produced in our energy-efficient factory using recycled materials. Your new stove or insert is both crafted with eco-friendly processes and designed to be an effective heating source for your home.



Shown in Classic style. Also available in Horizon style.



Shown in Horizon style. Also available in Classic style.

CLASSIC: WR244 | HORIZON: WR1000L02

Compact Size, Generous Heat

Create a warm and cozy nook with our smallest wood burning stoves. These models are perfect for heating smaller areas like single rooms or a smaller home up to 1,000 sq. ft. in size.

QUICK LOOK

Heating Capacity	Up to 1,000 sq. ft.
Max BTUs/hr	Up to 26,100
Burn Time	Up to 6 hours
Firebox Volume	1.3 cu. ft.

CLASSIC: WR270007 | HORIZON: WR1500L02

The Ideal Burn

With a maximum heating area of up to 1,500 sq. ft., this stove is ideal for most areas and creates a warm and inviting environment no matter where you choose to install it.

QUICK LOOK

Heating Capacity	Up to 1,500 sq. ft.
Max BTUs/hr	Up to 29,301
Burn Time	Up to 8 hours
Firebox Volume	1.5 cu. ft.
Ash Pan	Included



HORIZON: WR2500X02 Fireplace Insert

Rediscover Your Fireplace

Update your existing masonry fireplace with the Windsor Insert and enjoy how simple it is to use and maintain. Featuring a brick-lined firebox, blower and faceplate with nickel trim, it's an efficient and beautiful way to bring new warmth into an area up to 1,500 sq. ft. in size.

QUICK LOOK

Heating Capacity	Up to 1,500 sq. ft.
Max BTUs/hr	Up to 58,000
Burn Time	Up to 8 hours
Firebox Volume	1.3 cu. ft.

Horizon style cast iron door standard.



CLASSIC: WR300007 | HORIZON: WR2000L02

Ample Warmth for Larger Homes

Keep lots of warm company with our largest Windsor Stoves. With a maximum heating area of 2,000 sq. ft., these wood burning stoves are ideal for heating larger spaces.

QUICK LOOK

Heating Capacity	Up to 2,000 sq. ft.
Max BTUs/hr	Up to 32,300
Burn Time	Up to 8 hours
Firebox Volume	2.15 cu. ft.
Ash Pan	Included

Shown on Cover: Model WR2000L02 in Horizon style.

Shown in Classic style. Also available in Horizon style.

CLASSIC: WR247001

Mobile Home Approved Stove

This model is specially designed to provide the warmth you need for smaller living spaces. HUD approved for safety, this stove is an efficient way to heat your mobile home.

- Includes an outside air connection adaptor
- Features reduced clearance convection side panels for ease of installation in smaller areas

QUICK LOOK

Heating Capacity	Up to 1,000 sq. ft.
Max BTUs/hr	Up to 18,920
Burn Time	Up to 6 hours
Firebox Volume	1.2 cu. ft.



MAJESTIC WINDSOR PLATE STEEL WOOD BURNING STOVES & INSERT LINEUP


	CLASSIC STYLE				HORIZON STYLE			
MODEL	WR247001	WR244	WR270007	WR300007	WR1000L02	WR1500L02	WR2000L02	WR2500X02
PERFORMANCE								
Style	Flat top with pedestal; Mobile home approved	Flat top with legs	Flat top with pedestal	Flat top with pedestal	Step top with legs	Step top with legs	Step top with legs	Masonry fireplace insert
Maximum Heating Area (sq. ft.)	1,000	1,000	1,500	2,000	1,000	1,500	2,000	1,500
EPA Burn Rate (BTU/hr)	11,492 - 18,920	10,467 - 26,100	10,370 - 29,301	11,800 - 32,300	10,467 - 26,100	10,370 - 29,301	11,800 - 32,300	9,600 - 58,000
Burn Time (hours)	Up to 6 hrs.	Up to 6 hrs.	Up to 8 hrs.	Up to 8 hrs.	Up to 6 hrs.	Up to 8 hrs.	Up to 8 hrs.	Up to 8 hrs.
Average Efficiency	65.3%	74.5%	63.0%	63.0%	74.5%	63.0%	63.0%	64.0%
EPA Emissions (g/hr)	5.0	5.3	4.4	2.7	5.3	4.4	2.7	4.7
CAPACITY								
Firebox Volume (cu. ft.)	1.2	1.3	1.5	2.15	1.3	1.5	2.15	1.3
Maximum Log Length	18"	18"	22"	20"	18"	22"	20"	20"
Ash Drawer	—	—	Included	Included	Included	Included	Included	—
DIMENSIONS								
Flue Collar Size	6"	6"	6"	6"	6"	6"	6"	6"
Overall Dimensions	31 3/4" H 22 3/4" W 20 3/8" D	26 1/8" H 22 1/2" W 20 3/8" D	29 9/16" H 27" W 20 7/8" D	31 1/2" H 26 1/2" W 25 1/2" D	27" H 23 3/4" W 20 1/2" D	30" H 28 1/4" W 22 1/4" D	31" H 26 1/2" W 26" D	21 3/4" H 30 3/4" W 10" D
Faceplate Dimensions	—	—	—	—	—	—	—	31" H x 44" W
Minimum Fireplace Opening	—	—	—	—	—	—	—	23 3/4" H
Stove Weight (lbs)	180	180	310	300	222	350	350	250
Shipping Weight (lbs)	210	210	330	320	270	380	385	283
Certification	OMNI	OMNI	OMNI	OMNI	OMNI	OMNI	OMNI	OMNI
CLEARANCE TO COMBUSTIBLES								
Single Wall Pipe - Top	54"	56"	54 1/2"	54"	56"	54 1/2"	54"	N/A
Single Wall Pipe - Rear	10 1/2"	15"	13"	10"	12 1/2"	9"	10"	N/A
Single Wall Pipe - Sides	10 1/2"	18"	17 1/2"	15"	12"	11 1/2"	15"	N/A
Single Wall Pipe - Corner	10 1/2"	7"	11"	9"	7"	7"	9"	N/A
Double Wall Pipe - Rear	5"	N/A	N/A	N/A	8"	6"	10"	N/A
Double Wall Pipe - Sides	2 1/2"	N/A	N/A	N/A	8 1/2"	6"	14"	N/A
Double Wall Pipe - Corner	2 1/2"	N/A	N/A	N/A	5 1/2"	4"	8"	N/A



YOUR STYLE. YOUR HOME. YOUR LIFE.

149 Cleveland Drive, Paris, Kentucky 40361
majesticproducts.com

Your Majestic Dealer:



Warning: Hot glass will cause burns. Do not touch glass until cooled. Never allow children to touch glass.

For more information about Majestic efficient and environmentally friendly products, please visit majesticproducts.com

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice.

©2012 Majestic 11395_0712

1410MAJ Ver05