
Outdoor Products EXTEND YOUR LUXURY LIVING INTO THE OUTDOORS





THE NATURAL WAY TO ENHANCE YOUR OUTDOOR SPACE

Whether you live in the city, suburbs or out in the country, nothing compares to the warmth of an outdoor fireplace.



MAKE A DRAMATIC STATEMENT

The Castlewood is the ideal way to dramatically transform your backyard living space. With an expansive firebox opening and masonry-style interior this fireplace offers visually stunning impact and enduring, natural style.

STANDARD FEATURES

- 42" viewing area
- Expansive firebox opening; 38" high
- Weather-resistant log grate
- Stainless Steel safety screen
- Choose from traditional or herringbone brick interiors

OPTIONAL FEATURES


- Bi-fold glass doors—Bronze
- Variety of gas logs

DESIGN OPTIONS



ODCASTLEWD-42 with optional Bronze bi-fold doors and traditional firebrick

Cover: ODCASTLEWD-42 with traditional firebrick



A WORLD OF POSSIBILITIES

With the Villawood fireplace you can afford to have it all. This popular fireplace perfectly combines the features and functionality that you expect from a premium outdoor fireplace – all at a price that makes your outdoor living dreams possible. We don't blame you for being excited – experience the Villawood today.

STANDARD FEATURES

- 36" and 42" viewing areas
- Stainless Steel safety screen
- Weather resistant log grate
- Traditional brick interior

OPTIONAL FEATURES

- Stainless Steel bi-fold doors

DESIGN OPTIONS

Interior Firebrick Finishing



Concession in which the Period	-	ALC: N	-	-
S				_

Traditional

Stainless Steel Bi-fold Doors

THE ART OF **OUTDOOR LIVING**

Clean, modern, elegant – the Al Fresco is the perfect way to make a lasting impression, while creating warm and cozy outdoor living environments. Contemporary Stainless Steel design, easy installation and outstanding features make this spectacular fireplace a natural fit for your space.

Sale and a

ODGSR42 outdoor gas fireplace



STANDARD FEATURES

- Feature Stainless Steel mesh screen, basket grate and concrete Fully insulated radiant gas fireplace models in 36" and 42" size
 Flex line with cut off pre-installed

- Weather resistant gas burner system and logs
 60,000 BTUs provides superior warmth on chilly nights
- No venting required on gas models means installation flexibility gas models can be installed virtually anywhere allowable by local building code (outdoor only)
- CSA design certified

OPTIONAL FEATURES

- Bi-fold doors glass doors are available in weather-resistant Stainless Steel
- Weather cover for gas logs/burner
- Drain pan (recommended for exterior wall applications)
- 4" Stainless Steel hood
- Conversion kits available

MONTANA-36 with optional Brushed Stainless bi-fold doors and traditional firebrick

NOTHING BEATS AN ORIGINAL

Every trend has to start somewhere – and the Montana was the first outdoor fireplace of its kind. This spectacular fireplace set the standards high from the beginning, with patented drain channels, weather resistant grate and stainless steel safety screen. Beauty and durability in perfect balance.

STANDARD FEATURES

- 36" or 42" viewing area
- Patented drain channels minimize weather effects
- Weather-resistant log grate
- Stainless Steel safety screen
- Traditional brick interior

OPTIONAL FEATURES

- Bi-fold glass doors—Stainless Steel

DESIGN OPTIONS

Interior Firebrick



Traditional

OUTDOOR PRODUCTS

MODEL	ODCASTLEWD-42	MONTANA-36	MONTANA-42	ODVILLA-36T	ODVILLA-42T
wood burnin	NG FIREPLACES				
Dimensions (Actual)	52 %" W x 74 1/8" H x 27 1/2" D	42" W x 41 3/4" H x 23" D	48" W x 41 ¾" H x 23" D	41" W x 39 ½" H x 21 ¾" D	47" W x 39 ½" H x 21 %" D
Dimensions (Framing)	53 7%" W x 74 ½" H x 28" D	43" W x 42 3%" H x 24 1%" D	49" W x 42 ¾" H x 24 ⅛" D	42" W x 39 ¾" H x 21 ½" D	48" W x 39 ¾" H x 21 ½" D
Viewing Area	41 7%" W x 38" H (1591 ¼ sq. in.)	36" W x 23 ½" H (846 sq. in.)	42" W x 23 ½" H (987 sq. in.)	36" W x 20 7%" H (751 ½ sq. in.)	42" W x 20 %" H (876 ¾ sq. in.)
Design Certified	UL/ULC	UL/ULC	UL/ULC	UL/ULC	UL/ULC

MODEL	AL FRESCO-36A	AL FRESCO-42A			
GAS FIREPLACES					
BTU/HR	42,600 - 60,000 NG / 44,000 - 60,000 LP	42,600 - 60,000 NG / 44,000 - 60,000 LP			
Dimensions (Actual)	40"W x 39 5⁄8"H x 22"D	46"W x 39 5⁄8"H x 22"D			
Dimensions (Framing)	41"₩ x 43 ¾"H x 22 ½"D	47"W x 43 ¾"H x 22 ½"D			
Viewing Area	36"W x 24"H (864 sq. in.)	42"W x 24"H (1008 sq. in.)			
Radiant or Circulating	Radiant	Radiant			
Design Certified	CSA	CSA			



A Brand of Vermont Castings Group 149 Cleveland Drive, Paris, Kentucky 40361 monessenhearth.com

Your Monessen Dealer:	





To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. ©2015 Monessen Hearth Systems Co. MON1015 Ver.01 For more information about Monessen efficient and environmentally friendly products, please visit monessenhearth.com