HARMONY MONESSEN **Direct Vent Gas Inserts**

In perfect tune with your style.



At Monessen, we know that "style" isn't just about great looks. It's a statement about the way you live your life. That's why we've created the Harmony direct vent gas insert. With five different facing choices and a variety of interior options, Harmony direct vent gas inserts have the style part covered. Plus, an insert increases heating efficiency, which helps save energy and lower fuel costs. If you want to upgrade your masonry fireplace with a punch of style or simply live greener, look no further than the Harmony by Monessen.

In perfect tune with your style.



SMART THINKING

Our Exclusive Total Signature
Command® System provides
intuitive technology that makes it
super convenient to enjoy the fire.
The included touch screen remote
allows you to turn the fire on and
off, or adjust the 3-step flame
height right from the comfort of
your couch. The exclusive Smart
Mode® thermostat automatically
maintains the desired temperature to
help increase efficiency. And, with
automatic battery back-up, you can
be assured of fireplace operation
even if the power goes out.



Learn more about Total Signature Command™ on the back cover!

LIVING GREEN

Boasting an efficiency rate of 84%, this insert delivers when it comes to efficient performance. With up to 40,000 BTUs of heat-warming energy, you'll increase warmth and energy while using less fuel and saving money on heating costs.

LET'S TALK STYLE...

The Harmony offers great style options, inside and out. Find the combination that best speaks to your style and create the look that's right for you.

CHOOSE YOUR INTERIOR STYLE







Cottage Clay or Cottage Red 3D Firebrick with Traditional Log Set





Black Porcelain Panels with Contemporary Stone and Onyx & Diamond Blend Fireglass

SELECT YOUR DECORATIVE FACE

Glass Trim

Rectangular Contemporary Door

Arched Contemporary Door

Square Contemporary Face

Floating Face

Options available in:



Vintage Iron







Satin Black or Textured Black

Textured Mocha

Not all colors available in all trims, Review the following pages to see colors available for each Decorative Face.

Note: Each unit requires a Surround. Monessen offers a variety of sizes to fit your needs. Your dealer will work with you to select the right size for your fireplace.

ADD UNIQUE ACCENTS FOR A SPECIAL TOUCH

- Contemporary Fireglass Kits available in 4 additional colors (optional)



▼ Onyx





Bronze

Diamond









Harmony Direct Vent Gas Insert Features

	MEDIUM INSERT	LARGE INSERT		
PERFORMANCE				
Direct Vent Operation	Yes	Yes		
BTUs	Up to 31,000 (NG) Up to 29,000 (LP)	Up to 40,000 (NG) Up to 36,000 (LP)		
Heating Capacity	Up to 1,600 sq. ft.	Up to 2,000 sq. ft.		
Total Signature Command® System	Yes	Yes		
Natural Gas	Traditional and Contemporary models	Traditional and Contemporary models		
Propane Gas	Available for Traditional and Contemporary models (with conversion kit)	Available for Traditional and Contemporary models (with conversion kit)		
Removable Burner for Conversion to Propane	Traditional and Contemporary	Traditional and Contemporary		
Annual Fuel Utilization Efficiency Rating	Up to 71%	Up to 72%		
Canadian P4 Efficiency	Up to 84%	Up to 78%		
Circulating Heat	Yes	Yes		
Dual Blower	Standard	Standard		
STYLE				
Ceramic Glass Front	Yes	Yes		
Clean Face, Flush Fit	Yes	Yes		
Illumination Kit	Standard	Standard		
Model Availability	Traditional and Contemporary	Traditional and Contemporary		
DIMENSIONS				
Glass Viewing	24 ⁵ /16"W x 16 ¹ /8"H	26 ⁵ /16"W x 18 ½"H		
Actual	29"W x 20"H x 16"D	31 ³ / ₈ "W x 22 ¹ / ₄ "H x 16"D		
Minimum Fireplace Opening	30"W (Front)* x 21"H x 17"D x 23"W (Rear)	33 ½"W (Front)** x 22 ¾"H x 17"D x 24 ¾"W (Rear)		
Air Intake	3"	3"		
Exhaust Outlet	3"	3"		

*29 % with control box and bracket removed.

CLEARANCES

Consult owner's manual for specific clearance and installation requirements. Minimum clearance to combustible materials in inches. Maintain clearance (empty space) between combustible materials and the unit as specified below.

	MEDIUM INSERT	LARGE INSERT
Front of Fireplace	36"	36"
Mantel Clearance	12"H min / 12"D max	14"H min / 12"D max
Firebox Opening	10"	10"
Hearth Requirement	10"	10"

SURROUND AND FACING SIZES

Note: All Surrounds come in Black. All sizes are compatible with any Harmony decorative facing. In order to ensure proper installation, a Surround is required. Ask your Dealer for assistance in selecting the best option for your installation.



Decorative Facing Facing
—Surround

	MEDIUM INSERT	LARGE INSERT		
SURROUND SIZES				
Small (accommodates side-facing control)	26"H x 38"W x 2"D	29"H x 40 3%"W x 2"D		
Small	26"H x 38"W x ⁵ %"D	32"H x 42"W x ⁵ %"D		
Medium	30"H x 42"W x 5/8"D	36"H x 48"W x ⁵ %"D		
Large	36"H x 44"W x 18 gauge (trimmable)	38"H x 43 ¾"W x 18 gauge (trimmable)		
FACING SIZES				
Rectangular Contemporary Door	20 ¹⁵ /16"H x 32 ¹⁵ /16"W	22 ¹⁵ /16"H x 35 ⁷ /16"W		
Arched Contemporary Door	23 ³ /8"H x 32 ¹⁵ /16"W	25 ¹³ / ₃₂ "H x 35 ⁷ / ₁₆ "W		
Floating Face	21 ⁷ /8"H x 32 ¹⁵ /16"W	23 ²³ / ₃₂ "H × 35 ⁷ / ₁₆ "W		
Glass Trim	18 1/8"H x 27 1/2"W	20 ½6"H x 30" W		

DISCOVER THE CONVENIENCE OF EXCLUSIVE TOTAL SIGNATURE COMMAND™ TECHNOLOGY

A technologically advanced and energy-efficient fireplace control system! An A/C adaptor is included; however, unlike competing control systems, this system operates even when no power is available, making it more convenient than ever to enjoy the fire.

Featuring:

- Smart Mode® thermostat for enhanced energy efficiency
- TSFSC Full Function Touch Screen remote control
- A/C accessory model offers an auxiliary connection to control a household light or more with the remote
- ON/OFF 3-step variable flame height adjustment
- Automatic, uninterrupted battery backup
- Pilot selection option
- Memory shut off remembers your favorite setting
- Three-step light dimming function
- Variable three-speed blower





LOVE AT FIRST LIGHT

A Brand of Vermont Castings Group 149 Cleveland Drive, Paris, Kentucky 40361 monessenhearth.com















Your Monessen Dealer:



Warning: Hot glass will cause burns. Do not touch glass until cooled. Never allow children to touch glass.

FPO for FSC certification mark

For more information about Vermont Castings Group and Monessen efficient and environmentally friendly products, please visit monessenhearth.com

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice.

©2014 Vermont Castings Group 0814

MON 1411.V3

^{**32} % with control box and bracket removed.