



# MAKE A LASTING **IMPRESSION**

The Royalton delivers dependability, convenience and lasting value. Attractive finishing options and large viewing area create a lasting impact, while the detailed brick interior allows you to achieve the look of classic masonry at a very affordable cost.

# STANDARD FEATURES

- 36" or 42" viewing areas Bi-fold glass doors available in Black & Stainless Steel
- Convenient ash lip
- User friendly front damper handle locks in
- open/closed positions
- Traditional brick interior

# **OPTIONAL FEATURES**

- Variety of gas logs available

# **DESIGN OPTIONS**

# Interior Firebrick



Traditional

# Finishing



Bi-Fold Glass Doors

# STYLE AND SUBSTANCE IN PERFECT BALANCE

Inspiration. Innovation. The Sovereign offers authentic, artisan craftsmanship and exceptional style - choose from a full range of designer features and customize to compliment your home's décor.

## STANDARD FEATURES

- 36" or 42" viewing areas
- Radiant or heat-circulating options
- Traditional brick interior

## **OPTIONAL FEATURES**

- Three glass door options in Black & Stainless Steel
- Variety of gas logs available

# **DESIGN OPTIONS**

### Interior Firebrick



Traditional

## Finishing



Bi-Fold Doors



Grand Vista Doors



Gasketed Doors For circulating models only.











# LOVES TO BE THE **CENTER OF ATTENTION**

Elegant and impressive – the Biltmore is the largest wood burning fireplace in the industry. The clean face design, expansive viewing area and designer finishing options make a bold statement, while creating both a warm and inviting ambiance.

# STANDARD FEATURES

- Three sizes available; 50", 42" and 36"
- Clean face design enables finishing materials to be applied up to firebox opening
- Can be installed flush with floor or on a raised hearth
- Impressive, masonry-style traditional or herringbone molded brick panels

# **OPTIONAL FEATURES**

- Three glass door options Variety of gas logs available

# **DESIGN OPTIONS**

# Interior Firebrick





Herringbone

Traditional

# Finishing






Bi-Fold Doors



Contour Screen Doors





# STANDARD FEATURES

- Two sizes available; 42" and 36"
- Available in see-through model
- Authentic masonry appearance
- Clean face design
- Outside air kit for enhanced venting

# **OPTIONAL FEATURES**

- Glass bi-fold doors
- Two door finishes Black & Stainless Steel
- Variety of gas logs available

# **DESIGN OPTIONS**

# Finishing



Designer Series DSR42 shown with Traditional Firebrick

Bi-Fold Doors Stainless Steel (36 only)

Designer Series bi-fold glass doors are available with Black or Stainless Steel trim.

# WOOD BURNING FIREPLACES

MODEL	ROYALTON-BE36	ROYALTON-BE42	SOVEREIGN-SA36(R/C)	SOVEREIGN-SA42(R/C)
Dimensions (Actual)	36" W x 39 ½" H x 21 ¾" D	47" W x 39 ½" H x 21 ¾" D	42" W x 41 ½" H x 22 ¾" D	48" W x 41 ½" H x 22 ¾" D
Dimensions (Framing)	42" W x 39 ¾" H x 21 ½" D	48" W x 39 3/4" H x 21 1/2" D	43" W x 41 ½" H x 23" D	49" W x 41 ½" H x 23" D
Viewing Area	36" W x 21" H (756 sq. in.)	42" W x 21" H (882 sq. in.)	36" W x 21 ¾" H (769 ½ sq. in.)	42" W x 21 3%" H (897 3¼ sq. in.)
Radiant or Circulating	Radiant	Radiant	Radiant/Circulating	Radiant/Circulating
Design Certified	UL/ULC	UL/ULC	UL/ULC	UL/ULC

MODEL	BILTMORE-SB60/SB60HB	BILTMORE-SB80/SB80HB	BILTMORE-SB100/SB100HB	ASHLAND-ASH42
Dimensions (Actual)	44 ½" W x 59 ¼" H x 27 ½" D	50 ½" W x 59 ¼" H x 27 ½" D	60 %" W x 70 ½" H x 29 ½" D	52 %" W x 74 %" H x 27 ½" D
Dimensions (Framing)	45 ½" W x 59 ¾" H x 28" D	51 ½" W x 59 ¾" H x 28 ½" D	61 %" W x 71" H x 30 ½" D	53 %" W x 74 ½" H x 28 ½" D
Viewing Area	36" W x 28 ½" H (1026 sq. in.)	42" W x 28 ½" H (1197 sq. in.)	50" W x 33" H (1650 sq. in.)	42" W x 38" H (1596 sq. in.)
Radiant or Circulating	Radiant	Radiant	Radiant	Radiant
Design Certified	UL/ULC	UL/ULC	UL/ULC	UL/ULC


MODEL	DESIGNER-DSR36	DESIGNER-DSR42
Dimensions (Actual)	40" W x 41 ½" H x 24" D	47" W x 58 %" H x 28" D
Dimensions (Framing)	41" W x 41 ½" H x 23" D	48" W x 39 1/8" H x 27" D
Viewing Area	36" W x 20 %" H (751 ½ sq. in.)	42" W x 23" H (966 sq. in.)
Radiant or Circulating	Radiant	Radiant
Design Certified	UL/ULC	UL/ULC

Refer to installation manual for all framing & installation guidelines.



LOVE AT FIRST LIGHT

A Brand of Vermont Castings Group 149 Cleveland Drive, Paris, Kentucky 40361 monessenhearth.com























Warning: Hot glass will cause burns. Do not touch glass until cooled. Never allow children to touch glass.



To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice.

©2015 Vermont Castings Group

MON9015 Ver.01

For more information about Monessen efficient and environmentally friendly products, please visit monessenhearth.com