




Vented Gas Logs

BEAUTIFUL AMBIANCE ABUNDANT HEAT



VENTED GAS LOGS

Add the beauty and warmth of fire to your existing masonry or wood burning fireplace without having to install a whole new unit. Simply select a vented gas log set from Monessen in a size and style that's suited to your particular requirements. These exquisitely crafted gas log sets come in a variety of life-like wood styles and textures to create the look and feel of a real wood fire without the hassle. Complete with glowing embers and a range BTUs to keep you cozy, these vented gas logs from Monessen are a natural choice to add the ambiance of fire to your home.




WILD FLAME SERIES

- Up to 22,000 BTUs of radiant heat
- Factory assembled burner, damper clamp, lava rock, vermiculite, and rock wool embers
- Extra large ember bed and built-in accent burner
- Hidden control
- Factory leak tested, CSA design approved
- Limited lifetime warranty

DUZY SERIES


- Three log styles
- Up to 17,000 BTUs of radiant heat
- Manual or Millivolt Control with safety pilot
- Patented Natural Flame™ stainless steel burner system with outstanding flame realism
- Clean burning design for both natural gas and liquid propane
- Factory leak tested and CSA approved
- Engineered design prevents heat stress to controls
- Unique 24/18" design fits the contour and shape of even the most narrow wood burning fireplaces
- Matchless piezo ignition for quick, easy lighting
- Limited lifetime warranty



Duzy 2



Duzy 3



Duzy 5

OPTIONAL ACCESSORIES



See our Ambient Technologies® catalog for a complete line of remotes.



Metal insulated remote receiver cover.



Ember remote receiver cover



Cinders



Decorative fiber ember kit


DUZY SERIES

Specifications CSA and RADCO Vented Gas Logs

MODEL	Manual Control RADCO	Fireplace Opening (Width x Height x Depth x Rear Width)		CSA BTU/Hr.		CSA Heating Capacity BTU/Hr.*		RADCO BTU/Hr.		RADCO Heating Capacity BTU/Hr.*		
		Manual SPK Control RADCO	Millivolt Control CSA and RADCO	NG	LP	NG	LP	NG	LP	NG	LP	
CLASSIC WILD FLAME SERIES												
VWF18MO Massive Oak	22"W x 16"H x 13"D x 19"RW	24"W x 16"H x 13 ½"D x 21"RW	28"W x 16"H x 13 ½"D x 25"RW	60,000	60,000	14,000	14,000	80,000	60,000	18,000	14,000	
VWF24MO Massive Oak	28"W x 16"H x 13"D x 25"RW	30"W x 16"H x 13 ½"D x 27"RW	34"W x 16"H x 13 ½"D x 31"RW	70,000	60,000	16,000	14,000	90,000	60,000	20,000	14,000	
VWF30MO Massive Oak	34"W x 16"H x 13 ½"D x 31"RW	36"W x 16"H x 13 ½"D x 33"RW	40"W x 16"H x 13 ½"D x 37"RW	80,000	60,000	14,000	18,000	90,000	60,000	22,000	14,000	
VWF18AO American Oak	24"W x 16"H x 16"D x 20"RW	24"W x 16"H x 13 ½"D x 21"RW	28"W x 16"H x 13 ½"D x 25"RW	60,000	60,000	14,000	14,000	80,000	60,000	18,000	14,000	
VWF24AO American Oak	26"W x 16"H x 13 ½"D x 26"RW	30"W x 16"H x 13 ½"D x 27"RW	34"W x 16"H x 13 ½"D x 31"RW	70,000	60,000	16,000	14,000	90,000	60,000	20,000	14,000	
VWF30AO American Oak	34"W x 16"H x 13"D x 31"RW	36"W x 16"H x 13 ½"D x 33"RW	40"W x 16"H x 13 ½"D x 37"RW	80,000	60,000	14,000	18,000	90,000	60,000	22,000	14,000	
VWF18MOST Massive Oak See-Thru	24"W x 16"H x 16"D x 20"RW	24"W x 16"H x 16"D x 24"RW	28"W x 16"H x 16"D x 28"RW	60,000	60,000	14,000	14,000	80,000	60,000	14,000	18,000	
VWF24MOST Massive Oak See-Thru	28"W x 16"H x 16"D x 26"RW	30"W x 16"H x 16"D x 30"RW	34"W x 16"H x 16"D x 34"RW	70,000	60,000	16,000	14,000	90,000	60,000	20,000	14,000	
COLOSSAL WILD FLAME SERIES												
VWF24/18SRO Split River Oak	22"W x 16"H x 13"D x 19"RW	24"W x 16"H x 13 ½"D x 21"RW	28"W x 16"H x 13 ½"D x 25"RW	60,000	60,000	14,000	14,000	80,000	60,000	18,000	14,000	
VWF30/24SRO Split River Oak	28"W x 16"H x 13"D x 25"RW	30"W x 16"H x 13 ½"D x 27"RW	34"W x 16"H x 13 ½"D x 31"RW	70,000	60,000	16,000	14,000	90,000	60,000	20,000	14,000	
VWF36/30SRO Split River Oak	34"W x 16"H x 13"D x 31"RW	36"W x 16"H x 13 ½"D x 33"RW	40"W x 16"H x 13 ½"D x 37"RW	80,000	60,000	14,000	22,000	90,000	60,000	22,000	14,000	

Specifications CSA Vented Gas Logs

MODEL	Manual Control	Fireplace Opening (Width x Height x Depth x Rear Width)		BTU/Hr.		Heating Capacity
		Manual SPK Control	Millivolt Control	NG	LP	BTU/Hr.*
DUZY SERIES						
VDY24/18D2A Duzy 2	26"W x 16"H x 13 ½"D x 17"RW	—	26"W x 16"H x 13 ½"D x 18"RW	50,000	50,000	15,000
VDY30D2A Duzy 2	32"W x 16"H x 13 ½"D x 18"RW	—	32"W x 16"H x 13 ½"D x 24"RW	65,000	65,000	17,000
VDY24/18D3R Duzy 3	26"W x 16"H x 13 ½"D x 17"RW	—	26"W x 16"H x 13 ½"D x 18"RW	50,000	50,000	15,000
VDY30D3R Duzy 3	32"W x 16"H x 13 ½"D x 18"RW	—	32"W x 16"H x 13 ½"D x 24"RW	65,000	65,000	17,000
VDY24/18D5R Duzy 5	26"W x 16"H x 13 ½"D x 17"RW	—	26"W x 16"H x 13 ½"D x 18"RW	50,000	50,000	15,000
VDY30D5R Duzy 5	32"W x 16"H x 13 ½"D x 18"RW	—	32"W x 16"H x 13 ½"D x 24"RW	65,000	65,000	17,000




*Individual results may vary and are dependent on the shape and design of your space, the amount and quality of insulation in your home, the outdoor temperature, and other factors.



LOVE AT FIRST LIGHT

A Brand of Vermont Castings Group
149 Cleveland Drive, Paris, Kentucky 40361
www.monessenhearth.com

Your Monessen Dealer:



Warning: Hot glass will cause burns. Do not touch glass until cooled. Never allow children to touch glass.



To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product, and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended, nor should they be used as a substitute, for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice.

For more information about Vermont Castings Group and Monessen efficient and environmentally friendly products, please visit monessenhearth.com