

FIREPLACE DESIGN GUIDE



A MAJESTIC LEGACY

Since 1894, Majestic® has been dedicated to keeping families warm. Originally a manufacturer of cast iron furnaces and coal chutes, Majestic created its first factory built fireplace in the 1930s and never looked back. Since then, Majestic has been producing wood and gas fireplaces known for outstanding durability, superior quality and stunning good looks.

With a wide range of eye-catching styles, convenient sizes and trending trims, Majestic products are designed to be the beautiful heart of your home. That's why, for decades, Majestic has been the fireplace of choice for homes across North America. We believe trust is earned, not given, and appreciate the faith you've shown in our brand for over 125 years.

Come home to a Majestic gas fireplace, and enjoy the entertainment and romance you deserve.





TABLE OF CONTENTS

Why a Fireplace	4
Seeing is Believing	
Simple Specification	
Design Considerations	
Specification Checklist	
Gas Fireplaces	
Why a Gas Fireplace	10
Gas Fireplace Inserts	34
Why a Gas Fireplace Insert	
Wood Burning Fireplaces	40
Why a Wood Fireplace	
Electric Fireplaces	54
Why an Electric Fireplace	
Outdoor Products	68
Why Outdoor	



WHY A FIREPLACE?

From an elemental standpoint, fire is king. From a design standpoint, the regal ambiance a fireplace brings to a space is undeniable. With today's hearth innovations and technologies, it's possible to include a fireplace in virtually any room in your residential or commercial project.



New homebuyers rank fireplaces as the top most desired decorative products in a new home¹



A gas fireplace will add between

\$2,950 **-** \$5,900

to a home's value²



Direct vent gas is the **preferred technology** in every green

building program³

- 1 2016 Realtor.com Homebuyer & Realtor Research, "Fireplace is the #1 Must Have Home Feature"; 2016 Angie's List Homebuyer & Realtor Research, "Both indoor and outdoor fireplaces are one of the most sought after home features by both homebuyers and realtors"
- 2 Marshall & Swift Residential Cost Handbook
- 3 2013 NAHB "What Homebuyers Really Want"

SEEING IS BELIEVING

Competitors have tried to say their fireplaces are bigger, but are they really? Consumers can be misled by fireplace measurements that are not standardized. With Majestic, you can show the consumer the difference.

The Majestic brand uses a simple system that features the width of the fireplace's viewing area right in the product name. Consumers care about what they "see" not what is hidden. For example, the width of the viewing area on the Quartz 36 fireplace is 36 inches.







CAD Details



Revit Objects




CSI Specs

MAJESTIC MAKES SPECIFYING SIMPLE

Have confidence in your plans by leveraging our array of design and specification tools including proprietary CAD drawings compatible with the latest AutoCAD software, and 3D Revit BIM objects and families. Majestic also has complete 3-Part CSI/CSA fireplaces specifications for you to add instantly into section 10-31-00 of your construction documents.


DESIGN CONSIDERATIONS

The placement of the fireplace is critical to specifying the right fireplace for the right project. When evaluating how to best work a fireplace model into your floor plan, make sure to work with your local Hearth Expert™ to factor in the following components:



Exterior Wall


A classic application that suits both traditional and contemporary fireplace models. These applications typically require the least complicated vent runs, but may require an exterior chase or bump out.



Corner

Best used in floorplans with square footage to spare or where other architectural elements (i.e. windows) take precedence as a focal point.

Traditional models or smaller modern linear units work best for these applications.



Interior Wall / Island

An interior island application is an innovative way to enhance a space. See-through models are highly desired for these types of design, particularly in open floor plans. These applications may require a power vent system and a more complex vent run.



Install Virtually Anywhere: Power Venting Technology

Fireplaces aren't just for exterior walls. A fan-powered accessory with slim venting can zigzag throughout your home – up, down, over or under – making it possible to install a gas fireplace virtually anywhere.



SPECIFICATION CHECK LIST

Planning is critical to ensure the model you are specifying will work with your home plans. When specifying a fireplace model for your floor plan, make sure to work with your local Hearth Expert to factor in the following factors:





For both the fireplace itself and for any vent pipes that must terminate through a wall.



Connection Requirements

Make sure you understand where venting, gas and electrical connection points are on the model you're specifying.



Vent Run Requirements

The maximum and minimum lengths required for vertical, horizontal and mixed vent runs may vary from model to model. Understanding these parameters early on is essential in deciding where best to place the fireplace in your plans.



Clearances to Combustibles

For mantels, flooring, surround material and appliances adjacent to the fireplace.



Exterior Termination Location

Know the distances needed from the termination cap to nearby fenestrations, overhangs, soffits and sidewalks.



WHY A GAS FIREPLACE?

Gas fueled fireplaces offer the most versatility of placement, model variety, and technology. Majestic gas fueled fireplaces will not only add an unforgettable focal point to your home, but ambiance and comfort to the spaces you're creating to deliver an experience of royal proportions. Clean-burning and efficient, building and design professionals should include at least one gas fueled fireplace in entry level new construction homes and a second or third fireplace when planning move-up or luxury/custom properties.



Heat Management Solutions

Increase homeowner satisfaction by specifying a model with heat management.




Passive Heat[™] Kit Allows heat to disperse naturally (no fan) into the room, reducing surface temperatures. Choose side, front or open wall register.





Heat-Zone® Kit Draw heat from your fireplace to another room in your home, up to 20 feet away. Redirect up to 50% of the heat, while reducing wall temperatures above the fireplace.





Heat-Out® Kit Draw heat from your fireplace and direct it outside. Redirect up to 40% of the heat while reducing wall temperatures above the fireplace.





MARQUIS II SERIES

Direct Vent Gas Fireplace

The Marquis II series gas fireplace fills your home with comfort. Watch the scene unfold with an expansive view of the flames as they wrap around split logs. The authentic masonry appearance and accent lighting enhance the beautiful fire.

Interiors







Tavern Brown

Tavern Brown Herringbone

Reflective Black Glass

Finishes









Pewter


Bronze Charcoal

MARQUIS II SPECIFICATIONS

MODEL	FRONT WIDTH (A)		REAR WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE	BTU/HR INPUT	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BIO/HK INPOI	
Marquis II 36	61"	59-1/2"	59-1/4"	59-1/2"	57-5/8"	56"	24"	24"	35-7/8" x 31-1/16"	25,000 - 44,000 (NG)	
	(1549mm)	(1511mm)	(1505mm)	(1511mm)	(1464mm)	(1422mm)	(610mm)	(610mm)	(911mm x 789mm)	24,000 - 43,500 (LP)	
Marquis II 42	67"	65-9/16"	65-5/16"	65-9/16"	62-5/8"	61"	24"	24"	41-7/8" x 36-1/16"	30,000 - 54,500 (NG)	
	(1702mm)	(1665mm)	(1659mm)	(1665mm)	(1591mm)	(1549mm)	(610mm)	(610mm)	(1064mm x 916mm)	23,500 - 47,500 (LP)	









Top View

Front View

Left Side View

Right Side View









MARQUIS II SEE-THROUGH

Direct Vent Gas Fireplace

The Marquis See-Through gas fireplace is a breathtaking focal point that will add prestige to any space. Accent lighting and stunning flames compliment the traditional feel of split logs. Dazzle your homeowners and builder clients by specifying the Marquis II See-Through for your residential and commercial projects.

Interiors






Cottage Red

Tavern Brown

Finishes




Bronze Charcoal





Pewter


MARQUIS II SEE-THROUGH SPECIFICATIONS

	MODEL	FRONT WIDTH (A)		REAR WIDTH (A)		HEIGHT (B)		DEPTH (C)		GLASS SIZE	BTU/HR INPUT
		ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(D x E)	BTU/HR INPUT
	Marquis II See-Through	60" (1524mm)	60-1/4" (1530mm)	60" (1524mm)	60-1/4" (1530mm)	46-3/8" (1178mm)	46-1/2" (1181mm)	30" (762mm)	30" (762mm)	39-7/16" x 35-1/8" (1002mm x 892mm)	43,000 - 57,500 (NG) 39,000 - 52,000 (LP)









Top View

Front View

Left Side View

Right Side View









ECHELON II SERIES

Direct Vent Gas Fireplace

The exclusive Echelon II series gas fireplace creates a place to relax and enjoy life. Active flames and interior options give this contemporary fireplace a unique look. Get lost in its fire and the brilliance of glass illuminated by lights.









Bronze



Charcoal



Pewter



Black

Media









Onyx





Driftwood Logs

Bronze


Diamond


Sapphire


Natural Stones


ECHELON II SPECIFICATIONS

MODEL	FRONT WIDTH (A)		REAR WIDTH (D)		HEIGHT (B)		DEPTH (C)		GLASS SIZE	BTU/HR INPUT
WODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BTO/HA INPOT
Echelon II 36	46-3/16" (1173mm)	48-1/4" (1226mm)	46-3/16" (1173mm)	48-1/4" (1226mm)	41-3/4" (1060mm)	42" (1067mm)	17-1/8" (435mm)	18-1/4" (464mm)	35-1/2" x 12-1/2" (902mm x 318mm)	30,000 (NG) / 27,000 (LP)
Echelon II 48	58" (1473mm)	60-1/4" (1530mm)	58" (1473mm)	60-1/4" (1530mm)	41-3/4" (1060mm)	42" (1067mm)	17-1/8" (435mm)	18-1/4" (464mm)	47-1/2" x 12-1/2" (1207mm x 318mm)	40,000 (NG) / 34,000 (LP)
Echelon II 60	70" (1778mm)	72-1/4" (1835mm)	70" (1778mm)	72-1/4" (1835mm)	47-3/4" (1213mm)	48" (1219mm)	17-1/8" (435mm)	18-1/4" (464mm)	59-1/2" x 12-1/2" (1511mm x 318mm)	50,000 (NG) / 37,500 (LP)
Echelon II 72	82" (2083mm)	84-1/4" (2140mm)	82" (2083mm)	84-1/4" (2140mm)	47-3/4" (1213mm)	48" (1219mm)	17-1/8" (435mm)	18-1/4" (464mm)	71-1/2" x 12-1/2" (1816mm x 318mm)	58,000 (NG) / 45,000 (LP)









Top View

Front View

Left Side View

Right Side View











ECHELON II SEE-THROUGH

Direct Vent Gas Fireplace

The exclusive Echelon II See-Through gas fireplace creates a place to relax and enjoy life. Active flames and interior options give this contemporary fireplace a unique look. Get lost in its fire and the brilliance of glass illuminated by lights.

Interiors

Reflective Black Glass



Bronze







Pewter



Black

















Driftwood Logs Bronze Diamond


Onyx


Sapphire


Natural Stones


ECHELON II SEE-THROUGH SPECIFICATIONS

MODEL	FRONT WIDTH (A)		REAR WIDTH (D)		HEIGHT (B)		DEPTH (C)		GLASS SIZE	BTU/HR INPUT
WODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BTO/TIN INFOT
Echelon II	46-3/16"	48-1/4"	46-3/16"	48-1/4"	41-3/4"	42"	17-1/8"	17"	35-1/2" x 12-1/2"	30,000 (NG) / 27,000 (LP)
See-Through 36	(1173mm)	(1226mm)	(1173mm)	(1226mm)	(1060mm)	(1067mm)	(435mm)	(432mm)	(902mm x 318mm)	
Echelon II	58"	60-1/4"	58"	60-1/4"	41-3/4"	42"	17-1/8"	17"	47-1/2" x 12-1/2"	40,000 (NG) / 34,000 (LP)
See-Through 48	(1473mm)	(1530mm)	(1473mm)	(1530mm)	(1060mm)	(1067mm)	(435mm)	(432mm)	(1207mm x 318mm)	









Top View

Front View

Left Side View

Right Side View











JADE SERIES

Direct Vent Gas Fireplace

The Jade fireplace helps you unwind and rebalance with a ribbon of continuous flame and a soothing style. With its great looks, many features, easy operation and the reliability of Majestic, life is better. Sit back, relax and enjoy your home with the Jade fireplace.

Interiors

Media















Pewter



Black





Bronze



Diamond







Driftwood Logs


Onyx

Sapphire

Natural Stones

JADE SERIES SPECIFICATIONS

MODEL -	FRONT WIDTH (A)		HEIGHT (B)		DEPTH (C)		REAR WIDTH (D)		GLASS SIZE	BTU/HR INPUT
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E X F)	BIO/HA INFOI
Jade 32"	36"	37"	38-1/16"	36-1/2"	17-3/4"	17-3/4"	25-3/4"	37"	27-1/4" x 15-1/4"	19,000 (NG)
	(914)	(940)	(967)	(927)	(451)	(451)	(654)	(940)	(692 x 387)	16,500 (LP)
Jade 42"	48"	49"	33-11/16"	32-3/4"	17-3/4"	17-3/4"	37-3/4"	49"	39" x 15-1/4"	25,250 (NG)
	(1219)	(1245)	(856)	(832)	(451)	(451)	(959)	(1016)	(991 x 387)	23,500 (LP)













SEE-THROUGH

Direct Vent Gas Fireplace

See-through fireplaces create a one-of-kind fireside experience. These multisided fireplaces provide warmth and comfort to multiple spaces with one unit. Customize your see-through fireplace with several interior options, or opt for the contemporary look of flames rising through your choice of crushed glass media.

Interiors









Reflective Black Glass


SEE-THROUGH SPECIFICATIONS


MODEL FRONT WII		FRONT WIDTH (A) REAR WIDTH (D)		IDTH (D)	HEIGHT (B)		DEPTH (C)		GLASS SIZE	BTU/HR INPUT
WODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BIO/HR INPOI
See-Through	42-1/2" (1080mm)	43" (1092mm)	42-1/2" (1080mm)	43" (1092mm)	38" (965mm)	38-1/8" (968mm)	24" (610mm)	23" (584mm)	33" x 21-5/8" (838mm x 549mm)	38,000 (NG)















PIER

Direct Vent Gas Fireplace

Pier fireplaces create a one-of-kind fireside experience. These multi-sided fireplaces provide warmth and comfort to multiple spaces with one unit. Customize your pier fireplace with several interior options, or opt for the contemporary look of flames rising through your choice of crushed glass media.

Interiors









Reflective Black Glass


PIER SPECIFICATIONS


FRON		FRONT WIDTH (A)		REAR WIDTH (D)		HEIGHT (B)		'H (C)	GLASS SIZE	BTU/HR INPUT
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BTU/HK INPUT
Pier	40-1/2" (1029mm)	40" (1016mm)	40-1/2" (1029mm)	40" (1016mm)	38" (965mm)	38-1/8" (968mm)	24" (610mm)	23" (584mm)	33" x 21-5/8" (838mm x 549mm)	38,000 (NG)











Non-Viewable End






CORNER SERIES


Direct Vent Gas Fireplace


A unique corner unit creates a memorable experience. These corner fireplaces provide warmth and comfort to multiple spaces at once. Upgrade your corner fireplace with intuitive touch remote control and fan options.


CORNER SPECIFICATIONS

MODEL	FRONT WIDTH (A)		REAR WIDTH (D)		HEIGHT (B)		DEPTH (C)		GLASS SIZE	BTU/HR INPUT
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BIO/HR INPOI
Left Corner	40-1/2" (1029mm)	40" (1016mm)	40-1/2" (1029mm)	40" (1016mm)	38" (965mm)	38-1/8" (968mm)	24-1/2" (622mm)	24" (610mm)	33" x 21-5/8" (838mm x 549mm)	38,000 (NG)
Right Corner	40-1/2" (1029mm)	40" (1016mm)	40-1/2" (1029mm)	40" (1016mm)	38" (965mm)	38-1/8" (968mm)	24-1/2" (622mm)	24" (610mm)	33" x 21-5/8" (838mm x 549mm)	38,000 (NG)









Top View

Non-Viewable End





MERIDIAN SERIES

Direct Vent Gas Fireplace

Meridian series gas fireplaces come alive as flames swirl around split logs. A crisp and clean interior makes these fireplaces inviting, whether they're burning or not. Easily customize your Meridian series and for more heat and bigger flames, upgrade to the Meridian Platinum.











Cottage Red

Tavern Brown

Tavern Brown Herringbone

Fade-Resistant Reflective Black Glass

Finishes







Bronze

Pewter

Black

MERIDIAN SERIES SPECIFICATIONS






PowerVent




Meridian

MODEL	FRONT WIDTH (A)		REAR WIDTH (D)		HEIGHT (B)		DEPTH (C)		GLASS SIZE	BTU/HR INPUT	
MODEL	MODEL ACTUAL FRAMIN	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BTO/HR INPOT	
Meridian 36	41" (1041mm)	42" (1067mm)	28-1/2" (724mm)	42" (1067mm)	40-7/8" (1038mm)	40-1/8" (1019mm)	21" (533mm)	22" (559mm)	32" x 21-9/16" (813mm x 548mm)	30,000 (NG) / 29,000 (LP)	
Meridian 42	48" (1219mm)	49" (1245mm)	35-1/2" (902mm)	49" (1245mm)	42-7/8" (1089mm)	42-1/8" (1070mm)	21" (533mm)	22" (559mm)	39" x 23-5/8" (991mm x 600mm)	35,000 (NG) / 34,000 (LP)	




Top View



Front View




Left View




Right View

Meridian Platinum

MODEL	MODEL FRONT WI		VIDTH (A) REAR WIDTH (D)		HEIGHT (B)		DEPTH (C)		GLASS SIZE	BTU/HR INPUT
WODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BIO/HR INPOI
Meridian Platinum	36 41" (1041mm	42" (1067mm)	28-1/2" (724mm)	42" (1067mm)	40-7/8" (1038mm)	40-1/8" (1019mm)	21" (533mm)	22" (559mm)	32" x 21-9/16" (813mm x 548mm)	35,000 (NG) / 33,000 (LP)
Meridian Platinum	48" (1219mm	49" (1245mm)	35-1/2" (902mm)	49" (1245mm)	42-7/8" (1089mm)	42-1/8" (1070mm)	21" (533mm)	22" (559mm)	39" x 23-5/8" (991mm x 600mm)	40,000 (NG) / 37,000 (LP)




Top View



.. 00

Left View



Right View



QUARTZ SERIES

Direct Vent Gas Fireplace

Quartz series gas fireplaces have the features you need, with the options you want. The shallow depth leaves you with living space to spare, while the versatile interior can be changed from traditional to contemporary to fit your style.

Interiors







Tavern Brown

Reflective Black Glass

Media







Contemporary glass firebed available for 32" and 36" only.







Standard Logs

Bronze

Diamond


Onyx


Sapphire


Natural Stones


QUARTZ SERIES SPECIFICATIONS

MODEL	FRONT WIDTH (A)		REAR WIDTH (D)		HEIGHT (B)		DEPTH (C)		GLASS SIZE	BTU/HR INPUT
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BIO/IIK INPOI
Quartz 32	36" (913mm)	37" (940mm)	25-3/4" (653mm)	37" (940mm)	34-3/8" (873mm)	34-3/4" (882mm)	16-5/16" (415mm)	16-1/4" (413mm)	27-3/16" x 18-1/16" (691mm x 459mm)	15,000 – 21,000 (NG)
Quartz 36	41" (1041mm)	42" (1067mm)	30-3/4" (781mm)	42" (1067mm)	37-7/8" (962mm)	38-1/4" (972mm)	16-5/16" (415mm)	16-1/4" (413mm)	32-1/16" x 21-1/2" (814mm x 546mm)	17,000 – 24,000 (NG)
Quartz 42	48" (1219mm)	49" (1245mm)	37-3/4" (959mm)	49" (1245mm)	39-9/16" (1005mm)	39-7/8" (1013mm)	16-5/16" (415mm)	16-1/4" (413mm]	39-1/16" x 23-9/16" (992mm x 599mm)	20,000 - 28,500 (NG)









Top View

Front View

Left Side View

Right Side View









MERCURY Direct Vent Gas Fireplace


The Mercury gas fireplace adds comforting warmth, ambiance and convenience to your space. A simple and easy hearth experience.


MERCURY SPECIFICATIONS

MODEL	FRONT WIDTH		REAR WIDTH		HEIGHT		DEPTH		GLASS SIZE	BTU/HR INPUT
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	GLASS SIZE	BIO/HINPOI
Mercury	36" (914mm)	37" (940mm)	25-3/4" (654mm)	37" (940mm)	34-5/16" 9871mm)	34-3/4" (883mm)	16-5/16" (414mm)	16-1/4" (413mm)	27-3/16" x 18-1/16" (691mm x 459mm)	19,100 (NG)









Top View

Front View

Left Side View

Right Side View







WHY A GAS FIREPLACE INSERT?


Change your wood fireplace to an easy-to-use gas fireplace. Gas inserts from Majestic make relaxing simple with realistic split logs and flames. Convert your high-maintenance wood fireplace into a source of warmth and enjoyment, in three easy steps:

STEP 1: Measure your existing fireplace opening and choose your insert

The height, width and depth of the existing fireplace opening is needed to ensure an appropriately sized insert is selected.

Α.	Fireplace	front width	1

- B. Fireplace front height_____
- C. Fireplace back width_____
- D. Fireplace depth
- E. Hearth to mantel height_____



STEP 2: Select your surround and front

A surround fills the gap between the fireplace insert and existing fireplace opening. Choose from three sizes and two finishes for a unique look.

Personalize your insert with a front that fits your style. Select from three styles and two finishes.



SURROUND SIZE	RUBY35IN	RUBY30IN JASPER30IN	RUBY25IN	
Small	42" x 29"	40" x 27"	35" x 23"	
Medium	44" x 32"	42" x 30"	37" x 26"	
Large	48" x 32"	44" x 32"	39" x 28"	

Front and Surround Finishes



STEP 3: Select your options to customize your insert

Choose from interior panels, contemporary conversion kits and interior media to put the finishing touches on your insert.



RUBY SERIES

Gas Fireplace Inserts

The Ruby series gas fireplace inserts make enjoying a fire easy. All the ambiance and warmth of a split-log fire, without the mess and hassle of wood. A traditional fireplace can be completely changed to a brilliant glass firebed and driftwood logs. A fireplace to fit your lifestyle, whenever you want.

*Available on Ruby 35 and Ruby 30









Tavern Brown








New Bronze

Black

RUBY SPECIFICATIONS

	FRONT V	VIDTH (A)	BACK WIDTH (B)		HEIG	HT (C)	DEP	ΓH (D)	VIEWING AREA	BTU/HR
MODEL	UNIT	MIN FIREBOX OPENING	UNIT	MIN. OPEN	UNIT	MIN FIREBOX OPENING	UNIT	MIN FIREBOX OPENING	(E X F)	INPUT
RUBY25IN	26-1/8" (664mm)	26-5/8" (676mm)	14-5/8" (372mm)	15-1/8" (384mm)	17-1/16" (433mm)	17-5/16" (439mm)	14-1/2" (368mm)	15" (381mm)	22-1/2" X 12-7/16" (572mm X 316mm)	27,000
RUBY30IN	31-1/8" (791mm)	31-5/8" (803mm)	19-5/8" (499mm)	20-1/8" (511mm)	20-3/4" (527mm)	21" (533mm)	14-1/2" (368mm)	15" (381mm)	27-1/2" X 15-15/16" (699mm X 405mm)	32,700
RUBY35IN	36-1/8" (918mm)	36-5/8" (930mm)	24-5/8" (626mm)	25-1/8" (638mm)	24" (610mm)	24-1/4" (616mm)	14-1/2" (368mm)	15" (381mm)	32-1/2" X 19-3/8" (826mm X 492mm)	35,000





JASPER Gas Fireplace Insert

Installing the Jasper gas fireplace from Majestic can be quick and will provide significantly better efficiency than an open wood fireplace. Split-logs and flames deliver the ambiance and look you expect, while removing the effort wood fireplaces require.

Interiors





Cottage Red

Tavern Brown

Finishes






Black

JASPER SPECIFICATIONS

	FRONT WIDTH (A)		BACK WIDTH (B)		HEIG	HEIGHT (C)		ΓΗ (D)	VIEWING AREA	BTU/HR
MODEL	UNIT	MIN FIREBOX OPENING	UNIT	MIN. OPEN	UNIT	MIN FIREBOX OPENING	UNIT	MIN FIREBOX OPENING	(E X F)	INPUT
JASPER30IN	31-1/8" (791mm)	31-5/8" (803mm)	19-5/8" (499mm)	20-1/8" (511mm)	20-3/4" (527mm)	21" (533mm)	14-1/2" (368mm)	15" (381mm)	27-1/2" X 15-15/16" (699mm X 405mm)	30,000






WHY A WOOD FIREPLACE?

Majestic wood burning fireplaces are a robust, reliable and budget-friendly alternative to true masonry fireplaces and are ideal for projects where the hearth is used seasonally or when end-users are seeking the hands-on experience of a woodfueled appliance. It's important to understand local codes when specifying wood burning models, particularly when seeking to comply with EPA requirements and other state and city mandates.

Termination Requirements for Wood Burning Fireplaces

The quality of the fire depends on where you design—in the chimney and termination components for the specified wood burning model. It's important to get with a local hearth installer early in the design process to ensure proper termination placement. Variables such as roof angle, prevailing wind location, and nearby overhangs, objects and openings may need to be taken into consideration.





WarmMajic II EPA Wood-Burning Fireplace

Enhance your home's heating profile with a clean-burning, efficient wood fireplace you can depend on. This eco-friendly wood fireplace exceeds the strictest environmental standards. Come home to the comfort of the WarmMajic II wood fireplace and enjoy big heat and bold flames.

Interiors



Firebrick


Finishes




Black

WarmMajic II SPECIFICATIONS

MODEL	FRONT V	VIDTH (A)	HEIGHT (B)		DEPT	'H (C)	FIREPLACE OPENING	RADIANT OR
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E X F)	CIRCULATING
WARMMAJIC II	40" (1016mm)	42-1/2" (1067mm)	40-1/2" (1029mm)	56-3/4" (1441mm)	23-1/2" (597mm)	24"* (610mm)	37" x 31-1/8" (940mm x 791mm)	Circulating







^{*}If interior of chase will be drywalled, add the thickness to this measurement.



ASHLAND

Wood-Burning Fireplace

The Ashland delivers on every level – customize the design with three available sizes and stylish finishing options. The large firebox gives you a front row seat for unforgettable fires, while the proven history of performance provides peace of mind for many years to come.1

Interiors







Herringbone

Bi-Fold Doors

Finishes






Black

Bronze

ASHLAND SPECIFICATIONS

MODEL	WIE	тн	HEI	GHT	DEI	РТН	VIEWING AREA	RADIANT OR CIRCULATING	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	VIEWING AREA		
ASH36	46-7/8" (1191mm)	47-7/8" (1194mm)	74-1/8" (1883mm)	74-1/2" (1892mm)	27-1/2" (699mm)	28-1/2" (724mm)	36" x 38" (914mm x 965mm)	Radiant	
ASH42	52-7/8" (1343mm)	53-7/8" (1368mm)	74-1/8" (1883mm)	74-1/2" (1892mm)	27-1/2" (699mm)	28-1/2" (724mm)	42" x 38" (1067mm x 965mm)	Radiant	
ASH50	60-7/8" (1524mm)	61-7/8" (1549mm)	74-1/8" (1883mm)	74-1/2" (1892mm)	27-1/2" (699mm)	28-1/2" (724mm)	50" x 38" (1270mm x 965mm)	Radiant	





DESIGNER SERIES

Wood-Burning Fireplace

Now you can enjoy the incomparable warmth and beauty of your wood burning fireplace from two rooms at once. Get twice the ambiance with a designer see through fireplace.



Finishes








Stainless Steel (36 only)

DESIGNER SERIES SPECIFICATIONS

	MODEL	WIDT	'H (A)	HEIGHT (B)		DEPT	TH (C)	VIEWING AREA	RADIANT OR
		ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(D x E)	CIRCULATING
	Designer 42	47" (1194mm)	48" (1219mm)	58-7/8" (1496mm)	39-1/8" (994mm)	28" (711mm)	27" (686mm)	42" x 23" (1067mm x 584mm)	Radiant







Top View Front View Side View



BILTMORE SERIES

Wood-Burning Fireplace

Larger than life style, classic masonry appeal and a viewing area like no other. The expansive viewing area (available in up to 50")1 becomes the natural focal point of any room, and the perfect place to relax.







¹ 50" size not available in Canada





Grand Vista Doors


Contour Screen Doors

BILTMORE SERIES SPECIFICATIONS

MODEL	WIDT	'H (A)	HEIG	HT (B)	DEPT	TH (C)	VIEWING AREA	RADIANT OR CIRCULATING	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(D x E)		
Biltmore 36	44-1/2" (1130mm)	45-1/2" (1156mm)	59-1/4" (1505mm)	59-3/4" (1518mm)	27-1/2" (699mm)	28-1/2" (724mm)	36" x 28-1/2" (914mm x 724mm)	Radiant	
Biltmore 42	50-1/2" (1283mm)	51-1/2" (1308mm)	59-1/4" (1505mm)	59-3/4" (1518mm)	27-1/2" (699mm)	28-1/2" (724mm)	42" x 28-1/2" (1067mm x 724mm)	Radiant	
Biltmore 50 ¹	60-5/8" (1540mm)	61-5/8" (1565mm)	70-1/2" (1791mm)	71" (1803mm)	29-1/2" (749mm)	30-1/2" (775mm)	50" x 33" (1270mm x 838mm)	Radiant	








Top View Front View Side View



SOVEREIGN SERIES


Wood-Burning Fireplace


Some things never go out of style, like the beauty and old world craftsmanship of a Sovereign wood burning fireplace. Authentic masonry design and attractive finishing options allow you to create the centerpiece of your home.




SOVEREIGN SERIES SPECIFICATIONS

MODEL	WIDT	'H (A)	HEIGHT (B)		DEPT	'H (C)	VIEWING AREA	RADIANT OR
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(D x E)	CIRCULATING
Sovereign 36	42" (1067mm)	43" (1092mm)	41-1/4" (1048mm)	41-1/2" (1054mm)	22-3/4" (578mm)	23" (584mm)	36" x 21-3/8" (914mm x 543mm)	Radiant/Circulating
Sovereign 42	48" (1219mm)	49" (1245mm)	41-1/4" (1048mm)	41-1/2" (1054mm)	22-3/4" (578mm)	23" (584mm)	42" x 21-3/8" (1067mm x 543mm)	Radiant/Circulating







Top View Front View Side View



ROYALTON SERIES

Wood-Burning Fireplace

The Royalton has earned a strong reputation for classical style, superior performance and outstanding features. The detailed brick interior with classic masonry look, up to 42" viewing area and available glass doors make this fireplace a stunning addition to your home's décor.






Black


Doors




ROYALTON SERIES SPECIFICATIONS

MODEL	WIDT	'H (A)	HEIGHT (B)		DEPT	TH (C)	VIEWING AREA	RADIANT OR
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(D x E)	CIRCULATING
Royalton 36	41" (1041mm)	42" (1067mm)	39-1/2" (1003mm)	39-3/4" (1010mm)	21-3/8" (543mm)	21-1/2" (546mm)	36" x 21" (914mm x 533mm)	Radiant/Circulating
Royalton 42	47" (1194mm)	48" (1219mm)	39-1/2" (1003mm)	39-3/4" (1010mm)	21-3/8" (543mm)	21-1/2" (546mm)	42" x 21" (1067mm x 533mm)	Radiant/Circulating







Top View Front View Side View



WHY AN ELECTRIC FIREPLACE?

A fast growing hearth category, electric fireplaces are an excellent option when no other fuel sources are available or when venting gas or wood fireplaces would be difficult.



Easy and Economical

Electric fireplaces provide a unique focal point without expensive installation costs as they require no venting. The ability to safely place a TV or artwork within inches of the fireplace provides interior design flexibility. Ideal as a second or third fireplace, electric fireplaces can be installed in any room of a property.



Heat Optional

The heat output of electric fireplaces can be adjusted or turned off altogether – an excellent solution for projects where the ambiance of a fire is desired without the supplemental warmth. Specify electric models when building in warm climates or for spaces that would benefit from a heat-optional function



Environmentally Friendly

Electric fireplaces emit zero combustion byproducts and are allowed in all national green building programs.



SIMPLIFIRE BUILT-IN

Electric Fireplace

Adding the traditional look of a fireplace to your home has never been this easy. A detailed masonry-style interior, textured log set and four different flame intensity levels enhance the appeal of the SimpliFire Built-In electric fireplace series. Enjoy the ambiance – with or without the heat. Experience "Fire Made Simple."





Optional Front


ronts

SIMPLIFIRE BUILT-IN SPECIFICATIONS

MODEL	FRONT V	VIDTH (A)	REAR WIDTH (D)		HEIG	HT (B)	DEPT	'H (C)	BTU/HR OUTPUT	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	120V	240V
SimpliFire Built-In 30	31" (787mm)	32" (813mm)	24" (610mm)	32" (813mm)	26-3/4" (679mm)	26-13/16" (681mm)	11" (279mm)	11-5/8" (295mm)	4,800	10,000
SimpliFire Built-In 36	37" (940mm)	38" (965mm)	30" (762mm)	38" (965mm)	31-7/32" (793mm)	31-7/32" (793mm)	11" (279mm)	11-5/8" (295mm)	4,800	10,000







Top View Front View Side View



SIMPLIFIRE SCION TRINITY

Linear Electric Fireplace

Create an alluring atmosphere from any angle with the SimpliFire Scion Trinity electric fireplace. In three-sided, corner, or single-sided configurations, it adds stunning ambiance without the need for gas lines or venting.





Driftwood Logs



Clear Crystals




Optional ShadowGlo™ Log Sets



Natural Birch Logs

SIMPLIFIRE SCION TRINITY SPECIFICATIONS

Model	BTU	Width (A)		Heigl	nt (B)	Dept	h (C)	Viewing Area	
Output	Output	Unit	Framing	Unit	Framing	Unit	Framing	(D x E)	
SF-SCT43-BK	5,000	42-1/2" (1080)	42-3/4" (1086)	22" (559)	22-1/4" (565)	11-1/4" (286)	11-1/2" (194)	42-1/2" × 14-3/4" (1080 × 375)	
SF-SCT55-BK	5,000	54-1/2" (1384)	54-5/8" (1387)	22" (559)	22-1/4" (565)	11-1/4" (286)	11-1/2" (194)	54-1/16" x 14-3/4" (1373 x 375)	





SIMPLIFIRE SCION

Clean Face Linear Electric Fireplace

The SimpliFire Scion fireplace provides the warmth and coziness of a fireplace without the need for gas lines or venting. Elevated style shines through with the sleek and modern design - no mesh screens or visible heat vents, a multitude of flame and ember bed lighting themes, and the ability to bring finishing materials right up to the edge of the fireplace for a flush look.






Clear Crystals

SIMPLIFIRE SCION SPECIFICATIONS

MODEL	вти	WIDT	'H (A)*	HEIG	HT (B)	DEPT	H (C)*	VIEWING AREA	
WODLE	OUTPUT	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	(D X E)	
43" Clean Face Linear	5,000	44-1/2"	45"	23-7/8"	24-1/4"	7-5/8"	7-5/8"	41-1/2" x 15"	
SF-SC43-BK		[1130]	[1143]	[606]	[616]	[194]	[194]	[1054 x 381]	
55" Clean Face Linear	5,000	56-1/2"	57"	23-7/8"	24-1/4"	7-5/8"	7-5/8"	53-1/4" x 15"	
SF-SC55-BK		[1435]	[1448]	[606]	[616]	[194]	[194]	[1353 x 381]	
78" Clean Face Linear	5,000	80"	80-1/2"	23-7/8"	24-1/4"	7-5/8"	7-5/8"	76-7/8" x 15"	
SF-SC78-BK		[2032]	[2045]	[606]	[616]	[194]	[194]	[1953 x 381]	

^{*}Dimensions include louver projection on sides and top panels





SIMPLIFIRE ALLUSION PLATINUM

Recessed Linear Electric Fireplace

The Allusion Platinum electric fireplace ushers in unparalleled warmth and coziness to any space, without the need for gas lines or venting. Creating an elegant focal point in your home has never been easier. Install fully-recessed for a flush look, or surface-mount with the optional wall-mount kit.






SIMPLIFIRE ALLUSION PLATINUM SPECIFICATIONS

			WIDTH			HEIGHT		DEI	РТН	VIEWING AREA
MODEL	BTU OUTPUT	FRONT (A)	BACK (B)	FRAMING	FRONT (C)	BACK (D)	FRAMING	UNIT (E)	FRAMING*	(F X G)
50" Recessed Linear SF-ALLP50-BK	5,000	52-5/16" [1329]	50-1/2" [1295]	51" [1295]	20-7/16" [519]	19-3/8" [492]	19-1/2" [495]	5-5/8" [143]	2" x 6"	48" x 15" [1219 x 381]
60" Recessed Linear SF-ALLP60-BK	5,000	62-5/16" [1583]	60-1/2" [1537]	61" [1549]	20-7/16" [519]	19-3/8" [492]	19-1/2" [495]	5-5/8" [143]	2" x 6"	58" x 15" [1473 x 381]
72" Recessed Linear SF-ALLP72-BK	5,000	74-5/16" [1888]	72-1/2" [1842]	73" [1854]	20-7/16" [519]	19-3/8" [492]	19-1/2" [495]	5-5/8" [143]	2" x 6"	70" x 15" [1778 x 381]

^{*}Reflects fully recessed into a 6" interior wall. Framing may need to be adjusted when installing in an exterior wall requiring insulation. Refer to installation manual for details.





SIMPLIFIRE ALLUSION

Recessed Linear Electric Fireplace

The Allusion electric fireplace series embraces modern design by combining linear proportions with a multitude of flame and ember bed lighting themes. These fireplaces can be installed fully or partially recessed into the wall, or hung on the wall for quick enjoyment.






Ceramic Stones

SIMPLIFIRE ALLUSION SPECIFICATIONS

	BTU OUTPUT	WIDTH				HEIGHT		DEPTH		VIEWING AREA
MODEL		FRONT (A)	BACK (B)	FRAMING	FRONT (C)	BACK (D)	FRAMING	UNIT (E)	FRAMING*	(F X G)
40" Recessed Linear	5,000	40-1/2"	35"	36"	20-1/4"	17-13/16"	18-1/8"	5-15/16"	6"	31-3/8" x 11-1/4"
SF-ALL48-BK		[1029]	[889]	[914]	[515]	[453]	[461]	[151]	[152]	[797 x 285]
48" Recessed Linear	5,000	48-7/16"	42-13/16"	44-5/16"	20-1/4"	17-13/16"	18-1/8"	5-15/16"	6"	39-3/8" x 11-1/4"
SF-ALL48-BK		[1230]	[1088]	[1126]	[515]	[453]	[461]	[151]	[152]	[1000 x 285]
60" Recessed Linear	5,000	60-1/4"	54-5/8"	56-1/8"	20-1/4"	17-13/16"	18-1/8"	5-15/16"	6"	51-3/16" x 11-1/4"
SF-ALL60-BK		[1530]	[1388}	[1426]	[515]	[453]	[461]	[151]	[152]	[1300 x 285]
84" Recessed Linear	5,000	83-7/8"	78-1/4"	79-1/2"	20-1/4"	17-13/16"	18-1/8"	5-15/16"	6"	74-7/8" x 11-1/4"
SF-ALL48-BK		[2130]	[1988]	[2019]	[515]	[453]	[461]	[151]	[152]	[1902 x 285]

^{*}Reflects fully recessed into a 6" interior wall. Framing may need to be adjusted when installing in an exterior wall requiring insulation. Refer to installation manual for details.





SIMPLIFIRE WALL-MOUNT


Electric Fireplace


Create a distinct contemporary look. Our Wall-Mount electric fireplace models provide an instant upgrade to any space, with or without the heat. Simply hang these units on the wall and plug them in. Standard LED backlighting in multiple colors will accent any decor.



SIMPLIFIRE WALL-MOUNT SPECIFICATIONS

MODEL	FRONT WIDTH (A)		REAR WIDTH (A)		HEIGHT (B	DEPTH (C)		DTIL/UD OUTDUT		
	MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	BTU/HR OUTPUT
	SimpliFire Wall-Mount 38	37-3/4" (959mm)	N/A	34-3/4" (883mm)	N/A	17-3/4" (451mm) 20-3/4" w/stand (527mm)	N/A	4-3/4" (121mm)	N/A	4,800
	SimpliFire Wall-Mount 58	58-1/4" (1480mm)	N/A	42-15/16" (1091mm)	N/A	26-3/8" (670mm)	N/A	5-7/8" (149mm)	N/A	4,800





Front View Side View

OUTDOOR PRODUCTS

WHY OUTDOOR?

As the lines between indoor and outdoor living continue to blur, adding a fire feature to your outdoor space design will extend its seasonality and deliver a vibrant feature that your clients will clamor for. Designed specifically to withstand the elements, outdoor fire features come in a variety of styles – from traditional to contemporary linear, fireplace to fire pit. Both gas fueled and wood burning appliances are available to suit the goals of your clients and end-users. Incorporate into the exterior of your building or as an attractive free-standing island application.



Outdoor fireplaces are in the **top 10** most essential and desired outdoor home features¹.



Fire features are the **most popular** outdoor design element².



90% of real estate agents say an outdoor fireplace increases a home's value³.



70%
of design and build firms
report an increased demand
for outdoor living space₄

^{1:} National Association Home Builders, "Housing Preferences of Homebuyers - The Boomer Generation & How They Compare to Other Homebuyers", Dec. 2016

^{2:} Source: American Society of Landscape Architects 2016 Residential Landscape Architecture Trends Survey

^{3:} Source: Houzz.com 2016 Landscaping Study

^{4:} Source: American Institute of Architects





FORTRESS

Indoor/Outdoor Gas Fireplace

Seamlessly integrate your indoor and outdoor space with the Fortress see-through gas fireplace. The traditional style, expansive viewing area and authentic look fit perfectly in a variety of spaces. Non-reflective glass, accent lights and multiple interior brick options make this unique fireplace the ultimate in traditional luxury design. Enjoy the view both inside and out with the Fortress.






Traditional Brick



Herringbone Brick

FORTRESS SPECIFICATIONS

MODEL	FRONT WIDTH		REAR WIDTH		HEIGHT		DEPTH		GLASS SIZE	BTU/HR INPUT
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	GLASS SIZE	BIO/HR INPUI
Fortress	49-3/8"	49-1/2"	49-3/8"	49-1/2"	44-3/8"	44-1/2"	25-5/8"	23"	36" x 30"	FC 000 (NIC/LD)
	(1254)	(1257)	(1254)	(1257)	(1154)	(1130)	(650)	(584)	(915 x 762)	56,000 (NG/LP)





TWILIGHT II

Indoor/Outdoor Gas Fireplace

Add warmth and fireside views to two spaces—with one fireplace. The Twilight II is the world's first see-through indoor/outdoor gas fireplace. Enjoy the fire all year long from either side. An advanced design and strong construction ensures an impressive and consistent performance.

Finishes (Indoor)




Black

Fog Gray (Contemporary only)

TWILIGHT II SPECIFICATIONS

MODEL	FRONT WIDTH (A)		REAR WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE	BTU/HR INPUT
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BIO/HR INPOI
Twilight II	43" (1091)	44" (1118)	43" (1091)	44" (1118)	46-7/8" (1191)	47-5/8" (1210)	24" (609)	23" (584)	35-5/8" x 21-1/2" (905 x 546)	38,000 (NG), 36,000 (LP)





TWILIGHT MODERN

Indoor/Outdoor Gas Fireplace

The Twilight Modern is an evolution of the industry's first indoor/outdoor see-through fireplace. This Direct Vent gas unit offers impressive fireside views whether relaxing inside or enjoying the outdoors. Bolster your favorite room and upgrade your outdoor living space—let the Twilight deliver modern style, inside and out.

Glass Media



Black (Standard)



Clear



Amb

Finishes (Indoor)




Black



TWILIGHT MODERN SPECIFICATIONS

MODEL	FRONT WIDTH (A)		REAR WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE	BTU/HR INPUT
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BTO/FIX INPUT
Twilight Modern	43" (1091)	44" (1118)	43" (1091)	44" (1118)	46-7/8" (1191)	47-5/8" (1210)	24" (609)	23" (584)	35-5/8" x 21-1/2" (905 x 546)	38,000 (NG), 36,000 (LP)





LANAI Outdoor Gas Fireplace

Light up your landscape. The Lanai linear gas fireplace offers contemporary style. Feel confident enjoying the flames with proven technologies. The night comes alive with glowing flames and a colorful firebed.













Blue









Green

LANAI SPECIFICATIONS

MODEL	FRONT V	VIDTH (A)	HEIGI	HT (B)	DEP	тн (С	VIEWING AREA (D X E)	BTU/HR INPUT	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	VIEWING AREA (D X E)	BIO/HR INFOI	
Lanai 48	52-1/8" [1324]	52-3/4" [1340]	39-1/2" [1003]	39-3/4" [1009]	13-3/8" [340]	13-3/8" [340]	47-7/8" x 17" [1216 x 432]	55,000	
Lanai 60	64-1/8" [1629]	64-3/4" [1645]	39-1/2" [1003]	39-3/4" [1009]	13-3/8" [340]	13-3/8" [340]	60" x 17" [1524 x 432]	65,000	
Lanai See-Through 48	52-1/8" [1324]	52-1/8" [1324]	39-1/2" [1003]	39-3/4" [1009]	13" [330]	11-5/8" [295]	47-7/8" x 17" [1216 x 432]	55,000	






COURTYARD

Outdoor Gas Fireplace

The Courtyard outdoor gas fireplace is the perfect blend of artistry and function: traditional styling with ultra-realistic logs or contemporary glass, that ignite at the flip of a switch. Mesmerizing flames provide instant ambiance and relaxation. Cozy up with the Courtyard.

Framed Mesh Barrier



Interiors



Premium Herringbone



Premium Tradition




Standard Traditional




Stainless Steel

COURTYARD SPECIFICATIONS

MODEL	FRONT WIDTH (A)		REAR WIDTH		HEIGHT (C)		DEPTH (D)		VIEWING AREA	BTU/HR INPUT
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BTO/FIN INPOT
Courtyard 36	41-3/4" [1060]	43-1/2" [1105]	31-1/2" [800]	43-1/2" [1105]	44" [1118]	44-1/8" [1121]	18" [457]	18-1/8" [459]	36" x 30-3/4" [914 x 781]	55,000 (NG) / 53,000 (LP)
Courtyard 42	47-3/4" (1213mm)	49-1/2" (1257mm)	37-1/2" (953mm)	49-1/2" (1257mm)	44" (1118mm)	44-1/8" (1121mm)	18" (457mm)	18-1/8" (459mm)	42" x 30-3/4" [1067 x 781]	55,000 (NG) / 53,000 (LP)





Side View



VILLA GAS SERIES

Outdoor Gas Fireplace

The Villa Gas is a versatile outdoor gas fireplace at a value price. This compact unit can easily be installed on decks or patios. A stainless steel surround thrives in the elements and complements an outdoor kitchen or space. Extend your living into the outdoors. Experience the Villa Gas fireplace.





Traditional


Doors





Stainless Steel Operable Doors

VILLA GAS SPECIFICATIONS

MODEL	FRONT WIDTH (A)		REAR WIDTH (B)		HEIGHT (C)		DEPTH (D)		VIEWING AREA	BTU/HR INPUT
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E x F)	BIO/HR INPUT
Villa Gas 36	41-1/8" (1045mm)	42" (1067mm)	23-3/4" (603mm)	42" (1067mm)	39-1/2" (1003mm)	39-3/4" (1010mm)	21-3/8" (544mm)	21-1/2" (546mm)	36" x 20-7/8" (914mm x 532mm)	40,000 (NG), 40,000 (LP)
Villa Gas 42	47-1/8" (1197mm)	48" (1219mm)	29-3/4" (756mm)	48" (1219mm)	39-1/2" (1003mm)	39-3/4" (1010mm)	21-3/8" (544mm)	21-1/2" (546mm)	42" x 20-7/8" (1067mm x 532mm)	42,000 (NG), 42,000 (LP)







Top View Front View Side View



CASTLEWOOD

Outdoor Wood Burning Fireplace

The Castlewood turns any outdoor area into a welcoming and relaxing living space. A large, high opening provides a dramatic view from across the yard, and a textured brick interior offers masonry-style looks at a fraction of the cost. Enjoy the experience of a large wood fire with the Castlewood.











Herringbone


CASTLEWOOD SPECIFICATIONS

MODEL	FRONT WIDTH		REAR WIDTH		HEIGHT		DEPTH		VIEWING AREA
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	VIEWING AREA
Castlewood	52-7/8" (1343mm)	53-7/8" (1368mm)	37-1/8" (943mm)	53-7/8" (1368mm)	74-1/8" (1883mm)	74-1/2" (1892mm)	27-1/2" (699mm)	28-3/8" (721mm)	41-7/8" x 38" (1063mm x 965mm)









Top View Front View Left View Right View



MONTANA

Outdoor Wood Burning Fireplace

The Montana is the original outdoor fireplace that started it all. It's built to maintain its sleek stainless look for years and deliver solid performance. Enhance your outdoor area with this impressive focal point.





Herringbone


Doors





Bi-Fold Glass Doors

MONTANA SPECIFICATIONS

MODEL	FRONT	FRONT WIDTH		REAR WIDTH		HEIGHT		РТН	VIEWING AREA	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	VIEWING AREA	
Montana 36	42"	43"	25"	43"	41-3/4"	42-3/8"	23"	24-1/8"	36" x 23-1/2"	
	(1067mm)	(1091mm)	(635mm)	(1091mm)	(1060mm)	(1076mm)	(597mm)	(613mm)	(915mm x 597mm)	
Montana 42	48"	49"	31"	49"	41-3/4"	42-3/8"	23"	24-1/8"	42" x 23-1/2"	
	(1219mm)	(1246mm)	(787mm)	(1246mm)	(1060mm)	(1076mm)	(597mm)	(613mm)	(1067mm x 597mm)	







Top View Front View Side View



VILLA WOOD SERIES


Outdoor Wood Burning Fireplace


The Villa Wood is a wood-burning fireplace at home in a variety of outdoor spaces. Upgrade your outdoor kitchen, or enhance your living area with style and warmth. Attractive stainless steel surround accents your décor. Add the Villa Wood outdoor fireplace to your deck or patio and enjoy the experience of a wood fire.




VILLA WOOD SPECIFICATIONS

MODEL	FRONT WIDTH		REAR WIDTH		HEIGHT		DEPTH		VIEWING AREA	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	VIEWING AREA	
Villawood 36	41"	42"	23-3/4"	42"	39-1/2"	39-3/4"	21-3/8"	21-1/2"	36" x 20-7/8"	
	(1041mm)	(1067mm)	(603mm)	(1067mm)	(1003mm)	(1010mm)	(544mm)	(546mm)	(914mm x 532mm)	
Villawood 42	47"	48"	29-3/4"	48"	39-1/2"	39-3/4"	21-3/8"	21-1/2"	42" x 20-7/8"	
	(1194mm)	(1219mm)	(756mm)	(1219mm)	(1003mm)	(1010mm)	(544mm)	(546mm)	(1067mm x 532mm)	







Top View Front View Side View



PLAZA

Outdoor Gas Fire Pit

The Plaza outdoor linear gas fire pit allows you to invite your neighbors to gather around the fire (2 or 4' lengths) or add a dramatic statement piece in your space (6, 8 or 10' lengths). Make this fire feature your own with endless finishing options to complete your outdoor oasis. With only a flick of a lighter, sit back and enjoy.





Ebo



Cobalt




Amber



ava Rock

PLAZA SPECIFICATIONS

MODEL	LENGTH	WIDTH	DEPTH	VIEWING AREA	BTU/HR INPUT
PLAZA-24S	24 [610]	5-3/8 [137]	5-3/8 [137]	24 x 5-3/8 [613 x 137]	32,000





For more information about Majestic efficient and environmentally-friendly products, please visit majesticproducts.com majesticfireplaces.ca