

VICTORY

DIRECT VENT GAS INSERT



{STYLE RISING}





IT'S ALL IN THE
Finishing Touch

With the finest craftsmanship applied by skilled artisans, our Rustic Arched and Rectangular Doors feature unique details for a truly one-of-a-kind look. The Distressed Buffed Pewter and Distressed Black Copper finishes add artful touches that make a statement in any room.

{ RUSTIC RECTANGULAR DOOR }

in Distressed Black Copper with New England Fieldstone Brick shown with accent light on

YOUR STYLE IS OUR VICTORY

At Vermont Castings, we're elevating our iconic style to inspiring heights with the Victory insert, featuring **six decorative faces** and **five rich colors** bursting with signature style. From sleek contemporary lines to handcrafted, rustic details, you're sure to find the look you've been searching for to update your existing fireplace. On the inside, two new Vermont Castings brick liners add old world charm, while the black porcelain liner and contemporary glass options keep it chic and sophisticated. And, with increased efficiency and energy savings, no matter which style you choose, Victory delivers a winning combination every time.

{ RUSTIC RECTANGULAR SINGLE DOOR }
Shown below in Distressed Buffed Pewter



{ RUSTIC ARCHED SINGLE DOOR }
in Distressed Black Copper



Also available in
Distressed Buffed Pewter

{ SAFETY FIRST }

Because our fireplaces were designed to deliver maximum BTUs to provide the best heating solutions for your home, the units will become hot to the touch. Consequently, all Vermont Castings direct vent inserts come standard with a certified safety barrier. The screen barrier affixes to your insert and has been approved by a third party testing agency to conform to specific standards designed to prevent injury from hot glass.



{ Rustic Arched Door shown on cover in Distressed Buffed Pewter with New England Fieldstone Brick. }

EVERY VICTORY INSERT OFFERS:

{ BEAUTIFUL VIEW }

It's easy to admire the full, dancing flames through the nearly invisible ClearView glass front. The no glare, non-reflective ceramic glass provides a beautiful view of the fire from any angle.

{ AMBIANCE ANY TIME }

For ambiance without as much heat, the rear burner shut down feature reduces the flame, so you can still enjoy the beauty of the fire on milder evenings.

{ ENERGY EFFICIENCY }

With a steady state efficiency of 88%, this insert drastically improves the efficiency of your masonry fireplace. You'll increase warmth and energy while using less fuel and saving money on heating costs.

{ REAR BURNER SHUTDOWN }

Reduces input rate by 50% allowing for ambiance without as much heat on milder evenings.

{ INTUITIVE TECHNOLOGY }

Our exclusive Total Signature Command® System provides the ultimate in control with intuitive technology at your fingertips. Featuring a touch screen remote, you can turn the fireplace on and off or adjust the 3-step flame height right from the comfort of your couch. Plus, the exclusive Smart Mode® thermostat automatically maintains the desired temperature to help increase efficiency. And, with automatic battery back-up, you can be assured of continuous operation even if the power goes out. Learn more about the Total Signature Command® System on the back cover!

OPEN THE DOOR TO *Classic elegance*




{ ARCHED CONTEMPORARY DOOR }
in Satin Black with New England Fieldstone Brick

{ RECTANGULAR CONTEMPORARY DOOR }
in Satin Black

Also available in:
Textured Mocha


Satin Black



Brushed Nickel

Also available in:
Textured Mocha

Satin Black



Brushed Nickel

{ SQUARE TRIM }
in Textured Mocha with
Diamond Glass



Also available in:
Brushed Nickel



FIRST IMPRESSION

Sleek & Chic

{ FLOATING FACE }
in Textured Mocha with
Black Porcelain Panels

Also available in:
Satin Black

Textured Mocha



ADD UNIQUE ACCENTS FOR A SPECIAL TOUCH


- Contemporary Fireglass Kits available in 4 colors (optional)



Sapphire



Onyx



Bronze



Diamond



Brushed Nickel

VICTORY DIRECT VENT GAS INSERT FEATURES

	MEDIUM INSERT	LARGE INSERT
PERFORMANCE		
Direct Vent Operation	Yes	Yes
BTUs	Up to 31,000 (NG) Up to 29,000 (LP)	Up to 40,000 (NG) Up to 36,000 (LP)
Heating Capacity	Up to 1,300 sq. ft.	Up to 1,600 sq. ft.
Total Signature Command® System	Yes	Yes
Natural Gas Models	Traditional and Contemporary	Traditional and Contemporary
Propane Gas Models	Traditional model and Contemporary (with conversion kit)	Traditional model and Contemporary (with conversion kit)
Removable Burner for Quick LP Conversion	Contemporary model	Contemporary model
Annual Fuel Utilization Efficiency Rating	Up to 70.4%	Up to 71.26%
Canadian P4 Efficiency	Up to 72.9%	Up to 78.9%
Rear Burner Shutdown	Traditional model	Traditional model
Circulating Heat	Yes	Yes
Dual Blower	Standard	Standard
STYLE		
Ceramic Glass Front	Yes	Yes
Clean Face, Flush Fit	Yes	Yes
Illumination Kit	Included	Included
DIMENSIONS		
Glass Viewing	24 $\frac{1}{8}$ "W x 16 $\frac{1}{8}$ "H	26 $\frac{1}{8}$ "W x 18 $\frac{1}{8}$ "H
Actual	27 $\frac{1}{8}$ "W x 21 $\frac{1}{16}$ "H x 16" D	29 $\frac{1}{8}$ "W x 23 $\frac{1}{16}$ "H x 16" D
Minimum Fireplace Opening	30 $\frac{3}{4}$ "W (Front) x 20 $\frac{3}{4}$ "H x 16 $\frac{3}{4}$ "D x 22 $\frac{3}{4}$ "W (Rear)	33 $\frac{3}{8}$ "W (Front) x 22 $\frac{3}{4}$ "H x 16 $\frac{3}{4}$ "D x 24 $\frac{3}{4}$ "W (Rear)
CLEARANCES		
Front of Fireplace	36"	36"
Mantel Clearance	12"H min / 12"D max	14"H min / 14"D max
Sidewall	10" to firebox opening	10" to firebox opening
Hearth Requirement	10"	10"

*Consult owner's manual for specific clearance and installation requirements. Minimum clearance to combustible materials in inches. Maintain clearance (empty space) between combustible materials and the unit as specified below.

SURROUND AND FACING SIZES

Note: All Surrounds come in Black. All sizes are compatible with any Victory decorative facing. In order to ensure proper installation, a Surround is required. Ask your Dealer for assistance in selecting the best option for your installation.



	MEDIUM INSERT	LARGE INSERT
SURROUND SIZES		
Small	38"W x 26"H x 2"D	40"W x 29"H x 2"D
Medium	42"W x 30"H x 2"D	42"W x 32"H x 2"D
Large	—	48"W x 36"H x 2"D
FACING SIZES		
Rectangular Rustic or Contemporary Door	33"W x 21 $\frac{1}{2}$ "H	35 $\frac{3}{8}$ "W x 23 $\frac{3}{8}$ "H
Arched Rustic or Contemporary Door	33"W x 23 $\frac{3}{8}$ "H	35 $\frac{3}{8}$ "W x 24"H
Floating Face	33"W x 23 $\frac{3}{8}$ "H	35 $\frac{3}{8}$ "W x 23 $\frac{3}{8}$ "H
Glass Trim	28 $\frac{1}{8}$ "W x 18 $\frac{1}{8}$ "H	30 $\frac{3}{8}$ "W x 20 $\frac{1}{2}$ "H

DISCOVER THE CONVENIENCE OF EXCLUSIVE TOTAL SIGNATURE COMMAND® TECHNOLOGY

A technologically advanced and energy-efficient fireplace control system!

An A/C adaptor is included; however, unlike competing control systems, this system operates even when no power is available, making it more convenient than ever to enjoy the fire.

Featuring:

- Smart Mode® thermostat for enhanced energy efficiency
- TSFSC Full Function Touch Screen remote control
- A/C accessory model offers an auxiliary connection to control a household light or more with the remote
- ON/OFF 3-step variable flame height adjustment
- Automatic, uninterrupted battery backup
- Pilot selection option
- Memory shut off remembers your favorite setting
- Three-step light dimming function
- Variable three-speed blower



149 Cleveland Drive
Paris, Kentucky 40361
vermontcastings.com



Warning: Hot glass will cause burns. Do not touch glass until cooled. Never allow children to touch glass.

Your Vermont Castings Dealer:

FPO
for FSC
certification
mark

For more information about Vermont Castings Group efficient and environmentally friendly products, please visit vermontcastings.com

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. ©2015