

1/26/21

Alaska Department of Environmental Conservation (ADEC)

RE: Alaska Regulation 18 AAC 50.077(c)

Report Revision Hearth & Home Technologies model PP70.

To Whom it May Concern:

This cover letter provides an overview of results generated from ADEC's review of OMNI certification report 0135PS104E generated for Hearth & Home Technologies. Stove model PP70 was tested in March 2018 to test standard ASTM 2779, and ASTM 2515. In 2020, ADEC reviewed a Non-CBI version of the report and released a list of findings from their report review. The following is a list of responses to the ADEC audit in the order they appeared in the Summary of Review.

# 1. Testing Information

- a.) Third-party certifier not reported. Appliance is certified by OMNI-Test Laboratories as indicated by the signed certification test report and certificate of conformity.
- b.) Report certified, not reported Appliance is certified by OMNI-Test Laboratories as indicated by the signed certification test report and certificate of conformity.

# 2. Test Report Elements

- a.) *Pre-burn completed by not reported* Preburn (conditioning data) is shown on page 17 in the certification report, data was generated by Hearth & home representatives.
- b.) Doc. Of run appropriateness not reported. Information was added to page 6 of the modified report covering appropriateness of the test run.
- c.) Doc. Of run validity not reported Information was added to page 6 of the modified report covering validity of the test run.
- d.) *Doc. Of run anomalies not reported* Information was added to page 6 of the modified report covering anomalies of the test run.



OMNI-Test Laboratories, Inc.

Product Testing & Certification www.omni-test.com

Mailing: Post Office Box 301367 • 97294 Street: 13327 NE Airport Way • 97230 Portland, Oregon • USA

Fax: (503) 643-3799 Email: contact@omni-test.com

Phone: (503) 643-3788



# 3. Test Run Data

- a.) Train precision % not reported Actual train precision % was not reported, quality checks do show Dual Train Comparison results are Acceptable on Emissions results page for each test run. Precision percentage and gram per kilogram comparison have been added to revised report page 22. Passing criteria is precision within 7.5% or gram per kilogram within 0.5.
- b.) Negative weights handled appropriately On clean burning wood fired devises it is typical to capture near zero measurable catch. A built-in variance in the test standard for filters is 0.2 mg, meaning they are considered at a constant weight when weighed twice and show no more than ± 0.2 mg. Negative values of 0.2 mg should be allowed as part of the built-in variance. In some tests negative filter weights more than 0.2 mg are found, the corresponding weight can be seen on the O-ring or probe assembly final weights indicating transfer of material. There is no indication of total loss. Transfer of filter material to a secondary container using a solvent would only add additional error by 0.2 mg. for any weighing container, and possible errors in calculating residue weight of the solvent used. No changes were made to the report on this issue.

# 4. Owner's Manual Req.

a.) Improper fuel's warnings not included – Owner's manual Pg13 "We recommend the use of Pellet Fuels Institute certified pellet fuel with this product".". Owner's manual Pg22 provides information on how poor-quality fuels can affect appliance function.

# 5. Reporting

- a.) Test report complete Requested information is explained above.
- b.) Owner's manual complete Requested information is explained above.
- c.) 30-day notice submitted This information is not included in any certification reports, can be provided separately upon request.
- d.) *Testing on proposed dates* This information is not included in any certification report, can be provided separately upon request.
- e.) 60-day report to EPA This information is not included in any certification reports, can be provided separately upon request.

Findings of this evaluation by ADEC did not produce any deficiencies that caused the Certified emissions and efficiency values for the Hearth & Home Technologies model PP70 to change. All requested changes are to simply clarify information already included in the certification report.

If you have any questions, please do not hesitate to contact **OMNI**.

Sincerely,

Bruce Davis
Testing Manager

# Non-Confidential Business Information (Non-CBI)

# **Certification Test Report**

# Hearth and Home Technologies Pellet-Fired Free Standing Room Heater Model: PP70

**Prepared for:** Hearth and Home Technologies

352 Mountain House Road

Halifax, PA 17032

**Prepared by:** OMNI-Test Laboratories, Inc.

13327 NE Airport Way Portland, OR 97230 (503) 643-3788

**Test Period:** March 28, 2018

**Original Report Date:** June 2018

**Report Number:** 0135PS040E

All data and information contained in this report are confidential and proprietary to Hearth and Home Technologies. Its significance is subject to the adequacy and representative character of the samples and to the comprehensiveness of the tests, examinations, or surveys made. The contents of this report cannot be copied or quoted, except in full, without specific, written authorization from Hearth and Home Technologies and OMNI-Test Laboratories, Inc. No use of the OMNI-Test Laboratories, Inc. name, logo, or registered mark (O-TL) is permitted, except as expressly authorized by OMNI-Test Laboratories, Inc. in writing.

# **AUTHORIZED SIGNATORIES**

This report has been reviewed and approved by the following authorized signatories:

**Evaluation Decision:** 

Bruce Davis, Testing Manager OMNI-Test Laboratories, Inc.

# TABLE OF CONTENTS

	PREFACE	(3 pages)
1.	SAMPLING PROCEDURES AND TEST RESULTS	p. 4
	Introduction	-
	Sampling Procedure	-
	Summary of Results	_
	Summary Tables	
	Table 1.1 – Particulate Emissions	p. 7
	Table 1.2 – Efficiency and CO	p. 7
	Table 1.3 – Test Facility Conditions	p. 8
	Table 1.4 – Fuel Measurement Summary	p. 8
	Table 1.5 – Dilution Tunnel and Flue Gas Measurements	p. 9
	Table 1.6 – Heater Configuration	p. 9
2.	PHOTOGRAPHS/APPLIANCE DESCRIPTION/DRAWINGS	p. 10
	Photographs	p. 11
	Appliance Description	p. 12
3.	TEST DATA BY RUN	p. 13
	Run 1	p. 16
4.	QUALITY ASSURANCE/QUALITY CONTROL	p. 29
	Sample Analysis.	p. 31
	Calibrations	p. 38
	Example Calculations	•
5.	LABELING & OWNER'S MANUAL(S)	p. 69

# **Section 1**

# **Sampling Procedures and Test Results**

#### INTRODUCTION

Hearth and Home Technologies retained OMNI-Test Laboratories, Inc. (*OMNI*) to perform U.S. Environmental Protection Agency (EPA) certification testing on the PP70. The PP70 is a freestanding, pellet-fired room heater.

The testing was performed at *OMNI*'s testing facility in Portland, Oregon. The altitude of the laboratory is 30 feet above sea level. The unit was received in good condition and logged in at the *OMNI*'s testing facility on March 22, 2018. It was assigned and labeled with *OMNI* ID #2273. *OMNI* representative Bruce Davis conducted the certification testing and completed all testing by March 28, 2018.

This report is organized in accordance with the EPA-recommended outline and is summarized in the Table of Contents immediately preceding this section. The results in this report are limited to the item(s) submitted.

#### SAMPLING PROCEDURE

The PP70 was tested in accordance with the U.S. EPA 40 CFR Part 60, Subpart AAA – Standards of Performance for New Residential Wood Heaters using ASTM E2515 and ASTM E2779. The fuel used for certification testing was Lignetics pellet fuel; this fuel was graded as Premium by the Pellet Fuels Institute and was produced at registered mill # 03208. Particulate emissions were measured using dual sampling trains consisting of two sets of filters (front and back). The results of the integrated test run indicate an average particulate emission rate of 0.49 g/hr. The PP70 results are within the emission limit of 2.0 g/hr for affected facilities manufactured on or after May 15, 2020 or sold at retail after December 31, 2020.

The model PP70 was tested for thermal efficiency and carbon monoxide (CO) emissions in accordance with CSA B415.1-10. The heater has a demonstrated an average HHV thermal efficiency of 82.8% when tested with a 3" to 6" connector pipe adaptor as allowed by manufactureres installation instructions. The calculated CO emission rate was 0.066 g/min.

## **SUMMARY OF RESULTS**

The average particulate emission rate over the complete, integrated test run was measured to be 0.49 g/hr.

The average particulate emission factor for the complete, integrated test run was measured to be 0.53 g/dry kg of fuel.

The average thermal efficiency for the complete, integrated test run was measured to be 82.8%.

The particulate emission rate calculated from the one-hour filter was 0.96 g/hr.

The proportionality results and sample train agreement for the test run was acceptable. Quality check results for each test run are presented in Section 3 of this report.

No anomalies were noted during the test series, negative probe assembly weights were found to be within  $\pm$  0.2 mg tare tolerance. Results were found to be valid and appropriate to specifications of ASTM 2515, and ASTM 2779.

# **SUMMARY TABLES**

**Table 1.1 – Particulate Emissions** 

	One-Hour Filter	Integrated Total
Emission Rate (g/hr)	0.96	0.49
Emission Factor (g/dry kg)	0.44	0.53

Table 1.2 – Efficiency and CO

	Bu	rn Rate Segm	ent	Integrated
	Maximum	Medium	Minimum	Total
Time (minutes)	60	120	180	360
Burn Rate (dry kg/hr)	2.18	0.79	0.60	0.93
Heat Output Rate (BTU/hr)	35,278	12,425	9,603	14,961
Heat Input Rate (BTU/hr)	42,535	15,429	11,676	18,071
Efficiency (%, HHV)	82.9	80.5	82.2	82.8
CO Emission Rate (g/min)	0.0468	0.0383	0.0907	0.0658

**Table 1.3 – Test Facility Conditions** 

	Initial	Final
Room Temperature (°F)	76	72
Barometric Pressure (in Hg)	30.53	30.48
Air Velocity (ft/min)	< 50	< 50
Induced Draft (in H2O)	0.0	0.0

**Table 1.4 – Fuel Measurement Summary** 

Segment	Time (min)	Burn Rate (dry kg/hr)	Consumed Fuel Weight (lbs)	Fuel Moisture Content (dry basis - %)
Pretest	80	2.16	6.7	5.91
Maximum	60	2.18	5.1	5.91
Medium	120	0.79	3.7	5.91
Minimum	180	0.60	4.2	5.91
Integrated Total	360	0.93	13.0	5.91

**Table 1.5 – Dilution Tunnel and Flue Gas Measurements** 

	Average	Average Dilu	tion Tunnel Gas M	<b>Ieasurements</b>
Segment	Average Flue Draft (in H <sub>2</sub> O)	Velocity (ft/sec)	Flow Rate (dscf/min)	Temperature (°F)
Integrated Total	-0.037	14.73	168.9	82

**Table 1.6 – Heater Configuration** 

Segment	Heat Setting (Control Knob)	Trim Setting	Power Level (Shown in Program)
Pretest	Hi	+4	5
Maximum	Hi	+4	5
Medium	3	-1	2
Minimum	Lo	0	1


# **Section 2**

Photographs
Appliance Description
Drawings

# **Hearth and Home Technologies** PP70

# **PHOTOGRAPHS**





#### APPLIANCE DESCRIPTION

**Appliance Manufacturer:** Hearth and Home Technologies

**Pellet Stove Model:** PP70

**Type:** Freestanding, air-circulating type, pellet-fired room heater.

The PP70's principle elements include a fuel hopper, mild steel firebox chamber, Stainless Steel burn pot, and electrical fuel feed, combustion air, and convection air supply systems.

Air is drawn by the combustion air blower through a stainless-steel burn pot, holes are located on the sides and bottom that allows air to mix with the fuel from all sides. Combustion products are routed out of the firebox chamber through a 3-inch diameter flue outlet located on the rear of the unit.

Fuel is supplied from the hopper to the burn pot via an auger that carries pellets up from the hopper to a drop tube that routs pellets into the burn pot. Fuel supply rate is varied by cycling the auger motor on/off time as needed for desired heat output settings.

A door located on the front of the appliance is used primarily for cleaning and servicing the fire pot. A 5mm thick ceramic glass panel is utilized for viewing the fire, the door is sealed when closed by use of a 3/4" diameter rope gasket.

The electrical systems are regulated by a user-operated control board. On this board settings such as [insert settings] can be adjusted to achieve desired heat output. The unit is not designed to be controlled by an external thermostat system.

More detailed information is shown in the manufacturer's design drawings, Appendix C of this report. This information is considered confidential business information (CBI) by the manufacturer and is not included in the non-CBI version of this report.

# Section 5 Test Data by Run



# **Test Instruction Recommendations: PP70**

Created on/by: 03/19/18; C. Winslow Howe - HHT Design Engineer

<u>Purpose</u>: To create repeatability in test protocol of the stove.

Hopper Fuel: Hopper of the unit should be loaded up with a full 2 bags of fuel (Each bag weighing 40lb)

Test Settings: Unit should be set up using a 6in flue and 115VAC power source,


<u>High:</u> Dial should be set to 10 and the trim pot should be set to +4. When the unit is set and running at this setting the light above the dial control will Flash 5 times with a pause between each sequence

<u>Medium:</u> Dial should be set to 3 and the trim pot should be set to -1. When the unit is set and running at this setting the light above the dial control will flash 2 times with a pause between each sequence.

<u>Low:</u> Dial should be set to 1 and the trim pot should be set to 0. When the unit is set and running at this setting the light above the dial control will flash once with a pause between each flash.







# Run 1

# Pellet Heater Conditioning Data - ASTM E2779

 Manufacturer:
 Hearth & Home

 Model:
 PP70

 Tracking No.:
 2273

 Project No.:
 0135PS040E

 Test Date:
 3/1/2018

 Operation Category:
 II - III - IV

Elapsed Time	Scale	Ot I - (0F)
(hours)	Reading (lbs)	Stack (°F)
0	4.3	197
1	2.0	155
2	1.9	146
3	1.4	133
4	1.5	126
5	1.4	128
6	4.1	196
7	1.9	156
8	1.8	144
9	1.3	131
10	1.4	128
11	1.4	126
12	4.4	241
13	2.0	181
14	2.0	177
15	1.4	145
16	1.4	149
17	1.3	155
18	4.4	245
19	2.0	186
20	1.9	173
21	1.5	162
22	1.5	158
23	1.5	159
24	4.3	244
25	2.0	181
26	1.7	170
27	1.5	161
28	1.4	153
29	1.4	155
30	4.0	240
31	2.0	184
32	1.9	174
33	1.5	157
34	1.5	153
35	1.4	151
36	4.3	244
37	2.0	181
38	1.7	170
39	1.5	161
40		
41	1.4 1.4	151 153
42	4.0	240
42	2.1	
43	1.9	184 174
45 46	1.5 1.5	157 155
47	1.4 4.0	151
48		241
49	2.2	182
50		

B-12-

# Pellet Heater Preburn Data - ASTM E2779

 Manufacturer:
 Hearth & Home

 Model:
 PP70

 Tracking No.:
 2273
 PB Length:
 80 min

 Project No.:
 0135PS040E
 Recording Interval:
 10 min

 Test Date:
 3/28/2018

		Averages:	256	73	0		
Elapsed Time (min)	Scale Reading	Weight Change	Stack (F)	Ambient (F)	Draft ("H2O)	CO2 (%)	CO (%)
0	47.9	-	234	69	-0.05		
10	46.3	-1.6	249	71	-0.05		
20	46.0	-0.3	257	72	-0.05		
30	45.1	-0.9	250	73	-0.05		
40	44.4	-0.7	255	74	-0.05		
50	43.9	-0.5	280	74	-0.05		
60	42.7	-1.2	257	75	-0.05		
70	42.1	-0.6	257	76	-0.05	7.87	0.01
80	41.2	-0.9	261	77	-0.05	8.29	0.02
)							

B.10-

# Pellet Heater Test Data - ASTM E2779 / ASTM E2515

Run: 1				
Manufacturer:	Hearth & Home	_	High Burn End Time: 60	
Model:	PP70	=	Medium Burn End Time: 180	
Tracking No.:	2273	-	Total Sampling Time: 360 min	
Project No.:	0135PS040E	-	Recording Interval: 10 min	
Test Date:	28-Mar-18	-		
Beginning Clock Time:	09:42	•	Background Sample Volume: 55.1 cubic fe	et
Meter Box Y Factor:	0.977 (1)	0.979	9 (2) <u>0.997</u> (Amb)	
Barometric Pressure	Begin Middle	End	Average	
	30.53	30.48	30.51 "Hg	
OMNI Equipmen	nt Numbers:			

PM Control Modules:	335,336		
Dilution Tunnel MW(dry):	29.00 lb/lb-mole	Avg. Tunnel Velocity:	14.73 ft/sec.
Dilution Tunnel MW(wet):	28.78 lb/lb-mole	Intial Tunnel Flow:	159.5 scfm
Dilution Tunnel H2O:	2.00 percent	Average Tunnel Flow:	168.9 scfm
Dilution Tunnel Static:	-0.200 "H2O	Post-Test Leak Check (1):	0.000 cfm @
Tunnel Area:	0.19635 ft2	Post-Test Leak Check (2):	0.000 cfm @
Pitot Tube Cp:	0.99	Fuel Moisture:	5.91 Dry Basis %

Velocity Traverse Data								1		
	Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center	]
Initial dP	0.044	0.050	0.048	0.038	0.040	0.048	0.052	0.038	0.054	"Н
Temp:	92	92	92	92	92	92	93	93	92	°F
	$V_{\text{strav}}$	14.33	ft/sec	V <sub>scent</sub>	15.59	ft/sec	Fp	0.919		-

5 in. Hg

6 in. Hg

	1 0								Fuel We	eight (lb)	Т	emperatu	re Data (°	F)	Stack Gas Data								
Elapsed Time (min)	Gas Meter 1 (ft <sup>3</sup> )	Gas Meter 2 (ft <sup>3</sup> )	Sample Rate 1 (cfm)	Sample Rate 2 (cfm)	Orifice dH 1 ("H <sub>2</sub> O)	Meter Temp 1 (°F)	Meter Vacuum 1 ("Hg)	Orifice dH 2 ("H <sub>2</sub> O)	Meter Temp 2 (°F)	Meter Vacuum 2 ("Hg)	Dilution Tunnel (°F)	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Stack	Filter 1	Filter 2	Ambient	Draft ("H <sub>2</sub> O)	CO <sub>2</sub> (%)	CO (%)
0	0.000	0.000			1.04	74	1.8	0.73	75	1.1	92	0.054			41.5		280	70	71	76	-0.053	5.62	0.0029
10	1.615	1.603	0.16	0.16	1.32	75	1.99	1.09	76	1.2	93	0.055	104	106	40.4	-1.1	255	73	73	77	-0.049	7.91	0.00999
20	3.230	3.197	0.16	0.16	1.36	77	2.11	1.06	78	1.2	93	0.053	105	107	39.7	-0.7	256	74	74	77	-0.050	8.74	0.00798
30	4.866	4.768	0.16	0.16	1.33	79	2.16	1.04	80	1.3	93	0.057	102	102	38.8	-0.9	260	75	75	77	-0.054	8.47	0.01048
40	6.507	6.348	0.16	0.16	1.34	80	2.2	1.05	81	1.3	91	0.054	105	105	38.0	-0.8	253	75	75	76	-0.051	7.92	0.00643
50	8.141	7.916	0.16	0.16	1.33	82	2.25	1.01	83	1.4	90	0.055	103	102	37.2	-0.8	255	75	75	77	-0.052	8.12	0.00484
60	9.782	9.511	0.16	0.16	1.34	82	2.35	1.06	83	1.5	90	0.060	99	100	36.4	-0.8	255	75	75	76	-0.052	8.15	0.01093
70	11.443	11.098	0.17	0.16	1.36	83	2.03	1.05	84	1.5	86	0.059	101	99	35.9	-0.5	213	76	75	76	-0.045	3.71	0.00329
80	13.099	12.685	0.17	0.16	1.36	83	2.03	1.05	84	1.5	83	0.055	104	103	35.6	-0.3	189	75	74	74	-0.040	3.73	0.00358
90	14.745	14.273	0.16	0.16	1.33	84	1.98	1.05	84	1.6	82	0.062	97	97	35.3	-0.3	184	74	74	74	-0.038	5.17	0.00192
100	16.378	15.861	0.16	0.16	1.32	83	1.97	1.05	84	1.6	82	0.058	99	100	35.0	-0.3	184	74	73	73	-0.038	4.76	0.00335
110	18.010	17.448	0.16	0.16	1.32	83	1.97	1.05	84	1.6	80	0.058	99	100	34.8	-0.2	176	73	73	73	-0.037	2.65	0.02169
120	19.649	19.035	0.16	0.16	1.33	83	1.98	1.05	84	1.6	80	0.060	98	98	34.5	-0.3	176	73	73	73	-0.036	2.43	0.02649
130	21.289	20.620	0.16	0.16	1.33	83	1.99	1.05	83	1.6	81	0.061	97	97	34.2	-0.3	181	73	72	73	-0.038	2.9	0.01161
140	22.925	22.202	0.16	0.16	1.32	83	1.99	1.04	83	1.6	80	0.056	101	101	33.9	-0.3	178	73	72	72	-0.037	3.45	0.00488
150	24.564	23.785	0.16	0.16	1.33	83	2	1.04	83	1.6	80	0.059	99	99	33.6	-0.3	179	73	72	72	-0.037	4.97	0.00367
160	26.202	25.367	0.16	0.16	1.33	83	2	1.04	83	1.6	81	0.059	99	99	33.3	-0.3	183	73	72	72	-0.038	3.88	0.00195
170	27.841	26.948	0.16	0.16	1.33	83	1.99	1.03	83	1.6	80	0.058	100	100	33.0	-0.3	177	73	72	73	-0.036	3.76	0.00287
180	29.478	28.528	0.16	0.16	1.32	83	2	1.04	83	1.6	80	0.059	99	99	32.7	-0.3	179	73	72	73	-0.037	3.84	0.00575
190	31.116	30.107	0.16	0.16	1.32	83	1.99	1.04	83	1.6	80	0.060	98	98	32.4	-0.3	172	73	72	73	-0.035	3.65	0.00163
200	32.755	31.686	0.16	0.16	1.33	83	2.01	1.03	83	1.6	78	0.054	103	103	32.2	-0.2	152	73	72	73	-0.030	2.07	0.05328
210	34.396	33.262	0.16	0.16	1.33	83	2.01	1.03	83	1.6	78	0.057	100	100	31.9	-0.3	151	73	72	72	-0.030	4.29	0.00544
220	36.035	34.836	0.16	0.16	1.34	83	2.02	1.03	83	1.6	80	0.058	100	99	31.8	-0.1	177	73	72	72	-0.033	3.41	0.00322
230	37.674	36.411	0.16	0.16	1.33	83	2.02	1.03	83	1.6	78	0.058	99	99	31.5	-0.3	152	73	72	72	-0.031	2.41	0.01366
240	39.312	37.984	0.16	0.16	1.33	83	2.02	1.02	83	1.6	77	0.059	98	98	31.3	-0.2	149	72	71	72	-0.030	1.75	0.104
250	40.950	39.555	0.16	0.16	1.34	83	2.03	1.03	83	1.6	81	0.060	98	97	31.0	-0.3	178	72	72	72	-0.038	4.44	0.00857
260	42.587	41.125	0.16	0.16	1.33	83	2.03	1.02	83	1.6	78	0.058	99	99	30.8	-0.2	150	72	72	72	-0.030	2.81	0.00727
270	44.223	42.693	0.16	0.16	1.32	83	2.03	1.02	83	1.6	78	0.059	98	98	30.6	-0.2	148	72	72	72	-0.030	2.65	0.00708
280	45.858	44.259	0.16	0.16	1.32	83	2.04	1.02	83	1.6	78	0.059	98	98	30.3	-0.3	151	72	72	72	-0.030	4.68	0.00319
290	47.492	45.855	0.16	0.16	1.32	83	2.03	1.08	83	1.7	78	0.058	99	100	30.1	-0.2	151	72	72	72	-0.030	3.39	0.03109
300	49.125	47.462	0.16	0.16	1.32	83	2.04	1.07	83	1.7	78	0.060	97	99	29.9	-0.2	151	72	72	72	-0.030	4.05	0.00309
310	50.760	49.066	0.16	0.16	1.37	83	2.1	1.06	83	1.7	77	0.059	98	100	29.7	-0.2	150	72	72	72	-0.031	4.17	0.00244
320	52.422	50.669	0.17	0.16	1.37	83	2.1	1.07	83	1.7	78	0.060	99	99	29.4	-0.3	152	72	72	72	-0.032	2.53	0.00837
330	54.083	52.271	0.17	0.16	1.37	83	2.11	1.07	83	1.7	77	0.058	101	101	29.1	-0.3	151	72	72	72	-0.032	5	0.00482
340	55.743	53.872	0.17	0.16	1.37	83	2.11	1.06	83	1.7	77	0.060	99	99	28.9	-0.2	150	72	72	72	-0.031	2.8	0.00727

# Pellet Heater Test Data - ASTM E2779 / ASTM E2515

Run: 1		
Manufacturer:	Hearth & Home	High Burn End Time: 60
Model:	PP70	Medium Burn End Time: 180
Tracking No.:	2273	Total Sampling Time: 360 min
Project No.:	0135PS040E	Recording Interval: 10 min
Test Date:	28-Mar-18	<u> </u>
Beginning Clock Time:	09:42	Background Sample Volume:55.1 cubic feet
Meter Box Y Factor:	0.977 (1)	0.979 (2) <u>0.997</u> (Amb)
Barometric Pressure:	Begin Middle	End Average
	30.53	30.48 30.51 "Hg
OMNI Equipmen	nt Numbers:	

PM Control Modules:	335,336						
Dilution Tunnel MW(dry):	29.00	lb/lb-mole	Avg. Tunnel Velocity:	14.73	ft/sec.		
Dilution Tunnel MW(wet):	28.78	lb/lb-mole	Intial Tunnel Flow:	159.5	scfm		
Dilution Tunnel H2O:	2.00	percent	Average Tunnel Flow:	168.9	scfm		
Dilution Tunnel Static:	-0.200	"H2O	Post-Test Leak Check (1):	0.000	cfm @	5	in. Hg
Tunnel Area:	0.19635	ft2	Post-Test Leak Check (2):	0.000	cfm @	6	in. Hg
Pitot Tube Cp:	0.99	•' •	Fuel Moisture:	5.91	Dry Basis %		

				Velocity T	raverse D	)ata				]
	Pt.1	Pt.2	Pt.3	Pt.4	Pt.5	Pt.6	Pt.7	Pt.8	Center	]
Initial dP	0.044	0.050	0.048	0.038	0.040	0.048	0.052	0.038	0.054	"ŀ
Temp:	92	92	92	92	92	92	93	93	92	°F
	$V_{\text{strav}}$	14.33	ft/sec	V <sub>scent</sub>	15.59	ft/sec	Fp	0.919		-

		Particulate Sampling Data Fuel Weight (lb) Temperature Data (°F)											F)	Stack Gas Data									
Elapsed Time (min)	Gas Meter 1 (ft <sup>3</sup> )	Gas Meter 2 (ft <sup>3</sup> )	Sample Rate 1 (cfm)	Sample Rate 2 (cfm)	Orifice dH 1 ("H <sub>2</sub> O)	Meter Temp 1 (°F)	Meter Vacuum 1 ("Hg)	Orifice dH 2 ("H <sub>2</sub> O)	Meter Temp 2 (°F)	Meter Vacuum 2 ("Hg)	Dilution Tunnel (°F)	Dilution Tunnel Center dP	Pro. Rate 1	Pro. Rate 2	Scale Reading	Weight Change	Stack	Filter 1	Filter 2	Ambient	Draft ("H₂O)	CO <sub>2</sub> (%)	CO (%)
350	57.403	55.473	0.17	0.16	1.37	83	2.11	1.06	83	1.7	77	0.062	97	97	28.7	-0.2	152	72	72	72	-0.032	2.29	0.0203
360	59.062	57.071	0.17	0.16	1.37	83	2.11	1.06	83	1.7	77	0.058	101	100	28.5	-0.2	152	72	71	72	-0.032	2.36	0.02733
Avg/Tot	59.062	57.071	0.16	0.16	1.33	82	2.05	1.04	82	1.56	82	0.06	100	100			184	73	73	73	-0.037	4.30	0.01

File - 135PS040E PP70 Run 1, Tab - Data Entry

# Pellet Heater Lab Data - ASTM E2779 / ASTM E2515

 Manufacturer:
 Hearth & Home
 Equipment Numbers:
 23, 283A, 592

 Model:
 PP70

 Tracking No.:
 2273

 Project No.:
 0135PS040E

 Run #:
 1

 Date:
 3/28/18

## **TRAIN 1 (First Hour emissions)**

Sample Component	Reagent	Filter, Probe		Weights	}
		or Dish#	Final, mg	Tare, mg	Particulate, mg
A. Front filter catch	Filter	D475	116.2	115.3	0.9
B. Rear filter catch	Filter				0.0
C. Probe catch*	Probe				0.0
D. Filter seals catch*	Seals				0.0

Sub-Total Total Particulate, mg: 0.9

## **TRAIN 1 (Remainder of Test)**

Sample Component	Reagent	Filter, Probe	Weights		
		or Dish#	Final, mg	Tare, mg	Particulate, mg
A. Front filter catch	Filter	D476	117.7	116.1	1.6
B. Rear filter catch	Filter	D477	115.0	115.1	-0.1
C. Probe catch*	Probe	31	114368.8	114368.9	0.0
D. Filter seals catch*	Seals	R596	4090.7	4090.4	0.3

Sub-Total Total Particulate, mg: 1.8

Train 1 Aggregate Total Particulate, mg: 2.7

#### **TRAIN 2**

Sample Component	Reagent	Filter, Probe	Weights		
		or Dish#	Final, mg	Tare, mg	Particulate, mg
A. Front filter catch	Filter	D478	115.6	112.7	2.9
B. Rear filter catch	Filter	D479	113.1	113.2	-0.1
C. Probe catch*	Probe	32	114741.4	114741.4	0.0
D. Filter seals catch*	Seals	R597	3370.5	3370.6	0.0

Total Particulate, mg:	2.8

#### **AMBIENT**

Sample Component	Reagent	Filter # or		Weights	
		Probe #	Final, mg	Tare, mg	Particulate, mg
A. Front filter catch*	Filter		113.3	113.3	0.0

Total Particulate, mg: 0.0

<sup>\*</sup>Particulate catch that results in a negative number, is assumed to be zero for probes and seals, negative numbers for filters are assumed to be part of the seal

Component	Equations:
A. Front filter catch	Final (mg) - Tare (mg) = Particulate, mg
B. Rear filter catch	Final (mg) - Tare (mg) = Particulate, mg
C. Probe catch	Final (mg) - Tare (mg) = Particulate, mg

B-12-

# Pellet Heater Test Results - ASTM E2779 / ASTM E2515

Manufacturer: Hearth & Home

Model: PP70
Project No.: 0135PS040E
Tracking No.: 2273

Run: 1 Test Date: 03/28/18

Burn Rate (Composite)	0.93 kg/hr dry
Average Tunnel Temperature	82 degrees F
Average Gas Velocity in Dilution Tunnel - vs	14.73 feet/second
Average Gas Flow Rate in Dilution Tunnel - Qsd	10133.2 dscf/hour
Average Delta p	0.058 inches H20
Average Delta H	1.33 inches H20
Total Time of Test	360 minutes

Burn Rate (High)	<b>2.18</b> kg/hr dry
Burn Rate (Med)	<b>0.79</b> kg/hr dry 36.3% of High
Burn Rate (Low)	<b>0.60</b> kg/hr dry 27.5% of High

	AMBIENT	SAMPLE TRAIN 1	SAMPLE TRAIN 2	1 <sup>st</sup> HR FILTER (TRAIN 1)
Total Sample Volume - Vm Average Gas Meter Temperature Total Sample Volume (Standard Conditions) - Vmstd	55.100 cubic feet 73 degrees F 55.430 dscf	59.062 cubic feet 82 degrees F 57.456 dscf	57.071 cubic feet 82 degrees F 55.560 dscf	9.782 cubic feet 82 degrees F 9.516 dscf
Total Particulates - m <sub>n</sub> Particulate Concentration (dry-standard) - C/C <sub>s</sub>	0 mg 0.000000 grams/dscf	2.7 mg 0.00005 grams/dscf	2.8 mg 0.00005 grams/dscf	0.9 mg 0.00009 grams/dscf
Total Particulate Emissions - E <sub>T</sub>	0.00 grams	2.86 grams	3.06 grams	0.96 grams
Particulate Emission Rate	0.00 grams/hour	0.48 grams/hour	0.51 grams/hour	0.96 grams/hour
Emissisons Factor		0.51 g/kg	0.55 g/kg	0.44 g/kg
Difference from Average Total Particulate Emissions		0.10 grams	0.10 grams	
	Dual Train Comparison Results Are Acceptable			

#### INAL AVERAGE RESULTS

Integrated Test Run	
Total Particulate Emissions - E <sub>T</sub>	2.96 grams
Particulate Emission Rate	0.49 grams/hour
Emissisons Factor	0.53 grams/kg
First Hour Emissions Total Particulate Emissions - E <sub>T</sub>	0.96 grams
Particulate Emission Rate	0.96 grams/hour
Emissisons Factor	0.44 grams/kg

#### QUALITY CHECKS

QUALITY CHECKS
OK
5.24
0.04
OK

Manufacturer: Hearth & Home Model:

Date:

Run:

Air/Fuel Ratio (A/F)

2.2

VERSION:

PP70

03/28/18

1

Technicians:

Test Duration: 360   Integrated	Control #:	0135PS040E		
Test Results in Accordance with CSA B415.1-09	Test Duration:	360		
Test Results in Accordance with CSA B415.1-09	Output Category:	Integrated		
HHV Basis	,	J		
Overall Efficiency         82.8%         88.5%           Combustion Efficiency         99.5%         99.5%           Heat Transfer Efficiency         83%         88.9%           Output Rate (kJ/h)         15,771         14,961         (Btu/h)           Burn Rate (kg/h)         0.93         2.05         (lb/h)           Input (kJ/h)         19,050         18,071         (Btu/h)           Test Load Weight (dry kg)         5.57         12.27         dry lb           MC wet (%)         5.580209612         4.27         4ry lb           Particulate (g)         2.96	Test Results in A	Accordance with	h CSA B415.1-09	
Overall Efficiency         82.8%         88.5%           Combustion Efficiency         99.5%         99.5%           Heat Transfer Efficiency         83%         88.9%           Output Rate (kJ/h)         15,771         14,961         (Btu/h)           Burn Rate (kg/h)         0.93         2.05         (lb/h)           Input (kJ/h)         19,050         18,071         (Btu/h)           Test Load Weight (dry kg)         5.57         12.27         dry lb           MC wet (%)         5.580209612         4.27         4ry lb           Particulate (g)         2.96				
Combustion Efficiency         99.5%         99.5%           Heat Transfer Efficiency         83%         88.9%           Output Rate (kJ/h)         15,771         14,961         (Btu/h)           Burn Rate (kg/h)         0.93         2.05         (lb/h)           Input (kJ/h)         19,050         18,071         (Btu/h)           Test Load Weight (dry kg)         5.57         12.27         dry lb           MC wet (%)         5.580209612           MC dry (%)         5.91         Particulate (g)         2.96           CO (g)         24         CO (g)         24           Test Duration (h)         6.00         CO (g)         24           Test Duration (h)         6.00         0.25         4.25           g/kg Dry Fuel         0.53         4.25           g/h         0.49         3.95		HHV Basis	LHV Basis	
Heat Transfer Efficiency   83%   88.9%	Overall Efficiency	82.8%	88.5%	
Output Rate (kJ/h)         15,771         14,961         (Btu/h)           Burn Rate (kg/h)         0.93         2.05         (lb/h)           Input (kJ/h)         19,050         18,071         (Btu/h)           Test Load Weight (dry kg)         5.57         12.27         dry lb           MC wet (%)         5.580209612           MC dry (%)         5.91           Particulate (g)         2.96           CO (g)         24           Test Duration (h)         6.00           Emissions         Particulate         CO           g/MJ Output         0.03         0.25           g/kg Dry Fuel         0.53         4.25           g/h         0.49         3.95	Combustion Efficiency	99.5%	99.5%	
Burn Rate (kg/h)   0.93   2.05   (lb/h)	Heat Transfer Efficiency	83%	88.9%	
Burn Rate (kg/h)   0.93   2.05   (lb/h)				-
Input (kJ/h)	Output Rate (kJ/h)	15,771	14,961	(Btu/h)
Test Load Weight (dry kg) 5.57 12.27 dry lb  MC wet (%) 5.580209612  MC dry (%) 5.91  Particulate (g) 2.96  CO (g) 24  Test Duration (h) 6.00  Emissions Particulate CO  g/MJ Output 0.03 0.25  g/kg Dry Fuel 0.53 4.25  g/h 0.49 3.95	Burn Rate (kg/h)	0.93	2.05	(lb/h)
MC wet (%) 5.580209612  MC dry (%) 5.91  Particulate (g) 2.96  CO (g) 24  Test Duration (h) 6.00  Emissions Particulate CO  g/MJ Output 0.03 0.25  g/kg Dry Fuel 0.53 4.25  g/h 0.49 3.95	Input (kJ/h)	19,050	18,071	(Btu/h)
MC wet (%)   5.580209612   MC dry (%)   5.91				
MC dry (%)   5.91	Test Load Weight (dry kg)	5.57	12.27	dry lb
Particulate (g )   2.96     CO (g)   24     Test Duration (h)   6.00	MC wet (%)	5.580209612		
CO (g) 24 Test Duration (h) 6.00  Emissions Particulate CO g/MJ Output 0.03 0.25 g/kg Dry Fuel 0.53 4.25 g/h 0.49 3.95	MC dry (%)	5.91		
Test Duration (h)   6.00	Particulate (g )	2.96		
Emissions   Particulate   CO	CO (g)	24		
g/MJ Output         0.03         0.25           g/kg Dry Fuel         0.53         4.25           g/h         0.49         3.95	Test Duration (h)	6.00		
g/MJ Output         0.03         0.25           g/kg Dry Fuel         0.53         4.25           g/h         0.49         3.95				_
g/kg Dry Fuel         0.53         4.25           g/h         0.49         3.95	Emissions	Particulate	CO	1
<b>g/h</b> 0.49 3.95	g/MJ Output	0.03	0.25	
3	g/kg Dry Fuel	0.53	4.25	
<b>Ib/MM Btu Output</b> 0.07 0.58	g/h	0.49	3.95	
	lb/MM Btu Output	0.07	0.58	

28.44

12/14/2009

 Manufacturer:
 Hearth & Home
 Technicians:
 Butter

 Model:
 PP70
 PP70

Test Duration: 60
Output Category: Maximum

## Test Results in Accordance with CSA B415.1-09

	HHV Basis	LHV Basis
Overall Efficiency	82.9%	88.6%
Combustion Efficiency	99.5%	99.5%
Heat Transfer Efficiency	83%	89.1%

Output Rate (kJ/h)	37,190	35,278	(Btu/h)
Burn Rate (kg/h)	2.18	4.82	(lb/h)
Input (kJ/h)	44,840	42,535	(Btu/h)

2.18	4.82	dry lb
5.580209612		
5.91		
0		
3		
1.00		
	5.580209612 5.91 0 3	5.580209612 5.91 0 3

Emissions	Particulate	CO
g/MJ Output	0.00	0.08
g/kg Dry Fuel	0.00	1.28
g/h	0.00	2.81
lb/MM Btu Output	0.00	0.18

Air/Fuel Ratio (A/F)	15.60

VERSION: 2.2 12/14/2009

Technicians: Manufacturer: Hearth & Home Model: PP70 Date: 03/28/18 Run: 1 Control #: 0135PS040E **Test Duration:** 120

Medium Test Results in Accordance with CSA B415.1-09

	HHV Basis	LHV Basis
Overall Efficiency	80.5%	86.0%
Combustion Efficiency	99.5%	99.5%
Heat Transfer Efficiency	81%	86.5%

**Output Category:** 

Output Rate (kJ/h)	13,099	12,425	(Btu/h)
Burn Rate (kg/h)	0.79	1.75	(lb/h)
Input (kJ/h)	16,265	15,429	(Btu/h)

Test Load Weight (dry kg)	1.59	3.49	dry lb
MC wet (%)	5.580209612		
MC dry (%)	5.91		
Particulate (g )	0		
CO (g)	5		
Test Duration (h)	2.00		

Emissions	Particulate	CO
g/MJ Output	0.00	0.18
g/kg Dry Fuel	0.00	2.90
g/h	0.00	2.30
lb/MM Btu Output	0.00	0.41

Air/Fuel Ratio (A/F)	29.77

VERSION: 2.2 12/14/2009

Technicians: 3 Manufacturer: Hearth & Home Model: PP70 Date: 03/28/18 Run: 1 Control #: 0135PS040E

Minimum Test Results in Accordance with CSA B415.1-09

180

	HHV Basis	LHV Basis
Overall Efficiency	82.2%	87.9%
Combustion Efficiency	99.5%	99.5%
Heat Transfer Efficiency	83%	88.3%

**Test Duration:** 

**Output Category:** 

Output Rate (kJ/h)	10,123	9,603	(Btu/h)
Burn Rate (kg/h)	0.60	1.32	(lb/h)
Input (kJ/h)	12,309	11,676	(Btu/h)

Test Load Weight (dry kg)	1.80	3.97	dry lb
MC wet (%)	5.580209612		
MC dry (%)	5.91		
Particulate (g )	0		
CO (g)	16		
Test Duration (h)	3.00		

Emissions	Particulate	СО
g/MJ Output	0.00	0.54
g/kg Dry Fuel	0.00	9.07
g/h	0.00	5.44
lb/MM Btu Output	0.00	1.25

Air/Fuel Ratio (A/F)	37.01

VERSION: 2.2 12/14/2009

	t Laboratories, In learth & Home	nc. <b>ASTM E2779 Pellet Heater Rur</b> e <u>Technologies</u> Project Number: <u>0/35 PSo 40</u>	
Model: <u>F</u>	PP70	Tracking Number: 2273	Date:_ <u>3/28/2018</u>
	ew: <u>B. Davis</u> quipment ID n	numbers: <u>592, 637, 283A, 559, 410, 335, 336,</u>	594, 296-T59, 132
		Pellet Heater Run Notes	
Air Cont	trol Settings		•
High Bur Se	rn Rate Targe ettings: <u>Heak</u>	t: Max setting Max, Power Level 5, trim se	Additional Settings Notes:
Medium Se	Burn Rate Ta ettings: <u>He</u>	setting 3, Power Level 2, tram softing.	<u>-1.</u>
Low Buri Se	n Rate Target ettings: ———	MINION LO. Power Level 1, trim	sofing
Preburn	Notes		
Time		Notes	
Ø	Heat solling	y max, Power Level 5 trim selfing t	- 4
Test Not	tes		
Time		Notes	
60	Changed Adjusted 1	Front E. Iter son train A. Adjusted Items Heate so Hig to Lo, Power Level 1, trim	t so thing to 3, Power Love 12, trim -1. so thing S.
Pellet M	oisture Conte	ent: <u>5.9/ db.</u>	
	an Signature: <sub>4</sub> Vo. <i>P-SFDL-</i> 00	001, Effective Date: 6/8/20157 of 110	Date: 4/9/18 Page 1 of 3

OMNI-Test Laboratories, Inc. **ASTM E2779 Pellet Heater Run Sheets** Client: Hearth & Home Technologies Project Number: 0/35 to ove E Run Number: 1 Model: PP70 \_\_\_\_\_Tracking Number: <u>2273</u>\_\_\_\_\_Date: <u>3/28/2018</u> Test Crew: B. Davis OMNI Equipment ID numbers: <u>592, 637, 283A, 559, 410, 335, 336, 594, 296-T59, 132</u> Pellet Heater Supplemental Data

Start Time: 0942

Booth #:\_\_*EI*\_\_\_\_

Stop Time: 1542

Stack Gas Leak Check:

Sample Train Leak Check:

Initial: gard Final: gard

A:<u> ο.υ</u> @ **6** "Hg B: **0.0** @ **5** "Hg

9.97/0.97 2.50/901

Calibrations: Span Gas

CO<sub>2</sub>: <u>16.78</u> CO: <u>4.244</u>

	Pre Test		Post Test	
	Zero	Span	Zero	Span
Time	0913	09/3	1546	1546
CO <sub>2</sub>	0.00	10.14/0.98	0.00	10.08 / 0.96
co	0.000/0	2.540 /901	0.000/0	2.531/896

Air Velocity (ft/min):

Final:\_450

Scale Audit (lbs):

Initial: 10.0

Pitot Tube Leak Test: Initial:

Final: gov d

Stack Diameter (in): 6 "

% Smoke Capture: 100 %

Flue Pipe Cleaned Prior to First Test in Series:

Date: 3/21/18 Initials: 101

	Initial	Middle	Ending
P₅ (in/Hg)	30.53	N/A	30.48
Ambient (°F)	76	, ,	72

Background Filter Volume: 55.100

Technician Signature:

Control No.P-SFDL-0001, Effective Date: 6/8/2015 of 110

Tunnel Traverse				
Microtector Reading	dP (in H₂O)	T(°F)		
	,044	72		
	1050	92		
	,048	72		
	.038	92		
	,0 40	92		
	.048	92		
	.052	93		
	,038	93		
Center:				
	.054	92		
Static:				
	20			

Date: 4/9//x
Page 2 of 3

# **Section 4**

**Quality Assurance/Quality Control** 

# **QUALITY ASSURANCE/QUALITY CONTROL**

*OMNI* follows the guidelines of ISO/IEC 17025, "General Requirements for the Competence of Testing and Calibration Laboratories," and the quality assurance/quality control (QA/QC) procedures found in *OMNI*'s Quality Assurance Manual.

*OMNI*'s scope of accreditation includes, but is not limited to, the following:

- ANSI (American National Standards Institute) for certification of product to safety standards.
- To perform product safety testing by the International Accreditation Service, Inc. (formerly ICBO ES) under accreditation as a testing laboratory designated TL-130.
- To perform product safety testing as a "Certification Organization" by the Standards Council of Canada (SCC).
- Serving as a testing laboratory for the certification of wood heaters by the U.S. Environmental Protection Agency.

This report is issued within the scope of OMNI's accreditation. Accreditation certificates are available upon request.

The manufacturing facilities and quality control system for the production of the PP70 at Hearth and Home Technologies were evaluated to determine if sufficient to maintain conformance with OMNI's requirements for product certification. OMNI has concluded that the manufacturing facilities, processes, and quality control system are adequate to produce the appliance congruous with the standards and model codes to which it was evaluated.

This report shall not be reproduced, except in full, without the written approval of OMNI-Test Laboratories, Inc.

# **Sample Analysis**

Analysis Worksheets
Moisture Content Worksheet
Fuel Certification Label
Tared Filter, Probe, and O-Ring Data

Tare Sheet: Probes\_\_\_ 47mm Filters\_\_\_ 100mm Filters\_\_ O-Ring Pair\_\_ Date/time Placed in Dessicator: 3/21/18 1458 Thermohygrometer ID #: Omwi- 00592 Prepared By: B DAVIS Analytical Balance ID #: Omwi - 00637 Audit Weight ID #/Mass: Omwj - 002874 1 200 mg Date: 3/4/18 Time: 0909 1515 Date: 3/23/18 Date: Date: Time: 0828 Time: Time: RH %: 19.5 ID# RH %: 28.4 RH %: RH %: Date Used **Project Number** Run No. T (°F): 69. 7 T (°F): 68.1 T (°F): T (°F): Audit: 200.0 Audit: 200.0 Audit: Audit: D469 115.5 115.3 004+013585041 E 3/26/18 D430 115.8 114.7 17471 1147 9)422 162 116.9 D473 116.4 116.2 116.0 73414 M.o 2475 115.3 115.3 3/28/18 004 0135 PS040E 7)446 116.2 116.1 D477 115.0 115.1 113.2. D479 113.2 DYN 113.6 113.4 178/ 0912 1/2.9 112 4 112.6 DY83 112.6 112.1 7)484 112 3 DY85 113.3 1/3.1 1/2.3 Durb 112.5 D487 112.7 1126 THEFT. 111.6 1/1. 7 17489 112.9 113.0 D770 1/2.1

Final Technician Signature: Control No. P-SFDP-0001.xls, Effective date: 9/9/2015

initials: //

Initials:

initials: A.A.

Initials:

Evaluator signature:

Tare Sheet: Probes 47mm Filters 100mm Filters O-Ring Pair Date/time Placed in Dessicator: 3/5/18 0840 Thermohygrometer ID #: Oman 200592 Prepared By: 3 Days Analytical Balance ID #: 6mvi-cox37 Audit Weight ID #/Mass: Omwi-00283 A / 100 9 3/2/18 Date: 3/6/18 Date: 0756 0756 Date: 3/9/18 Date: Time: 0930 Time: 0856 Time: 0836 Time: ID# RH %: 10.4 RH %: 9.4 RH %: 120 RH %: Date Used Project Number Run No. T(°F): 67.8 T (°F): 66.4 T (°F): 68.3 T (°F): Audit: 99.99% Audit: 99998.1 Audit: 99998.1 Audit: 115349.9 115349.6 115349.6 1149815 114 701.5 115593.9 115593.8 100000 114187.8 11 114187.7 13 NY32.5 114549.6 14 114549.4 114394.5 22 114344.4 114344.2 11 114014 24 114127.3 114127.1 15 114751.1 28 114751.1 19 1/12/201 1142 77 1/26/14 at 0/35/201/F 114329.3 30 114329.2 77-369-7 3/21/15 9001 0135 P31-11 114741.5 32 114741.4 33 1115-12 114327.0 35 114327.1 114484 8 36 uvrrt. i 37 114465.4 114465.6 134

Final Technician Signature: Control No. P-SFDP-0001.xls, Effective date: 9/9/2015

1141504

Initials: //\//

114151.0

initials: // /

Date: 3/14/22

Initials:

Initials: 0.7

Evaluator signature:

Tare Sheet: Probes\_\_\_\_ 47mm Filters\_\_\_ 100mm Filters\_\_\_ O-Ring Pair\_

Date/time Placed in Dessicator: 3/21//8 3:20

Prepared By: BDAU.

Analytical Balance ID #: 0 mui- 00637

Thermohygrometer ID#: Omaj- 00592

Audit Weight ID #/Mass: Omni - 002 834 / Sg

	2.00	No. of the Control of	the state of the s				
	Date: 3/22/18	Date: 3/23/18	Date: 3/24/18	Date: 3/27/18			1
	Time: 1530	Time: 0828	Time: 0930	Time: 07:3	Date Used	Project Number	Run No.
ID#	RH %: 2 7.4	RH %: 195	RH %: 19.2	RH %: 18.2			
	T (°F): 69.8	T(°F): 68.1	T (°F): 67.4	T (°F): 68.7			
	Audit: 5000.0	Audit: 5000.0	Audit: 5000.				
R596	4091.5	4091.0	The second secon	Audit: 5000.0			
97.557	3072.2		4090.5 3370.6	4090.4	- 3/28/18	-0061 0135130 YUE	1
12598	3267-3	3266.8		33906			
	4343	7/533	3266. 2	3266.1	<u> </u>		
R600		A CONTRACTOR OF THE PROPERTY O	41527	*10% & 1			
12600	<u> 335/.5</u>	<u>3350.6</u>	3349-9	3349.8	-	A CONTRACTOR OF THE CONTRACTOR	
Contract of the Contract of th	33547	31647	7036				
R 602	3367.7	3366.5	3366.0	3366.2	THE CONTROL OF THE CO	THE PERSON NAMED IN COLUMN TO SERVICE AND ADDRESS OF THE PERSON NAMED IN COLUMN TO SE	
2003	3314.2	21114	380.2	SW K			Charles Associated
2604	3311.9	33//-/	3310.7	3310.7	_		
18,005	3180.8	3134.7	3127	3370.7			Miles rock work
R606	4052.8	4052.4	The state of the s		Put used		
Wet	1325 2	72727	4051.5	4051. 9	4851 850 9		
R 608	4123-7 3297.7	3297.0	3296.3	3466			
[260]	4/20/	4/228	9/2/9	<u>3296.3</u>		/ Not used.	
R610	3327.4		The state of the s	4/12.2			
12.64	33.17.8	3326.7	3325,8	3326.0		4/9/18	
R612			33480				
Cas	33290	3328.2	3327.1	<i>3</i> 327. 4	335708ed		
	4100.9	<b>4/67</b>	4077.7	11000			
RGIY	4108.9	4108.4	4/07.9	4107.7	- activos sensos estados estad		
263	WIGE P	7/27	1.60.1	4601			
Water and the state of the stat	Ningth Magazinene en en anne en anne en anne			- octorion montana de la companya del la companya de la companya d			
							Mindelei Sallania Kitaran an an
lait	ials: 🎻 💮 📊	nitials 2/2	olijais: 🚜 💮	nitials: 🗸 🛧			

Final Technician Signature: Control No. P-SFDP-0001.xls, Effective date: 9/9/2015

Evaluator signature:

OMNI-Test Laboratories, Inc.

#### **ASTM E2779 Pellet Heater Run Sheets**

Client: Hearth & Home Technologies	Project Number: <u>0/35 <b>/</b></u> \$\$\$	_Run Number: <u>1</u>
Model: PP70	_Tracking Number: 2273	Date: 3/28/2018
Test Crew; B. Davis	<u> </u>	
OMNI Equipment ID numbers: 592, 63	37, 283A, 559, 410, 335, 336, 594, 296	-T59, 132

#### **ASTM E2515 Lab Sheet**

				Weighing #1	Weighing #2	Weighing #3	Weighing #4	Weighing #5
				Date:	Date:	Date:	Date:	Date:
Asser	nbled By:			3/29/18	4/2/18	4/3//8 Time:		
	_			Time:	Time:	Time:	Time:	Time:
/\S'	DAU.S			1630	0502	orof		
				R/H %:	R/H %;	R/H %:	R/H %:	R/H %:
				20.4	1r.2	14.1		
				Temp:	Temp:	Temp:	Temp:	Temp:
Date/∃	Time in Des	siccator:		69.8	69.4	71.6		
2/10/	/ // 0	_		<ul> <li>Audit:</li> </ul>	Audit:	Audit:	Audit:	Audit:
424	18 160	<u> </u>		7999 r. o	99997.9	<i>99997.9</i> Initials:		
				Initials:	Initials:		Initials:	Initials:
				34	Br	134		
Trai n	Element	ID#	Tare (mg)	Weight (mg)	Weight (mg)	Weight (mg)	Weight (mg)	Weight (mg)
	Front							
A	Filter (60 min)	D475	115.3	116.2	114.2	_		
	Front							
Α	Filter (Remainder)	D476	116.1	117.6	117.7			
Α	Rear	022						
	Filter	D477	115.1	/14.9	115.0			
Α	Probe	21				بر		
		31	114 368.9	114368.9	114368.8			
Α	O-Ring	Ø-c/	unan u	_		_		
	Set	R596	4090.4	4091.3	4090.5	4090.7		
В	Front	0	1					
	Filter	DY78	112.7	115.6	115.6			
В	Rear Filter	D479		4.9 .	112	_		
	Filler	DITT	113.2	113.0	//3./		7 /24/2 (11/2/4/11) 14/14/2014/19	
В	Probe	32	114741.4	114741.5	114741.4			
В	O-Ring Set	R597	3370.6	3370.8	33706	3370.5°		
	Joet	1-5 , 1	73.75.6	JO 70.8	33,7.6	J3 FU. S		
BG	Filter	D480	113.3	112.9	//3.2	1/3.3		

Technician Signature:	 $\overline{2}$		
Control No.P-SFDL-0001,		6/8/2015 <sub>5</sub>	– of 110

Date: 4/9/3Page 3 of 3



Twin Ports Testing, Inc. 1301 North 3rd Street Superior, WI 54880

715-392-7114 800-373-2562 715-392-7163 www.twinportstesting.com

USR:W218-0140-01 Report No:

Issue No:

**Analytical Test Report** 

Client: OMNI-TEST LABORATORIES INC.

> 13327 NE Airport Way Portland, OR 97230

Finance Department Attention:

PO No: 180165

Sample Recognized As:

Signed:

Date of Issue:

Sample Date:

Stephen Sundeen

Chemistry Laboratory Manager

lon

2/27/2018

THIS DOCUMENT SHALL NOT BE REPRODUCED EXCEPT IN FULL

Stepher


Sample Details

Sample Log No: W218-0140-01 Sample Designation: 03208-2018 Wood Pellets

Sample Time: **Arrival Date:** 2/13/2018

**Test Results MOISTURE** AS **METHOD** UNITS **FREE RECEIVED Moisture Total** ASTM E871 wt. % 5.58 wt. % Ash ASTM D1102 0.32 0.34 **Volatile Matter ASTM D3175** wt. % **Fixed Carbon by Difference** wt. % **ASTM D3172** Sulfur ASTM D4239 wt. % 0.007 0.007 SO Calculated lb/mmbtu 0.015 Net Cal. Value at Const. Pressure ISO 1928 GJ/tonne 19.20 17.99 Net Cal. Value at Const. Pressure ISO 1928 19197 17989 J/g Gross Cal. Value at Const. Vol. ASTM E711 20523 19377 J/g Gross Cal. Value at Const. Vol. ASTM E711 Btu/lb 8824 8331 Carbon ASTM D5373 wt. % 50.70 47.87 wt. % Hydrogen\* ASTM D5373 6.09 5.75 wt. % Nitrogen ASTM D5373 0.20 < 0.19 Oxygen\* **ASTM D3176** wt. % 42.66 40.27 \*Note: As received values do not include hydrogen and oxygen in the total moisture. Chlorine **ASTM D6721** mg/kg **Fluorine ASTM D3761** mg/kg Mercury ASTM D6722 mg/kg **Bulk Density** ASTM E873 lbs/ft3 Fines (Less than 1/8") TPT CH-P-06 wt.% **Durability Index** PDI Kansas State Sample Above 1.50" TPT CH-P-06 wt.% Maximum Length (Single Pellet) TPT CH-P-06 inch Diameter, Range TPT CH-P-05 inch to Diameter, Average TPT CH-P-05 inch Stated Bag Weight TPT CH-P-01 lbs TPT CH-P-01 **Actual Bag Weight** lbs

Comments



## **Calibrations**

### EPA Method 28R, ASTM E2515, ASTM E2779

ID#	Lab Name/Purpose	Log Name	Attachment Type
132	10 lb Weight	Weight Standard, 10 lb.	Calibration Certificate
185	Platform Scale	Weight Indicator, Model WI-127	Calibration Certificate
209	Barometer	Barometer – Princo	Equipment Record
283A	Audit Weights	Troemner 21pc Msas Set	Calibration Certificate
335	Sample Box / Dry Gas Meter	Apex Automated Emissions Sampling Box	Calibration Log
336	Sample Box / Dry Gas Meter	Apex Automated Emissions Sampling Box	Calibration Log
410	Microtector	Dwyer Microtector	Calibration Certificate
559	Vaneometer	Dwyer Vaneometer	Equipment Record
592	Thermohygrometer	Omega Digital Thermohygrometer	Calibration Log
594	Combustion Gas Analyzer	CAI Gas Analyzer	See Run Sheet
637	Analytical Balance	Analytical Balance - Mettler - Toledo	Calibration Certificate

### **SCALE WEIGHT CALIBRATION DATA SHEET**

Weight to be calibrated: <u>10 po</u>	unds		_
ID Number: <u>OMNI-00132</u>			
Standard Calibration Weight:	10 pounds		
ID Number: <u>OMNI-00255</u>			
Scale Used: <u>MTW-150K</u>		_	
ID Number: OMNI-00353			
Date: <u>2/23/2018</u>	By: <u>B. Davis</u>		

Standard Weight (A)	Weight Verified (B)	Difference	% Error
(Lb.)	(Lb.)	(A - B)	
10.0	10.0	0.0	0

<sup>\*</sup>Acceptable tolerance is 1%.

This calibration is traceable to NIST using calibrated standard weights.

Technician signature: Date: 2/23/13



### QUALITY CONTROL SERVICES

LABORATORY EQUIPMENT • SALES • SERVICE • CALIBRATION • REPAIRS 2340 SE 11<sup>TH</sup> Ave. Portland, Oregon 97214 • Box 14831 Portland, Oregon 97293 (503) 236-2712 • FAX (503) 235-2535 • www.qc-services.com



OMNI-Test Laboratories, Inc. 13327 NE Airport Way Portland, OR 97230

Report Number: OMNE0321676171004

## A2LA ACCREDITED CERTIFICATE OF CALIBRATION WITH DATA

	-	Make	Mic	odel	Serial No	ımber	Customer ID	Loc	ation
Scale	Wei	gh-Tronix	WI-127 1	000x0.1lb	216	76	185	]	Lab
Units	Rea	dability		SOP	Cal D	ate	Last Cal Date	Cal D	ue Dat
lbs		0.1		QC033	10/4/		10/11/16	10	/2018
			Fl	JNCTIONA	L CHECK	(S			
	SHIFT 1	EST	1	ARITY		ATABILITY	ENVIRONME	ENTAL	
	Test Wt:	Tol:	Test Wt:	Tol:	Test Wi	: Tol:	CONDITIO	ONS	
	500	0.5	HB44	HB44	200	0.2			
	As-Fou	ınd:	As-F	ound:	As	Found:	Good Fair	Poor	
	Pass:☑	Fail: 🗆	Pass:☑	Fail: □	Pass:☑	Fail: 🗖	1000 100	1001	
	As-Le	ft:	As-	Left:	A	s-Left:	Temperature: 2	1.0°C	
	Pass:☑	Fail:□	Pass:☑	Fail:□	Pass:☑	Fail: □	1 0 mp 0 m 2 m		
ı	······································			CALIBRAT	ION DAT				
Stand	ard		As-Found	d		As-Left	Expa	nded Un	certain
100	0		1000.0			1000.0		0.12	
70	)		700.0			700.0		0.12	
50	)		500.0			500.0		0.08	
20	)		200.0			200.0		0.08	
10	)		100.0			100.0		0.05	
50			50.0			50.0		0.05	~
Item	Make W. Rice La		Model	BRATION S Serial Nu	mber	Cal Date	Cal Due Date 11/2017		
irdupois Cast		ke .	Model 25 and 50lb	Serial Nu PWO990	omber O-CA Commen	<b>Cal Date</b> 11/4/15	Cal Due Date 11/2017 on Concerning th	2	11ST   1 01521   ation

The uncertainty is calculated according to the ISO Guide to the Expression of Uncertainty in Measurement and includes the uncertainty of standards used combined with the observed standard deviation of the unit under test. The uncertainty is expanded with a k factor of 2 for an approximate 95% level of confidence. Instruments listed above were calibrated using standards traceable to the National Institute of Standards and Technology (NIST). Calibration data

reflect results at the time and location of calibration. Calibration data should be reviewed to insure that the instrument is performing to its required accuracy.

40 of 110

453 National Weather Service Type OMNI 00209

## Instruction Booklet

for use with

# **PRINCO**

Fortin type mercurial

**Barometers** 

Manufactured by

PRINCO INSTRUMENTS, INC. 1020 Industrial Blvd. Southampton, Pa. 18966-4095 U.S.A.

> Phone: 215 355-1500 Fax: 215 355-7766



469 NOVA \*\* Economy Model

## JJ Calibrations, Inc.

Manufacturer: Troemner Inc.

Model: 1mg-100g (Class F)

Nomenclature: Mass Set, 21 Pc.

**Serial:** 47883

Certificate #: 543402

Date: 09Oct2013

Technician: 34

Calibration Interval: 60 Months

Parameter		Nominal	JJ Standard	UUT	UUT ± Limit	Uncertainty ±
Mass Verification			A CONTRACTOR OF THE CONTRACTOR		te menteksikationalus (oragy tijasus) osta tilväs konstantiviskajus jaja-ma	ele di Agrapia e Leves des estados estados franceses financias especiales de contratos de contratos de contrato
Data in mg		1	0.996	1.048	0.100	0.0115
	dot	2	2.002	1.973	0.120	0.0115
		2	2.002	2.048	0.120	0.0115
		5	4.996	5.033	0.170	0.0115
		10	10.000	10.053	0.210	0.0115
	dot	20	19.999	19.966	0.260	0.0115
		20	19.999	20.069	0.260	0.0115
		50	49.998	50.018	0.350	0.0115
		100	99.998	100.144	0.430	0.0115
	dot	200	199.999	200.045	0.540	0.0115
		200	199.999	199.967	0.540	0.0115
		500	499.996	500.334	0.720	0.0115
Data in grams		1		Missing		
	dot	2	2.000000	1.999888	0.0011	0.0000394
		2	2.000000	2.000335	0.0011	0.0000394
		5	5.000002	4.999996	0.0015	0.0000395
		10	9.99998	9.99984	0.0020	0.0000580
	dot	20	19.99999	20.00100	0.0040	0.0000855
		20	19.99999	20.00079	0.0040	0.0000855
		50	49.99997	49,99949	0.0100	0.0001390
		100	99.99999	99.99802	0.0200	0.0002900
				***		

## Thermal Metering System Calibration Y Factor

Manufacturer: APEX
Model: XC-60-EP
Serial Number: 606001
OMNI Tracking No.: OMNI-00335
Calibrated Orifice: \[ \rac{1}{2}\text{cs} \]

Orifice Average Gas Meter y Meter **Factor** dH@ 0.977 N/A Calibration Date: 01/17/18 Calibrated by: B. Davis Six months Calibration Frequency: 7/18/2018 Next Calibration Due: 1.000 Instrument Range: cfm Standard Temp.: 68 oF 29.92 Standard Press.: "Hg Barometric Press., Pb: "Hg Signature/Date: 1/18/2018 **Previous Calibration Comparision** 

		Acceptable	
Date	7/18/2017	Deviation (5%)	Deviation
y Factor	0.981	0.04905	0.004
Acceptance	Acce		

#### **Current Calibration**

Acceptable y	0.020		
Maximum y I	0.005		
Acceptable dl	N/A		
Maximum dH@ Deviation		N/A	
Acceptance	Acceptable		

Reference Standard *					
Standard	Model	Standard Test Me	ter		
Calibrator	S/N	OMNI-00001			
	Calib. Date	30-Oct-17			
	Calib. Value	0.9977	y factor (ref)		

Calibration Parameters	Run 1	Run 2	Run 3
Reference Meter Pressure ("H2O), Pr	0.00	0.00	0.00
DGM Pressure ("H2O), Pd	2.30	1.38	1.00
Initial Reference Meter	198.1	203.7	214.2
Final Reference Meter	203.602	208.8	222.5
Initial DGM	0	0	0
Final DGM	5.65	5.298	8.67
Temp. Ref. Meter (°F), Tr	68.1	68.1	68.0
Temperature DGM (°F), Td	77.0	78.0	80.0
Time (min)	26.5	31.8	43.5
Net Volume Ref. Meter, Vr	5.502	5.100	8.300
Net Volume DGM, Vd	5.65	5.298	8.67
Gas Meter y Factor =	0.982	0.975	0.974
Gas Meter y Factor Deviation (from avg.)	0.005	0.002	0.003
Orifice dH@	N/A	N/A	N/A
Orifice dH@ Deviation (from avg.)	N/A	N/A	N/A

#### where:

- 1. Deviation = |Average value for all runs current run value|
- \*\* 2.  $y = [Vr \ x \ (y \ factor \ (ref)) \ x \ (Pb + (Pr/13.6)) \ x \ (Td + 460)] / [Vd \ x \ (Pb + (Pd/13.6)) \ x \ (Tr + 460)]$
- \*\* 3.  $dH@ = 0.0317 \text{ x Pd / (Pb (Td + 460)) x [ (Tr + 460) x time) / Vr ]^2}$

1/19/2018

The uncertainty of measurement is ±0.14 ft³/min. This is based on the reference standard having a TAR (Test Accuracy Ratio) of at least 4:1.

<sup>\*</sup> Reference calibration is traceable to NIST through NIST Test # 40674, Kimble ASTM E1272, or NIST traceable laboratory

<sup>\*\*</sup> Equations come from EPA Method 5

#### **DIFFERENTIAL PRESSURE GAUGE CALIBRATION DATA SHEET**

Instrument to be calibrated: <u>Pressure Transducer</u>
Maximum Range: <u>0-2" WC</u> ID Number: <u>OMNI-00335</u>
Calibration Instrument: <u>Digital Manometer</u> ID Number: <u>OMNI-00395</u>
Date: 1/17/2018 By: B. Davis
This form is to be used only in conjunction with Standard Procedure C-SPC

Range of Calibration Point ("WC)	Digital Manometer Input ("WC)	Pressure Gauge Response ("WC)	Difference (Input - Response)	% Error of Full Span <sup>*</sup>
0-20% Max. Range 0 - 0.4	0.08	0.067	0.013	0.65
20-40% Max. Range 0.4 - 0.8	0.64	0.638	0.002	0.10
40-60% Max. Range 0.8 – 1.2	1.00	1.012	0.012	0.60
60-80% Max. Range 1.2 – 1.6	1.40	1.432	0.032	1.6
80-100% Max. Range 1.6 – 2.0	1.85	1.895	0.045	2.25

<sup>\*</sup>Acceptable tolerance is 4%.

The uncertainty of measurement is  $\pm 0.4$ " WC. This is based on the reference standard having a TAR (Test Accuracy Ratio) of at least 4:1.

Technician signature	: B. // J-	[	Date: <u>1/18/2018</u>
Reviewed by:	AL	Date:	1/19/2018

	Temperature Calibration EPA Method 28R, ASTM 2515							
BOOTH: TEMPERATURE MONITOR TYPE:							PMENT MBER:	
E1		Na	tional Instrum	ents Logge	r	00335	, 00336	
REFERENCE ME	TER EQUIP	MENT NUM	BER: 00373	Calibratio	n Due Da	te: <b>7</b> /17/1	8	
CALIBRATION	N PERFORM	IED BY:	DATE:	Амв Темрея	IENT ATURE:		METRIC SSURE:	
В	. Davis		1/17/2018	6	8	29	).87	
Input Temperature	Ambient	Meter A	Meter B	Filter A	Filter B		FB	
(F)		111010171	Motor B	1 //(01 //	1 1101 5	Tunnel	Interior	
0	1	0	0	,	0	0	0	
100	101	100	100	100	100	100	100	
300	300	300	300	300	300	300	299	
500	500	500	500	500	500	500	499	
700	700	700	700 700 700 700 69					
1000	1000	1000	1000	1000	1000	1000	1000	

Input (F)	FB Top	FB Bottom	FB Back	FB Left	FB Right	Imp A	lmp B	Cat	Stack
0	0	0	0	~1	-/	0	0	0	0
100	100	100	100	99	99	100	100	100	100
300	300	299	299	299	299	300	300	300	299
500	499	499	499	499	499	500	500	500	500
700	699	699	699	699	699	700	700	700	700
1000	1000	799	1000	1000	799	1000	1000	1000	1000

1500 2000

Technician signature:	300-	Date:	1/17/2018
Reviewed By:	Al-	Date:	1/19/2018

# Thermal Metering System Calibration Y Factor

Manufacturer: APEX
Model: XC-60-EP
Serial Number: 606002
OMNI Tracking No.: OMNI-00336
Calibrated Orifice: \[ \rac{1}{2}\text{cs} \]

Orifice Average Gas Meter y Meter **Factor** dH@ 0.979 N/A Calibration Date: 01/17/18 Calibrated by: B. Davis Six months Calibration Frequency: 1/18/2018 Next Calibration Due: 1.000 Instrument Range: cfm Standard Temp.: 68 oF 29.92 Standard Press.: "Hg Barometric Press., Pb: "Hg Signature/Date: 1/17/2018

#### **Previous Calibration Comparision**

		Acceptable	
Date	7/18/2017	Deviation (5%)	Deviation
y Factor	0.984	0.0492	0.005
Acceptance	Acce		

#### **Current Calibration**

Acceptable y	0.020		
Maximum y I	0.003		
Acceptable dl	N/A		
Maximum dH	N/A		
Acceptance	Acceptable		

Reference Standard *					
Standard	Model	Standard Test Me	eter		
Calibrator	alibrator S/N OMNI-00001				
	Calib. Date	30-Oct-17			
	Calib. Value	0.9977	y factor (ref)		

A L			
Calibration Parameters	Run 1	Run 2	Run 3
Reference Meter Pressure ("H2O), Pr	0.00	0.00	0.00
DGM Pressure ("H2O), Pd	1.95	1.20	0.80
Initial Reference Meter	223.4	231.9	238
Final Reference Meter	231.7	237.9	243.503
Initial DGM	0	0	0
Final DGM	8.517	6.215	5.713
Temp. Ref. Meter (°F), Tr	68.0	69.1	68.6
Temperature DGM (°F), Td	76.0	78.0	79.0
Time (min)	39.8	36.5	37.0
Net Volume Ref. Meter, Vr	8.300	6.000	5.503
Net Volume DGM, Vd	8.517	6.215	5.713
Gas Meter y Factor =	0.982	0.977	0.978
Gas Meter y Factor Deviation (from avg.)	0.003	0.002	0.001
Orifice dH@	N/A	N/A	N/A
Orifice dH@ Deviation (from avg.)	N/A	N/A	N/A

#### where:

- 1. Deviation = |Average value for all runs current run value|
- \*\* 2.  $y = [Vr \ x \ (y \ factor \ (ref)) \ x \ (Pb + (Pr/13.6)) \ x \ (Td + 460)] / [Vd \ x \ (Pb + (Pd/13.6)) \ x \ (Tr + 460)]$
- \*\* 3.  $dH@ = 0.0317 \text{ x Pd / (Pb (Td + 460)) x [ (Tr + 460) x time) / Vr ]^2}$

1/19/2017

The uncertainty of measurement is ±0.14 ft³/min. This is based on the reference standard having a TAR (Test Accuracy Ratio) of at least 4:1.

<sup>\*</sup> Reference calibration is traceable to NIST through NIST Test # 40674, Kimble ASTM E1272, or NIST traceable laboratory

<sup>\*\*</sup> Equations come from EPA Method 5

#### **DIFFERENTIAL PRESSURE GAUGE CALIBRATION DATA SHEET**

Instrument to be calibrated: Pressure 1	ransducer
Maximum Range: <u>0-2" WC</u>	ID Number: OMNI-00336
Calibration Instrument: <u>Digital Manome</u>	eter ID Number: OMNI-00395
Date: <u>1/17/2018</u> By: _	B. Davis
This form is to be used only in conju	unction with Standard Procedure C-SPC.

Range of Calibration Point ("WC)	Digital Manometer Input ("WC)	Pressure Gauge Response ("WC)	Difference (Input - Response)	% Error of Full Span <sup>*</sup>
0-20% Max. Range 0 - 0.4	0.35	0.362	0.012	0.6
20-40% Max. Range 0.4 - 0.8	0.65	0.672	0.022	1.1
40-60% Max. Range 0.8 – 1.2	1.00	1.024	0.024	1.2
60-80% Max. Range 1.2 – 1.6	1.30	1.340	0.040	2.0
80-100% Max. Range 1.6 – 2.0	1.70	1.749	0.049	2.45

<sup>\*</sup>Acceptable tolerance is 4%.

The uncertainty of measurement is  $\pm 0.4$ " WC. This is based on the reference standard having a TAR (Test Accuracy Ratio) of at least 4:1.

Technician signature: _	B-1/2-		Date: <u>1/18/2018</u>	
Reviewed by:		Date: _	1/19/2018	

Temperature Calibration EPA Method 28R, ASTM 2515									
BOOTH: TEMPERATURE MONITOR TYPE: EQUIPMENT NUMBER:									
E1		Na	tional Instrum	ents Logge	r	00335	, 00336		
REFERENCE ME	REFERENCE METER EQUIPMENT NUMBER: 00373 Calibration Due Date: 7/17/18								
CALIBRATION PERFORMED BY: DATE: AMBIENT BAROMETRI TEMPERATURE: PRESSURE									
В	. Davis		1/17/2018	6	8	29.87			
Input Temperature	Ambient	t		P:14 A	F:14 5				
(F)		Meter A	Meter B	Filter A	Filter B	Tunnel	FB Interior		
0	1	0	0	1	0	0	0		
100	101	100	100	100	100	100	100		
300	300	300	300 300		300	300	299		
500	500	500	500	500	500	500	499		
700	700	700	700	700	700	700	699		
1000	1000	1000	1000	1000	1000	1000	1000		

Input (F)	FB Top	FB Bottom	FB Back	FB Left	FB Right	Imp A	Imp B	Cat	Stack
0	0	0	0	~1	-/	0	0	0	0
100	100	100	100	99	99	100	100	100	100
300	300	299	299	299	299	300	300	300	299
500	499	499	499	499	499	500	500	500	500
700	699	699	699	699	699	700	700	700	700
1000	1000	799	1000	1000	999	1000	1000	1000	1000

1500 2000

Technician signature:	300-	Date: _	1/17/2018
Reviewed By:	Al-	Date:	1/19/2018

#### Certificate of Calibration

Certificate Number: 659360

**Omni-Test Laboratories** 13327 NE Airport Way

Portland, OR 97230

Property #: OMNI-00410

User: N/A Department: N/A

Parameter

Make: Dwyer Model: 1430

Serial #: OMNI - 00410

Description: Microtector Procedure: SEND TO VENDOR

Accuracy: ±0.00025" WC

\* Many factors may cause the unit to drift out of calibration before the recommended due date. Any reported error is the absolute value between the reference and the unit. Remarks: Uncertainties include the effects of the unit.

0.8700

1.0000

Limited Calibration (est.2016) - Calibrated micrometer head only.

Inch

Inch



Calibrated on: 10/11/2017 \*Recommended Due: 10/11/2018

Action Taken: Calibrated

\* As Received: Limited \* As Returned: Limited

Technician: 34

19 °C 52 % RH

PO: 170149

Order Date: 09/22/2017

Environment:

Authorized By: N/A

JJ Calibrations, Inc. 7007 SE Lake Rd Portland, OR 97267-2105 Phone 503.786.3005 FAX 503.786.2994

Calibration

Standards Used

Nomenclature Due Date Trace ID Std ID Manufacturer <u>Model</u> 8 Piece Gage Block Set 12/14/2017 Select E8FED2 541A 598-81-14 Gage Block Set, 81 pc. 03/16/2019 643452 103A Brown & Sharpe 06/01/2018 368A Rutland 2225-7081 81 Piece Gage Block Set 649394

#### **Measurement Data** Measurement Description Range Unit Uncertainty UUT Before/After Reference Min Max \*Error Accredited = ✓ Length 0.129 0.131 0.000 0.130 Inch 1,1E-03 ✓ Inch 0.1300 0.3840.3860.0000.385 Inch 1.1Ē-03 ✓ Inch 0.3850 0.614 0.616 0.0000.615 Inch 1.1E-03 🗸 Inch 0.6150

0.869

0.999

0.871

1.001

0.000

0.000

JJ Calibrations, Inc. certifies that this instrument has been calibrated in accordance with the JJ Calibrations Quality Assurance Manual with the stated procedure using standards that are traceable to the National Institute of Standards and Technology (NIST), or other National Measurement Institutes (NMI's), or by using natural physical constants, intrinsic standards or ratio calibration techniques. The quality system and this certificate are in compliance with ANSI/NCSL Z540-1-1994, ISO/IEC 17025-2005, ISO 10012-1, the ISO 9000 family and QS 9000. The expanded uncertainties of measurements for this calibration are based upon 95% (2 sigma) confidence limits. Unless otherwise stated, a test accuracy ratio (TAR) of 4:1, if achievable, is maintained. The results reported herein apply only to the calibration of the item described above. This report may not be reproduced, except in full, without prior written consent of JJ Calibrations, Inc. JJ Calibrations, Inc. quality system has been assessed and accredited to ISO/IEC 17025:2005.

Issued 10/13/2017

Rev #15

1.1E-03 V

1.1Ē-03 ✓

0.870 Inch

1.000 Inch

### **Calibration Record**

Vaneometer Air Velocity Meter OMNI-00559

Calibration Service Record								
Date	Ву	Results	Date of next Calibration					
11/17/17	202	Installed New VANCE Form MAMMATAPOR	5/17/18					
		<u> </u>						
	-							
	-							
			•					
		-	-					
			<del></del>					

Frequency: Every Two Years

# VWR Temperature Hygrometer Calibration Procedure and Data Sheet

Step 1: Locate NIST traceable standard.
Step 2: Place unit to be calibrated, tracking No. OMNI-00592, inside OMNI desiccate box on the same shelf with the NIST traceable standard.
Step 3: After a period of not less than four hours record the temperature and humidity of both units in the spaces provide below.
Step 4: If the unit to be calibrated matches the NIST standard within $\pm$ 4%, it is acceptable. If not, the unit needs to be sent to a repair company or replaced.
Verification Data:
Date: 1/8/20/8 Technician: 30auis
Time in desiccate: 09/0 Recording time: /335
NIST Standard Temperature: 28.3 °F NIST Standard Humidity: 74.5
Test Unit Temperature Reading: ユ <i>S.</i> ィ °F Test Unit Humidity Reading: <u>フィン3</u>
Test unit OMNI- <u>00592</u> is <u>X</u> or was not within acceptable limits.
Technician Signature: 3
Comments: Full scale of omns-00572 is 90% RH, with a difference of
2.9 this gives a error percentage of 3.22 %. This value is within
the allowable 4%.
·

OMNI Track #	OMNI-00594
Equipment Name/Description	CAI ZRE-4 Gas Analyzer
	[
Equipment S/N:	N5F0112
Comments	CO2, O2, and dual range CO gas analyzer.
Status	Active, calibrate prior to use.
Part #	ZRE-4
Reference Standard:	YES X NO (Check 'X' for answer)
Location of Equipment:	Portable gas cart.
Calibration Vendor	OMNI in house
Type of Calibration	Calibrate Prior to use.
Calibration Period (Months)	N/A
Date of Last Calibration	N/A
Date of Next Calibration	N/A

Do the following:

- 1) Complete Calibration documentation
- 2) Complete top half of this form
- 3) Attach appropriate calibration forms and save in following location \\omni-serv\Test Equipment\Equipment\OMNI-XXXXX - Equipment Name
- 4) Repopulate database with updated information
- 5) Print, laminate and adhere calibration tag to equipment

Verify before use OMNI-00594 Gas Analyzer

Verify before use OMNI-00594 Gas Analyzer

#### **Certificate of Calibration**

Certificate Number: 668066



JJ Calibrations, Inc. 7007 SE Lake Rd
Portland, OR 97267-2105
Phone 503.786.3005
FAX 503.786.2994

Calibration

OnSite

PO: 180161

Order Date: 02/06/2018

Authorized By: N/A

Calibrated on: 02/06/2018 \*Recommended Due: 08/06/2018

Environment: 20 °C 53 % RH

\* As Received: Within Tolerance \* As Returned: Within Tolerance

Action Taken: Calibrated

Technician: 111

Property #: OMNI - 00637

User: N/A
Department: N/A

**Omni-Test Laboratories** 

13327 NE Airport Way

Portland, OR 97230

Parameter

Make: Mettler Toledo Model: MS104TS/00 Serial#: B729400181

Description: Analytical Scale, 120g

Procedure: DCN 500887 Accuracy: ±0.0005g

Remarks: \* Many factors may cause the unit to drift out of calibration before the recommended due date. Any reported error is the absolute value between the reference and the unit.

Uncertainties include the effects of the unit.

Standards Used

 Std ID
 Manufacturer
 Model
 Nomenclature
 Due Date
 Trace ID

 503A
 Rice Lake
 1mg-200g (Class 0)
 Mass Set,
 04/20/2018
 642578

Measurement Data

		71744					
Measurement Description	Range Unit					UUT	Uncertainty
Before/After		Reference	Min	Max	*Error	-	Accredited = ✓
Force							
	g	10.00000	9.9995	10.0005	0.0001	10.0001 g	5.7E-04 ✓
	g	30.00000	29.9995	30.0005	0.0003	30.0003 g	5.7E-04 ✓
	9	60.00000	59.9995	60.0005	0.0001	60.0001 g	5.7Ё-04 ✓
	g	90.00000	89.9995	90.0005	0.0001	89.9999 g	5.7Ē-04 ✓
	g g	120.00000	119.9995	120.0005	0.0002	119,9998 g	5.7E-04 ✓

Reviewer

Certificate: 668066

3 Issued

Rev #15

Inspector

JJ Calibrations, Inc. certifies that this instrument has been calibrated in accordance with the JJ Calibrations Quality Assurance Manual with the stated procedure using standards that are traceable to the National Institute of Standards and Technology (NIST), or other National Measurement Institutes (NMI's), or by using natural physical constants, intrinsic standards or ratio calibration techniques. The quality system and this certificate are in compliance with ANSI/NCSL Z540-1-1994, ISO/IEC 17025-2005, ISO 10012-1, the ISO 9000 family and QS 9000. The expanded uncertainties of measurements for this calibration are based upon 95% (2 sigma) confidence limits. Unless otherwise stated, a test accuracy ratio (TAR) of 4:1, if achievable, is maintained. The results reported herein apply only to the calibration of the item described above. This report may not be reproduced, except in full, without prior written consent of JJ Calibrations, Inc. JJ Calibrations, Inc. quality system has been assessed and accredited to ISO/IEC 17025:2005.

## **Example Calculations**

#### Equations and Sample Calculations – ASTM E2779 & E2515

Manufacturer: Hearth & Home

Model: PP70

Run: 1

Category: [Integrated]

Equations used to calculate the parameters listed below are described in this appendix. Sample calculations are provided for each equation. The raw data and printout results from a sample run are also provided for comparison to the sample calculations.

M<sub>Bdb</sub> – Weight of test fuel burned during test run, dry basis, kg

M<sub>BSidb</sub> – Weight of test fuel burned during test run segment i, dry basis, kg

BR - Average dry burn rate over full integrated test run, kg/hr

 $BR_{Si}$  – Average dry burn rate over test run segment i, kg/hr

V<sub>s</sub> – Average gas velocity Dry burn rate, kg/hr

Q<sub>sd</sub> – Average gas flow ra Total particulate matter collected, mg

V<sub>m(std)</sub> – Volume of Gas S Volume of gas sampled corrected to standard conditions, dscf

m<sub>n</sub> – Total Particulate Ma Average dilution tunnel gas velocity, ft/sec

C<sub>s</sub> - Concentration of part Particulate concentration, g/dscf

E<sub>⊤</sub> – Total Particulate Err Dilution tunnel gas flow rate, dscf/min

PR - Proportional Rate Va Particulate emission rate, lbs/hr

PM<sub>R</sub> – Average particulat Total particulate emissions, grams

PM<sub>F</sub> – Average particulat Average fuel load moisture content, %

#### M<sub>Bdb</sub> – Weight of test fuel burned during test run, dry basis, kg ASTM E2779 equation (1)

 $M_{Bdb} = (M_{Swb} - M_{Ewb})(100/(100 + FM))$ 

Where,

FM = average fuel moisture of test fuel, % dry basis

 $M_{Swb}$  = weight of test fuel in hopper at start of test run, wet basis, kg

 $M_{Ewb}$  = weight of test fuel in hopper at end of test run, wet basis, kg

#### Sample Calculation:

5.9 %

 $M_{Swb} = 41.5 lbs$ 

 $M_{Ewb} = 28.5 lbs$ 

0.4536 = Converstion factor from lbs to kg

$$M_{Bdb} = [(41.5 \times 0.4536) - (28.5 \times 0.4536)] (100/(100 + 5.91))$$

 $M_{Bdb} = 5.6 \text{ kg}$ 

## $M_{BSidb}$ – Weight of test fuel burned during test run segment i, dry basis, kg ASTM E2779 equation (2)

$$M_{BSidb} = (MS_{Siwb} - M_{ESiwb})(100/(100 + FM))$$

Where,

 $M_{SSiwb}$  = weight of test fuel in hopper at start of test run segment i, wet basis, kg

 $M_{ESiwb}$  = weight of test fuel in hopper at end of test run segment i, wet basis, kg

Sample Calculation (from medium burn rate segment):

FM = 5.9 %

 $M_{SSiwb} = 36.4$  lbs

 $M_{ESiwb} = 32.7$  lbs

0.4536 = Converstion factor from lbs to kg

$$M_{BSidb} = [(36.4 \times 0.4536) - (32.7 \times 0.4536)] (100/(100 + 6))$$

 $M_{BSidb} = 1.6 \text{ kg}$ 

#### BR - Average dry burn rate over full integrated test run, kg/hr

ASTM E2779 equation (3)

BR = 
$$\frac{60 \text{ M}_{Bdb}}{\theta}$$

Where,

 $\theta$  = Total length of full intergrated test run, min

Sample Calculation:

$$M_{Bdb} = 5.57$$
 kg  $\theta = 360$  min

BR = 
$$\frac{60 \times 5.57}{360}$$

$$BR = 0.93$$
 kg/hr

## BR<sub>Si</sub> – Average dry burn rate over test run segment *i*, kg/hr ASTM E2779 equation (4)

$$BR_{Si} = \frac{60 M_{BSidb}}{\theta_{Si}}$$

Where,

 $\theta_{si}$  = Total length of test run segment *i*, min

Sample Calculation (from medium burn rate segment):

$$M_{BSidb}$$
 = 1.58 kg  $\theta$  = 120 min

BR = 
$$\frac{60 \text{ x}}{1.58}$$

BR = 
$$0.79$$
 kg/hr

#### V<sub>s</sub> - Average gas velocity in the dilution tunnel, ft/sec

ASTM E2515 equations (9)

$$V_{s} = F_{p} \times K_{p} \times C_{P} \times \left(\sqrt{\Delta P}\right)_{avg} \times \sqrt{\frac{T_{s}}{P_{s} \times M_{s}}}$$

Where:

 $F_p$  = Adjustment factor for center of tunnel pitot tube placement,  $F_p = \frac{V_{strav}}{V_{scent}}$ , ASTM E2515 Equation (1)

V<sub>scent</sub> = Dilution tunnel velocity calculated after the multi-point pitot traverse at the center, ft/sec

V<sub>strav</sub> = Dilution tunnel velocity calculated after the multi-point pitot traverse, ft/sec

k<sub>p</sub> = Pitot tube constant, 85.49

 $C_p$  = Pitot tube coefficient: 0.99, unitless

 $\Delta P^*$  = Velocity pressure in the dilution tunnel, in H<sub>2</sub>O

 $T_s$  = Absolute average gas temperature in the dilution tunnel, °R; (°R = °F + 460)

 $P_s$  = Absolute average gas static pressure in diltuion tunnel, =  $P_{bar}$  +  $P_g$ , in Hg

P<sub>bar</sub> = Barometric pressure at test site, in. Hg

 $P_q$  = Static pressure of tunnel, in.  $H_20$ ; (in Hg = in  $H_20/13.6$ )

 $M_s$  = \*\*The dilution tunnel wet molecular weight;  $M_s$  = 28.78 assuming a dry weight of 29 lb/lb-mole

#### Sample calculation:

$$Fp = \frac{14.33}{15.59} = 0.919$$

$$V_s = 0.919 \times 85.49 \times 0.99 \times 0.241 \times \left( \frac{81.7 + 460}{30.51 + \frac{-0.20}{13.6}} \right)_X 28.78 \right)^{1/2}$$

$$V_s = 14.73 \text{ ft/s}$$

\*The ASTM test standard mistakenly has the square root of the average delta p instead of the average of the square root of delta p. The current EPA Method 2 is also incorrect. This was verified by Mike Toney at EPA.

\*\*The ASTM test standard mistakenly identifies Ms as the dry molecular weight. It should be the wet molecular weight as indicated in EPA Method 2.

#### Q<sub>sd</sub> - Average gas flow rate in dilution tunnel, dscf/hr

ASTM E2515 equation (3)

$$Q_{sd} = 3600 \times (1 - B_{ws}) \times v_s \times A \times \frac{T_{std}}{T_s} \times \frac{P_s}{P_{std}}$$

Where:

3600 = Conversion from seconds to hours (ASTM method uses 60 to convert in minutes)

B<sub>ws</sub> = Water vapor in gas stream, proportion by volume; assume 2%

A = Cross sectional area of dilution tunnel, ft<sup>2</sup>

T<sub>std</sub> = Standard absolute temperature, 528 °R

 $P_s$  = Absolute average gas static pressure in diltuion tunnel, =  $P_{bar}$  +  $P_q$ , in Hg

 $T_s$  = Absolute average gas temperature in the dilution tunnel, °R; (°R = °F + 460)

P<sub>std</sub> = Standard absolute pressure, 29.92 in Hg

Sample calculation:

ation: 
$$Q_{sd} = 3600 \times (1 - 0.02) \times 14.73 \times 0.196 \times \frac{528}{81.7 + 460} \times \frac{30.5 + \frac{-0.20}{13.6}}{29.92}$$

 $Q_{sd} = ##### dscf/hr$ 

#### V<sub>m(std)</sub> - Volume of Gas Sampled Corrected to Dry Standard Conditions, dscf

ASTM E2515 equation (6)  $V_{m(std)} = K_1 \times V_m \times Y \times \frac{P_{bar} + \left(\frac{\Delta H}{13.6}\right)}{T_{...}}$ 

Where:

17.64 °R/in. Hg  $K_1$ 

Volume of gas sample measured at the dry gas meter, dcf

Υ Dry gas meter calibration factor, dimensionless

P<sub>bar</sub> = Barometric pressure at the testing site, in. Hg

ΔΗ Average pressure differential across the orifice meter, in. H<sub>2</sub>O

 $T_{m}$ Absolute average dry gas meter temperature, °R

#### Sample Calculation:

Using equation for Train 1:

Ising equation for Train 1:  

$$V_{m(std)} = 17.64 \times 59.062 \times 0.977 \times \frac{(30.51 + \frac{1.33}{13.6})}{(82.2 + 460)}$$

 $V_{m(std)} = 57.456$  dscf

Using equation for Train 2:  

$$V_{m(std)} = 17.64 \times 57.071 \times 0.979 \times \frac{(30.51 + \frac{1.04}{13.6})}{(82.5 + 460)}$$

 $V_{m(std)} = 55.560$  dscf

Using equation for ambient train:

Ising equation for ambient train:  

$$V_{m(std)} = 17.64 \times 55.10 \times 0.997 \times \frac{(30.51 + 0.00)}{(73.3 + 460)}$$

 $V_{m(std)} = 55.430$  dscf

#### m<sub>n</sub> - Total Particulate Matter Collected, mg

ASTM E2515 Equation (12)

$$m_n = m_p + m_f + m_q$$

Where:

 $m_p$  = mass of particulate matter from probe, mg

 $m_f$  = mass of particulate matter from filters, mg

m<sub>g</sub> = mass of particulate matter from filter seals, mg

#### Sample Calculation:

Using equation for Train 1 (first hour):

$$m_n = 0.0 + 0.9 + 0.0$$

$$m_n = 0.9 \text{ mg}$$

Using equation for Train 1 (remainder):

$$m_n = 0.0 + 1.5 + 0.3$$

$$m_n = 1.8 \text{ mg}$$

Train 1 Aggregate = 2.7 mg

Using equation for Train 2:

$$m_0 = 0.0 + 2.8 + 0.0$$

$$m_n = 2.8 \text{ mg}$$

## $C_s$ - Concentration of particulate matter in tunnel gas, dry basis, corrected to standard conditions, g/dsc ASTM E2515 equation (13)

$$C_s = K_2 \times \frac{m_n}{V_{m(std)}}$$

Where:

 $K_2$  = Constant, 0.001 g/mg

m<sub>n</sub> = Total mass of particulate matter collected in the sampling train, mg

 $V_{m(std)}$  = Volume of gas sampled corrected to dry standard conditions, dscf

#### Sample calculation:

For Train 1:

$$C_s = 0.001 \times \frac{2.7}{57.46}$$

 $C_s = 0.00005$  g/dscf

For Train 2

$$C_s = 0.001 \text{ x} - \frac{2.8}{55.56}$$

 $C_s = 0.00005$  g/dscf

For Ambient Train

$$C_r = 0.001 \times \frac{0.0}{55.43}$$

 $C_r = 0.000000 \text{ g/dscf}$ 

#### E<sub>T</sub> - Total Particulate Emissions, g

ASTM E2515 equation (15)

$$E_T = (c_s - c_r) \times Q_{std} \times \theta$$

Where:

C<sub>s</sub> = Concentration of particulate matter in tunnel gas, g/dscf

C<sub>r</sub> = Concentration particulate matter room air, g/dscf

Q<sub>std</sub> = Average dilution tunnel gas flow rate, dscf/hr

 $\theta$  = Total time of test run, minutes

#### Sample calculation:

For Train 1

$$E_T = ( 0.000047 - 0.000000 ) x ###### x 360 /60$$

 $E_T = 2.86$  g

For Train 2

$$E_T = ( 0.000050 - 0.000000 ) x ###### x 360 /60 
 $E_T = 3.06 g$$$

Average

E = 2.96 g

Total emission values shall not differ by more than 7.5% from the total average emissions

7.5% of the average = 0.22

Train 1 difference = 0.10

Train 2 difference = 0.10

#### **PR - Proportional Rate Variation**

ASTM E2515 equation (16)

$$PR = \left[ \frac{\theta \times V_{mi} \times V_{s} \times T_{m} \times T_{si}}{\theta_{i} \times V_{m} \times V_{si} \times T_{mi} \times T_{s}} \right] \times 100$$

Where:

 $\theta$  = Total sampling time, min

 $\theta_i$  = Length of recording interval, min

V<sub>mi</sub> = Volume of gas sample measured by the dry gas meter during the "ith" time interval, dcf

V<sub>m</sub> = Volume of gas sample as measured by dry gas meter, dcf

 $V_{si}$  = Average gas velocity in the dilution tunnel during the "ith" time interval, ft/sec

 $V_s$  = Average gas velocity in the dilution tunnel, ft/sec

T<sub>mi</sub> = Absolute average dry gas meter temperature during the "ith" time interval, °R

T<sub>m</sub> = Absolute average dry gas meter temperature, °R

 $T_{si}$  = Absolute average gas temperature in the dilution tunnel during the "ith" time interval,  ${}^{\circ}R$ 

T<sub>s</sub> = Absolute average gas temperature in the dilution tunnel, <sup>o</sup>R

Sample calculation (for the first 1 minute interval of Train 1):

## $PM_R$ – Average particulate emissions for full integrated test run, g/hr ASTM E2779 equation (5)

$$PM_R = 60 (E_T/\theta)$$

Where,

 $E_T$  = Tota particulate emissions, grams

 $\theta$  = Total length of full intergrated test run, min

Sample Calculation:

$$E_T$$
 (Dual train average) = 2.96 g

 $\theta = 360 \text{ min}$ 

$$PM_R = 60 x ( 2.96 / 360 )$$

$$PM_R = 0.49 \text{ g/hr}$$

## PM<sub>F</sub> – Average particulate emission factor for full integrated test run, g/dry kg of fuel burned ASTM E2779 equation (6)

$$PM_F = E_T/M_{Bdb}$$

Where,

 $E_T$  = Tota particulate emissions, grams

M<sub>Bdb</sub> = Weight of test fuel burned during test run, dry basis, kg

Sample Calculation:

$$E_T$$
 (Dual train average) = 2.96 g

 $M_{Bdb} = 5.57 \text{ kg}$ 

 $PM_F = 2.96 / 5.57$ )

 $PM_F = 0.53$  g/kg

## **Section 5**

**Labeling & Owner's Manual(s)** 



**AUTION:** HOT WHILE IN OPERATION DO NOT TOUCH, KEEP CHILDREN, CLOTHING AND FURNITURE AWAY. MAY CAUSE SKIN BURNS. SEE NAMEPLATE AND INSTRUCTIONS.

ENTION: CHAUD LORS DE L'OPÉRATION. NE PAS TOUCHER.
GARDEZ LES ENFANTS ET LES VÊTEMENTS LOIN DE SPACE DÉSIGNÉ DE L'INSTALLATION. LE CONTACT PEUT CAUSER DES BRÜLURES À LA PEAU. VOIR L'ÉTIQUETTE ET LES INSTRUCTIONS.



PP70 Pellet Stove

SERIAL NO. / NUMÉRO DU HC079 room for .14 x .875" S/N

1.5" x .375 Barcode Label

Listed Solid Fuel Room Heater/Pellet Type. Also suitable for Mobile Home Installation. This appliance has been tested and listed for use in Manufactured Homes in accordance with OAR 814-23-9000 through 814-23-909.

Appareil de chauffage de combustible solide/de type de boulettes. Accepté dans l'installation dans les maisons mobiles. Cet appareil a été testé et enregistré pour l'usage dans les Maisons Mobiles en accord avec OAR 814-23-9000 jusqu'à 814-23-909.

Listado de habitaciones de combustible sólido del calentador / Pellet Tipo. También es adecuado para la instalación de casas móviles. Este aparato ha sido probado y certificado para su uso en casas prefabricadas, de conformidad con OAR 814-23-9000 través de 814-23-909.

#### PREVENT HOUSE FIRES / PRÉVENTION DES FEUX DE MAISON

Install and use only in accordance with manufacturer's installation and operating instructions. Contact local building or fire officials about restrictions and installations inspection in your area.

WARNING - FOR MOBILE HOMES: Do not install appliance in a sleeping room. An outside combustion air inlet must be provided. The structural integrity of the mobile home floor, ceiling and walls must be maintained. Refer to manufacturer's instructions and local codes for precautions required for passing chimney through a combustible wall or ceiling. Inspect and clean vent system frequently in accordance with manufacturer's instructions. DO NOT CONNECT THIS UNIT TO A CHIMNEY SERVING ANOTHER APPLIANCE. Use a 3" or 4" diameter type "L" or "PL" venting system.

Installez et utilisez en accord avec les instructions d'installation et d'opération du fabricant. Contactez le bureau de la construction ou le bureau des incendies au sujet des restrictions et des inspections d'installation dans votre voisinage. Ne pas obstruez l'espace en dessous de l'appareil.

AVIS - Pour Les Maisons Mobiles: Ne pas installer dans une chambre à coucher. Un tuyau extérieur de combustion d'air doit être installé et ne doit pas être obstrué lorsque l'appareil est en usage. La structure intégrale du plancher, du plafond et des murs de la maison mobile doit être maintenue intacte. Référez vous aux instructions du fabricant et des codes locaux pour les précautions requises pour passer une cheminée à travers un mur ou un plafond combustibles, et les compensations maximums. Inspectez et nettoyez la cheminée fréquemment. Ne pas connecter cet appareil à une cheminée servant un autre appareil. Utilisez systèm de ventilation "L" ou "P" diamètre 76mm ou 102mm

Instale y use únicamente de acuerdo con la instalación del fabricante y las instrucciones de funcionamiento. Póngase en contacto con la construcción o de los bomberos sobre las restricciones y la inspección en nuestra área.

ADVERTENCIA - Para las casas móviles: No instale el aparato en una habitación para dormir. Una entrada de aire de combustión exterior debe ser proporcionada. La integridad estructural de la planta de casas móviles, techos y paredes deben ser mantenidos.

Consulte las instrucciones del fabricante y los códigos locales para la precauciones necesarias para pasar a través de una chimenea de pared o techo combustible. Inspeccione y limpie el sistema de ventilación con frecuencia, de conformidad con las instrucciones del fabricante. NO conecte esta unidad a UNA CHIMENEA DE SERVICIO otro aparato. Use un 3 "o 4" de diámetro tipo "L" o "PL" sistema de ventilación.

Conforms to ASTM Std E1509-12. Certified to ULC S627-00. Room Heating Pellet BurningType, (UM) 84-HUD FOR USE ONLY WITH PELLETIZED WOOD FUEL. Do not use any other type of fuel.

Input Rating: 42,535 Btu's/hr. Electrical Rating:120 VAC, 60 Hz, Start 2.6 Amps, Run 2.3 AMPS. Route power cord away from unit. Do not route cord under or in front of appliance. Do not obstruct the space beneath the heater.

DANGER: Risk of electrical shock. Disconnect power supply before servicing. Replace glass only with 5mm ceramic. To start, turn dial control to desired setting, the stove will light automatically. To shutdown, turn dial control to off position. For further instruction refer to owner's manual. Keep viewing doors tightly closed during operation.

Conforme à la norme ASTM E1509-12 Std. Certifié à la norme ULC S627-00 Std. Room Heating Pellet Burning Type, (UM) 84-HUD POUR USAGE AVEC LES BOULETTES DE BOIS. N'utiliser aucun autre genre de combustible.

Puissance de Rendement: 42,535 Btu's/hr. Puissance Électrique: 120 VAC, 60 Hz, Début 2.6 Amps, Courir 2,3 Amps, Éloignez le fil électrique de l'appareil. Ne pas faire passer le fil électrique au dessus ou en dessous de l'appareil. Ne pas bloquer l'espace au dessous de l'appareil.

DANGER: Il y a risque de décharge électrique. Déconnectez le fil électrique de la prise de contact avant le service. Remplacez la vitre seulement avec une vitre céramique de 5 mm disponible chez votre fournisseur. Pour commencer, tourner le cadran de commande au réglage désiré, le poêle s'allume automatiquement. Pour l'arrêt, tourner le cadran de commande en position OFF. Pour des instructions supplémentaires, référez vous au manuel du propriétaire. Gardez la porte d'ouverture et la porte des cendres fermées hermétiquement durant l'opération.

Cumple con la norma ASTM Std E1509-12. Certificado de ULC S627-00 Std, cuarto de la calefacción de pellets BurningType, (UM), de 84 de HUD PARA USO EXCLUSIVO CON COMBUSTIBLE DE MADERA granulado. No utilice ningún otro tipo de combustible.

Clasificación de entrada: 42,535 BTU / hr. Clasificación eléctrica: 120 VAC, 60 Hz, 2,6 amperios Inicio, Ejecutar 2,3 amperios. Pase el cable de alimentación alejado de la unidad. No encamine el cordón por debajo o por delante del aparato. No obstruya el espacio debajo de la estufa.

PELIGRO: Riesgo de choque eléctrico. Desconecte el suministro eléctrico antes de darle servicio. Reemplace los vidrios sólo con cerámica de 5 mm. Para comenzar, gire el dial de control hasta la posición deseada, la estufa se encenderá automáticamente. Para apagar, gire el dial de control para la posición de apagado. Para obtener más instrucciones, consulte el manual del propietario. Mantenga las puertas de ver bien cerrados durante la operación.

#### MINIMUM CLEARANCES TO COMBUSTIBLE MATERIALS / ESPACES LIBRES MINIMUM DES MATÉRIAUX **DISTANCIAS MÍNIMAS a los materiales combustibles**

Back Wall / Mur Arrière / Muro Posterior В Flue Pipe / Conduit de fumée / Cañón de Humos

Side Wall / Mur De Côté / Muro Lateral


CORNER INSTALLATION / INSTALLATION DU COIN / RINCÓN DE LA INSTALACIÓN

Side Wall / Mur De Côté / Muro Lateral

FLOOR PROTECTION / PROTECTION DU SOL / PISO DE PROTECCION

3 in [76 mm]

(horizontal installation) 2 in [51 mm] 3 in [76 mm] 13 in [330 mm]



G = 2 in $H^* = 2$  in = 6 in

CANADA G = 203 mm

 $H^* = 51 \text{ mm}$ I = 152 mm Floor protector must be non-combustible material, extending beneath heater and to the front/sides/rear as indicated. Measure front distance (I) from the surface of the glass door.

Le poêle doit être placé sur une assise non combustible s'étendant tout autour de lui, comme les schémas l'indiquent. Mesurez la distance du devant (I) de la surface de la porte vitrée.

Protector de piso debe ser de material incombustible, se extiende por debajo del calentador y al frente / lado / trasero, como se indica. Medir la distancia frontal (I) de la superficie de la puerta de vidrio.

2018

\*Non-combustible floor protection must extend 2 inches (51mm) beneath the flue pipe when installed with horizontal venting or under the Top Vent Adapter with vertical installation. RECOMMENDED IN USA; REQUIRED IN CANADA.

\*Un protecteur incombustible de plancher doit s'étendre 2 inches (51mm) sous le conduit de cheminée pour une installation de ventilation horizontale ou sous un adapteur de ventilation de dessus pour une installation verticale. RECOMMANDÉ AUX ÉTATS-UNIS; NÉCESSAIRE AU CANADA.

No es combustible mínimo de protección debe extenderse 2 pulgadas (51mm) por debajo del conducto de humos cuando se instalan con la ventilación horizontal o en el adaptador de ventilación superior con instalación vertical. RECOMENDADO EN EE.UU.; REQUERIDA EN CANADÁ.

U.S. ENVIRONMENTAL PROTECTION AGENCY Certified to comply with 2020 particulate emission standards at 0.48 g/hr EPA method 28 and 5G. Not approved for sale after May 15, 2020. This wood heater needs periodic inspection and repair for proper operation. Consult the owner's manual for further information. It is against

federal regulations to operate this wood heater in a manner inconsistent with the operating instructions in the owner's manual. 2020 70ANO f 1FEB MAR APR MAY JUN JUL AUG SEP OCT NOV 

Hearth & Home Technologies® 352 Mountain House Road 1 877 427 3316 Halifax, PA 17032 www.pelprostoves.com

**HEARTH&HOME** 

DO NOT REMOVE THIS LABEL / NE PAS ENLEVER L'ÉTIQUETTE

Made in China / Fabriqué en Chine

7103-







# **PP70 Pellet Stove**


# **Owner's Manual**

# **△** WARNING!

Please read this entire manual before installation and use of this pellet fuel-burning room Stove, and save for future reference. Failure to follow these instructions could result in property damage, bodily injury or even death. Contact local building or fire officials about restrictions and installation inspection requirements in your area.

**Note:** To obtain a French translation of this manual, please contact your dealer or visit www.pelprostoves.com. Pour obtenir une traduction francaise de ce manuel, s'il vous plait contracter votre revendeur ou visitez www.pelprostoves.com

# Get to Know Your PelPro® Stove



# **Safety First!**

Safety Alert Key: It is important to pay attention to alerts you will see throughout this manual to ensure your safety.

- · DANGER! Indicates a hazardous situation which, if not avoided will result in death or serious injury.
- WARNING! Indicates a hazardous situation which, if not avoided could result in death or serious injury.
- · CAUTION! Indicates a hazardous situation which, if not avoided, could result in minor or moderate injury.
- NOTICE: Indicates practices which may cause damage to the Stove or to property.
- Pro Tip: Indicates additional information to help you better understand your Stove and optimize its performance.

#### NOTICE:

#### Fire Risk

PelPro disclaims any responsibility, and the warranty and agency listing will be voided, by the below actions.

## DO NOT:

- · Install or operate damaged Stove
- · Modify Stove
- · Install other than as instructed by the manufacturer
- · Operate the Stove without fully assembling all components
- Over fire (burning at higher temperatures than recommended causing permanent damage to the Stove)
- · Install any component not approved by the manufacturer
- Install parts or components not listed or approved
- · Disable safety switches

Improper installation, adjustment, alteration, service or maintenance can cause injury or property damage. For assistance or additional information, consult a qualified installer, service agency or your dealer.

#### **DANGER!**

HOT SURFACES!

Glass and other surfaces are hot during operation AND cool down.

#### Hot glass will cause burns.

- Do not touch glass until it is cooled
- · NEVER allow children to touch glass
- Keep children away; if you expect that children may come into contact with this Stove, we recommend a barrier such as a decorative screen (see your retailer for suggestions)
- · CAREFULLY SUPERVISE children in same room as Stove
- Alert children and adults to hazards of high temperatures

#### High temperatures may ignite clothing or other flammable materials.

· Keep clothing, furniture, draperies and other flammable materials away





# **Table of Contents**



?	<ul><li>Getting Started</li></ul>
	<ul> <li>Installing Your Stove</li> <li>Getting ready</li> <li>Placing your Stove</li> <li>Venting your Stove</li> </ul>
	<ul> <li>Using Your Stove</li> <li>Starting your Stove</li> <li>What to expect</li> <li>Comfort settings</li> <li>Turning your Stove off</li> </ul>
	<ul><li>Maintaining Your Stove</li></ul>
	<ul><li>Troubleshooting</li></ul>
polpro	Support
	Listings and Certifications
i	Reference Materials

# **Getting Started**



# **Pallet Removal**

There are bolts holding your PelPro Stove in place on the pallet. To remove your Stove from the pallet:




# **Pallet Removal**

Visit pelprostoves.com or scan the code:






Loosen the three retaining bolts on the back of the Stove and remove the right and left side panels.



Using a 5/16 inch wrench, on each side of the Stove remove the two bolts.

Remove shipping brackets by reaching into Stove in the same area as the just removed bolts.





#### ⚠ WARNING!

Inspect Stove and components for damage. Damaged parts may impair safe operation.

- Do NOT install damaged components.
- Do NOT install incomplete components.
- Do NOT install substitute components. Report damaged parts to dealer.

#### ↑ CAUTION!

Risk of cuts, abrasions or flying debris. Wear protective gloves & safety glasses during install. Metal edges are sharp.

# What's Included



Owner's manual



Cleaning tool



Power cord



Door handle



Online Installation & Trouble Shooting Videos

Outside air kit components:



4" Flex hose



Termination Cap 74 of 110



Hose clamp



Screws (4)

# **Getting Started**



# What You'll Need

# **Tools & Supplies**

- High temperature silicone (500°F+)
- Level
- Phillips screwdriver
- Plumb line

- Tape measure
- Framing square
- Reciprocating saw
- Electric drill & bits
- Caulking gun

- Stud finder
- Utility knife
- Pliers
- Flashlight
- Hammer

# **Safety Equipment**

Recommended for all installation and maintenance steps.



Gloves



Safety glasses



Close-toed shoes

# **Pellet Vent Pipe**

Must be an approved 3" or 4" diameter Type "L" or "PL" vent. Use 4" diameter vent if flue height is over 15' or if installation is over 3,000ft. above sea level.



### ↑ WARNING!

Fire Risk. NO OTHER vent components may be used. Substitute or damaged vent components may impair safe operation.

### Floor Protection

Non-combustible material (such as a hearth pad) is required underneath your Stove.



# **Surge Protector**

Protect the electrical components of your Stove by using a surge protector.



#### Pellet Fuel

Use only wood pellets in your Stove. For best performance, use premium, low-ash pellets (<1%) less than 1.5" in length and avoid the dusty bits and pieces of pellets in the bottom of the bag.



75 of 110



# **Getting Ready**

# **Pro Tip**

We highly recommend your Stove and pellet vent pipe be installed by a professional installer. Your retailer can make recommendations for you.

Installation MUST comply with local, regional, state and national codes and regulations.

Consult insurance carrier, local building inspector, fire officials or authorities having jurisdiction over restrictions, installation inspection and permits.

#### **Placement**

Where you place your Stove can significantly affect its performance and safety.

# A Your Home Acts Like a Chimney

We recommend that you help your home by:

- 1. Using a minimum of 5 feet of vertical venting
- 2. Use the supplied outside air kit
- 3. Install your Stove on a main floor location


#### This will:


- Help your Stove breathe
- Minimize smoke leakage in the house
- Enhance performance

# **B** Clearance to Combustibles

The space between your Stove and the items in your home that could burn. Materials such as:

- Wood
- Sheet rock (drywall)
- Carpet







# **⚠ WARNING!**

Asphyxiation Risk.

DO NOT INSTALL IN A SLEEPING ROOM. Consumes oxygen in the room.

For Canada, the installation must conform to CAN/CSA-B365



# **Getting Ready (Continued)**




# Pellet Venting

Adding bends in the exhaust path restricts air flow, reduces performance and provides a collection point for ash deposits requiring more frequent cleaning.

#### CAUTION

- Do not connect to any air distribution duct or system
- Do not install a flue damper in the exhaust venting system of this
- Do not connect this Stove to a chimney flue serving another Stove
- The structural integrity of the manufactured home floor, wall and ceiling/roof must be maintained



### REQUIRED:

Use only 3" or 4" type "L" or "PL" pellet pipe.

# **Pro Tip**

This Stove can be installed with a 3 to 6 inch (76-152mm) Top Vent Offset Adapter Kit. The 3 to 6 inch (76-152mm) Top Vent Offset Adapter are tested to use 24 gauge single wall flue connector or Listed double wall flue connector to Class A Listed metal chimneys, or masonry chimneys meeting International Conference of Building Officials (ICBO) standards for solid fuel Stoves.


# **Installation Video**



Visit pelprostoves.com or scan this code:







	Clearances	
Α	12"	Clearance above grade, veranda porch, deck or balcony (Including vegetation and mulch)
В	12"	Clearance beside or below any windows or doors that open
	12"*	Clearance above any window or door that opens
С	18"	Vertical clearance to ventilated soffit located above the terminal within a horizontal distance of 2 feet from the center line of the terminal
D	12"	Clearance to an outside corner wall
F	12", 48" no outside air kit	Clearance to a non-mechanical air supply inlet to the building or a combustion air inlet to any other Stove
G	36"	Clearance to a mechanical air supply inlet
Н	84"**	Clearance above a paved sidewalk or paved driveway located on public property
Ι	12"**	Clearance under a veranda, porch, deck or balcony
J	12"	Clearance above the roof
K	24"	Clearance from an adjacent wall including neighboring buildings
L	36" within a height of 15 feet above the meter / regulator assembly	Clearance to each side of center line extended above natural gas or propane meter / regulator assembly or mechanical vent

<sup>\*</sup>Recommended to prevent condensation on windows and thermal breakage. \*\*This is a recommended distance. For additional requirements check local codes.

## NOTICE:

#### Do NOT terminate vent:

- In any location that will allow flue gases or soot from entering or staining the building
- In any location which could create a nuisance or hazard
- In any enclosed or semi-enclosed area such as a carport, garage, attic, crawl space, under a sun deck or porch or narrow walkway
- Closely fenced area, or any location that can build up a concentration of fumes such as a stairwell, covered breezeway, etc.

## NOTICE:

#### Do NOT terminate below an air inlet.

- It is recommended that at least 60" (1.52m) of vertical pipe be installed when Stove is vented directly through a wall—this will create a natural draft, which will help prevent the possibility of smoke or odor venting into the home during a power outage
- It will also keep exhaust from causing a nuisance or hazard by exposing people or shrubs to high temperatures
- The safest and preferred venting method is to extend the vent vertically through the roof or above the roof

78 of 110



# **Placing Your Stove**

It is necessary to install **EMBER PROTECTION**; a Type I floor protector for this Stove.

The Floor protector must be non-combustible material, extending beneath Stove with a minimum of 6 inches (152mm) in front of glass and 6 inches (152mm) to both sides of the fuel loading door. Open the door and measure 6 inches (152mm) from the side edge of the opening in the face of the Stove.

**Notice:** Be careful to protect the bottom of the Stove and floor surfaces when moving the Stove. Bottom edges of Stove are sharp and can scratch surfaces.

**Notice:** Clearances may only be reduced by means approved by the regulatory authority having jurisdiction.

Hearth pad minimum requirements:

U	USA Hearth Pad Requirements		mm
Α	Sides	2	51
В	Back	2	51
С	Front	6	152

Ca	Canada Hearth Pad Requirements		mm
Α	Sides	8	203
В	Back	2	51
С	Front	6	152

Non-combustible floor protection extending beneath the flue pipe is required with horizontal venting or under the top vent adapter with vertical installation.


\*Non-combustible floor protection must extend 2 inches (51mm) beneath the flue pipe when installed horizontal venting or under the top vent adapter with vertical installation. CANADA REQUIRED, USA RECOMMENDED.


3 Confirm required clearances to combustibles:


	Vertical Installations (Interio	r Flue)	
	Straight back against wall	Inches	mm
D	Back wall to pellet pipe	3	254
E Side wall to Stove 13 330		330	

	Corner Installation		
	Straight back against wall	Inches	mm
F	Walls to Stove	3	76

	Horizontal Installation	S	
Straight back against wall Inches mm		mm	
G	Back wall to Stove 2 51		51
E	E Side wall to Stove 13 330		









# **Venting Your Stove**


#### ↑ CAUTION!


Take appropriate precautions to locate utilities within the wall and avoid contact.


- Mark and cut wall for venting penetration on exterior wall (if needed).
- Install wall thimble (sold separately) per manufacturer requirements.
- Install venting. (For additional installation options visit pelprostoves.com)
- Use silicone to create an effective vapor barrier at the location where the chimney or other component penetrates to the exterior of the structure.

Vertical - Interior. Preferred Installation

Exterior - Optional Installations







NOTE: In Canada when using a factory-built chimney it must be safety listed, Type UL103 HT (21000F) CLASS "A" or conforming to CAN/ULC-S629M, STANDARD FOR 650<sup>O</sup>C FACTORY-BUILT CHIMNEYS.

# **Pro Tips**

- See venting manufacturer's required clearances to combustibles
- For horizontal installations, the minimum clearance from exterior to termination cap is 6"—you may want to increase to 18" clearance to minimize soot blow back on home exterior.

# Install vent at clearances specified by the manufacturer



#### ⚠ WARNING!

Do not terminate venting in any enclosed or semi-enclosed area such as: a carport, garage, attic, crawl space, under a sun deck or porch, narrow walkway or closely fenced area, or any location that can build up a concentration of fumes such as a stairwell, covered breezeway, etc.



#### ⚠ CAUTION!

Ensure that your Stove venting terminates above your Stove. The following may occur:

- · Your Stove will not draft properly
- Smoke may seep in your house
- · Excessive sooting

80 of 110



# **Venting Your Stove**

The maximum horizontal venting allowed with no vertical venting attached is 48 inches including one 90° elbow or two 45° elbows. Addition of any horizontal venting beyond 48 inches requires a minimum 60 inches of additional vertical vent. Horizontal sections of vent pipe should have a 1/4 inch rise per foot. We recommend using the shortest venting and fewest elbows possible when venting horizontal.

We recommend the use of 4 inch vent with any installation requiring more than two 90° elbows, or more than 15 feet of venting.

- 45° elbow is equivalent to 1 foot of straight pipe
- 90° elbow is equivalent to 3 feet of straight pipe

# **⚠ WARNING!**

#### Fire Risk.






 NO OTHER vent components may be used. Substitute or damaged vent components may impair safe operation.


#### Notice:

These are guidelines for successful venting of your pellet Stove. The more vertical rise you can obtain in your system, the better it will perform. Horizontal vent runs can accumulate ash and will need to be cleaned more often. Try to keep them as short as possible.


One	90° EII	wood
Total Horizontal	Minimum Vertical	Vent Diameter
4	0	3
5	5	3
6	6	3
7	7	3
8	8	4
9	9	4
10	10	4
11	11	4
12	12	4
13	13	4
14	14	4
15	15	4
16	16	4
17	17	4
18	18	4
19	19	4



Two 90° Elbows		
Total Horizontal	Minimum Vertical	Vent Diameter
3	5	3
3	6	3
4	7	3
5	8	3
6	9	3
7	10	4
8	11	4
9	12	4
10	13	4
11	14	4
12	15	4
13	16	4
14	17	4
15	18	4




Three 90° Elbows		
Total Horizontal	Minimum Vertical	Vent Diameter
2	11	4
3	12	4
4	13	4
5	14	4
6	15	4
7	16	4
8	17	4
9	18	4
10	19	4
11	20	4





- 5 Install pellet venting through wall and connect vent/pipe to Stove (A)
  - Some venting manufacturers offer pellet Stove adapters for their venting for easier installation
  - Seal all pipe joints using high-temp silicone (500°+)
  - Secure exhaust venting system to the Stove with at least 3 screws or rivets per the pipe manufacturer's instructions.
     Also secure all connector pipe joints with at least 3 screws through each joint.
  - · Install termination cap
  - Confirm all required Stove clearances to combustibles



# **Pro Tip**

Installing a clean-out "T" (sold separately) to the rear of your Stove, when venting vertically can save time during cleaning.

6 Install outside air kit (included)

For optimal performance, PelPro recommends the outside air kit for all installations. Outside air kit is required for all mobile/manufactured home installations.

Install through wall B

- Maintain clearances from exhaust
- Remove knock out in the rear of Stove
  - Attach flex pipe to outside air connection on Stove
  - Use hose clamp
  - Route tube outside the structure

Confirm termination clearances

- Attach cap
- Secure to outside wall with appropriate fasteners

В	
•	

Inspect your work:
Confirm clearances to combustibles are maintained
Pipe joints are secure and properly sealed
Outside air kit installed properly

# **⚠** CAUTION!

Never draw outside combustion air from:

- Wall, floor or ceiling cavity
- Enclosed space such as an attic, garage or crawl space.



# **Fuel Tips**

# **Fuel Material and Fuel Storage**

Pellet fuel quality can greatly fluctuate. We recommend that you buy fuel in multi-ton lots whenever possible. However, we do recommend trying various brands before purchasing multi-ton lots to ensure your satisfaction. Store fuel in dry location not within clearances to combustibles of your Stove.

#### **Fuel Material**

- Made from sawdust or wood by-products
- Depending on the source material it may have a high or low ash content.

# **Higher Ash Content Material**

- Hardwoods with a high mineral content
- Fuel that contains bark
- Standard grade pellets or high ash pellets

# **Lower Ash Content Material**

- Most softwoods
- · Fuels with low mineral content
- Most premium grade pellets

# **Pro Tip**

We recommend the use of Pellet Fuels Institute certified pellet fuel with this product.



Your Stove has a manufacture-set minimum low burn rate that must not be altered. It is against federal regulations to alter this setting or otherwise operate your Stove in a manner inconsistent with operation instructions in this manual.



# Starting your Stove the first time

# What to Expect

- Combustion blower will turn on
- 2 Igniter will turn on
- 3 Pellets will drop, smoke may occur in firebox but will evacuate, and flame will appear in fire pot.
- Convection blower will automatically turn on after the Stove heats up. Convection blower will continue to run even after your Stove has been shut down.



# **Pro Tips**

- Odors and vapors are released during initial startup after purchase; burning your Stove on HI for 30 minutes will allow the paint to cure. Open windows or doors for air circulation until burn off is complete.
- During start up and normal operation your Stove's front door must be closed
- Priming is only required the first time your Stove is lit, or after a FUEL FEED ALARM.



#### ⚠ WARNING!

#### Fire Risk

Keep combustible materials, gasoline and other flammable vapors and liquids clear of Stove.

- Do NOT operate Stove with door open
- Do NOT operate Stove with fire pot floor open
- Do NOT store flammable materials in the Stove's vicinity
- Do NOT use gasoline, lantern fuel, kerosene, charcoal lighter fluid or similar liquids or gels to start or "freshen up" a fire in this Stove

Keep all such liquids well away from the Stove while it is in use as combustible materials may ignite.



## ↑ WARNING!

HOT SURFACES! Glass and other surfaces are hot during operation AND cool down. Hot glass will cause burns.

- · Do not touch glass until it is cooled
- · NEVER allow children to touch glass
- Keep children away
- CAREFULLY SUPERVISE children in same room as fireplace
- Alert children and adults to hazards of high temperatures
- · High temperatures may ignite clothing or other flammable materials
- Keep clothing, furniture, draperies and other flammable materials away

84 of 110





# **Use and Care**


Visit pelprostoves.com or scan this code:




# Important:

Allow up to 20 minutes for your Stove to start.

Confirm fire pot is properly positioned




Confirm three baffles inside firebox are secure, placing the side baffles before the center



3 Add some pellets to hopper and fully close lid



4 Ensure dial control is set in off position.





# WARNING! Shock hazard.

- Plug directly into properly grounded 3 prong receptacle
- Do NOT route cord under or in front of Stove
- Recommend the use of a surge protector



# Starting your Stove from an empty hopper

5 Plug in your Stove



6 Wait 1 minute - LED light will start flashing green once per second.



- Prime your Stove:
  - 1) Quickly turn the dial control from OFF to HI
  - 2) Back to OFF
  - 3) Then back to HI

The feed motor will run continuously for two minutes and the LED light will be solid green. Once primed, pellets will drop into the fire pot and the LED light will blink green as ignition starts. This process can take up to 20 minutes.





During this process DO NOT:

Try to restart, manually add pellets or use any type of accelerant



# What Do the Blinking Lights Mean?

# **Green & Amber - Normal Operation**


- Green, Steady On Feed system is priming
- Green, 1 Blink Stove is off and ready
- Green, Continuous Blinking Stove is in the start up/ignition sequence
- Green, Varies Blinks Varies depending on burn rate
- Amber, Steady On Stove is set and running at either the minimum or maximum power levels
- Amber, Continuous Blinking Stove is in the shutdown sequence. \*Early models may have a green continuous blinking light during shutdown sequence.

# Red - Operational Issue - Refer to troubleshooting

- Red, 1 Blink Empty hopper, refer to troubleshooting
- Red, 2 Blinks Exhaust probe alarm, check connections or refer to troubleshooting
- Red, 3 Blinks Ambient probe alarm, check connections or refer to troubleshooting
- Red, 4 Blinks Missed ignition, refer to troubleshooting
- Red, 8 Blinks Exhaust gas over temperature, refer to troubleshooting

# If your Stove does not ignite on the initial burn, the LED light will blink red 4 times indicating a missed ignition.

- Turn your Stove to off, remove and clean the fire pot
- 2. Confirm fire pot is properly positioned
- 3. Prime your Stove per previous instructions



# Is this your first start-up after purchase?

If you just bought this Stove, once a fire has been established in your Stove, leave the Stove burning on HI for 30 minutes to allow paint to cure.

After 30 minutes, turn the dial control to OFF and allow your Stove to cool completely. Once cooled, clean the fire pot. Your Stove is now ready to resume normal use.



# **Comfort Settings**

Control your comfort with a single dial:

- OFF setting Used to turn your Stove off
- LO setting Your Stove will continue to run on low regardless of room temperature. LED light will be steady amber
- 1 through 10 settings Set to your desired comfort level. Once the desired comfort level is achieved the Stove will automatically shut down. When the temperature in the room drops below the desired comfort level, your Stove will automatically restart.



 HI setting - Your Stove will continue to run on high regardless of room temperature. LED light will be steady amber.

# **Pro Tip**

If the dial control is turned to the off position and then back on, even if by mistake, your Stove will go through the shutdown process (approximately 15 minutes) and restart.

# **Trim Adjustment**

Trim adjustment is the small dial located below the main dial control. Rotating this dial will adjust the air/fuel ratio and below are examples of when to use it:

- If the fire is too large, lazy or producing black soot, rotate the dial counterclockwise one level at a time and allow 15 minutes for stabilization before making another adjustment
- If your fire is too small and sometimes goes out when there are pellets in the hopper, rotate the
  dial clockwise one level at a time and allow 15 minutes for stabilization before making another
  adjustment.

#### **Thermostat**

Your PelPro Stove comes with a built-in thermostat system that provides easy temperature adjustments. The Stove is not designed to use a remote control or external thermostat.



# **Turning Your Stove Off**




Turn dial to OFF position



LED light will flash amber rapidly \*Early models may have a green continuous blinking light during shutdown sequence.



Auger stops feeding pellets



Blowers continue to run until after the exhaust temperature has cooled



LED light will flash once per second

# **△** CAUTION!



- Turn dial control to OFF, let Stove completely cool and exhaust blower must be off. Now you can unplug Stove before servicing
- Smoke spillage into room can occur if Stove is not cool before unplugging

# Maintaining Your Stove



# **Cleaning & Maintenance**

# Important:

Regular cleaning helps to assure optimal performance of your Stove. Please refer to page 29 to log your maintenance and cleaning.



Cleaning your Stove Visit pelprostoves.com or scan this code:







**Stove**Visit pelprostoves.com or scan this code:



# What You'll Need



Cleaning tool



Phillips head screwdriver



Safety glasses



Gloves



Ceramic glass cleaner & non-abrasive cloth



Flue cleaning brush



Metal container with lid



Drop cloth



Ash vacuum

# **Maintaining Your Stove**



# Where, When and How

# **Disposal of Ashes**

Ashes should be placed in a metal container with a tight fitting lid. The closed container of ashes should be placed on a non-combustible floor or on the ground, well away from all combustible materials, pending final disposal. If the ashes are disposed of by burial in soil or otherwise locally dispersed, they should be retained in the closed container until all cinders have been thoroughly cooled.



#### ↑ WARNING!

Disconnect Stove from power supply before servicing

# Zone 1 - Firebox




AS NEEDED

# Fire pot

- Remove the fire pot
- Scrape clean and remove ashes
- Replace fire pot

#### Firebox

- Remove baffles and vacuum residual ash
- Remove ashes from firebox floor





#### **↑ WARNING!**

If using a vacuum to clean Stove, be sure embers are thoroughly cooled to prevent a fire in the

# **Glass**

- Apply ceramic glass cleaner
- Use non-abrasive cloth to remove residue

# **Door Inspection**

The gasket between the glass and firebox should be inspected periodically to make sure there is a good seal.

# **Maintaining Your**



# **Pro Tip**

The type of fuel you are burning will dictate how often you have to clean your fire pot.

If the fuel you are burning has a high dirt or ash content, it may be necessary to clean the fire pot more than once a day.

Poor quality fuel will cause clinkers to form in the fire pot. Clinkers are formed when dirt, ash or a non-burnable substance is heated to 2000 deg. F (1093 deg. C) and becomes glasslike.

Always burn dry fuel. Burning fuel with high moisture content take heat from the fuel and tends to cool the Stove, robbing heat from your home.

Damp pellet fuel can clog the feed system.

# ↑ CAUTION!

Handle glass assembly with care and refer to maintenance instructions. When cleaning glass:

- Avoid striking, scratching or slamming glass.
- Do NOT clean glass when hot
- Do NOT use abrasive cleaners
- Do NOT operate with glass cracked, broken or scratched



# /\ WARNING!

Glass is 5mm thick high temperature heat resistant ceramic glass.

- DO NOT REPLACE with any other material
- Alternate material may shatter and cause injury

# **Zone 2 - Stove Body**




### Convection Blower

- Remove right and left side panel to access and remove convection blower
- Vacuum any debris from the fan blades and blower housing

# Hopper

- Empty hopper of any pellets
- Vacuum any remaining pellets/debris from the hopper



# **Maintaining Your** Stove



# **Electrical Components**

- Identify and remove any debris
- Verify all connections are secure

# ANNUALLY OR AS NEEDED

#### **Exhaust Blower**

- Remove left side panel to access and remove exhaust blower
- Vacuum any debris from the fan blades and blower housing

# **Zone 3 - Venting**

# ANNUALLY OR

AS NEEDED

# **Termination Cap**

- Remove termination cap
- Brush out to remove dust and hard buildup

# **Vent Components**

- Soot, creosote, and fly ash will collect in the exhaust venting system and restrict the flow of the flue gases. This build up will occur more quickly in horizontal sections and elbows.
- Use the appropriate sized chimney brush to remove ash and buildup from the venting

# Ö KXXX

# **Having Trouble?**

Visit the Troubleshooting section of this manual.

### **Outside Air Kit**

Ensure there are no obstructions in the outside air kit cap

# Caution!

When wood pellets are burned at a low temperature, they produces organic vapors which combine with moisture to form creosote vapors.

Creosote vapors condense in the relatively cool chimney flue of a newly-started or a low-temperature fire. As a result, creosote residue accumulates on the flue lining. When more heat is called for, this residue can be ignited, which creates an extremely hot fire in the chimney flue; this may damage the chimney or even destroy your home.

Your chimney should be inspected once every few months during the heating season to determine if a creosote or soot buildup has occurred. If creosote or soot has accumulated, it should be removed to reduce the risk of a chimney fire.

# **Troubleshooting**





**Troubleshooting your Stove**Visit pelprostoves.com or scan the code:



# **Power Related**

# In the event of a power outage:


- If using a generator, PelPro recommends a steady state generator for best Stove performance.
- This Stove needs 110v to run properly. This Stove has not been tested for use with a third party battery backup.

# **Pro Tip**

Check passages to assure they are clear of ash and obstructions. Poor airflow leads to poor performance of your Stove.

# Stove plugged in but no response


- Unplug your Stove
- · Check your home's circuit breaker
- Reset snap disc (located between drop tube and hopper (Zone 2)
- Visually inspect wires, blowers and power cord for breaks or wear to find cause of possible short circuit (Zone 2)



# ×

# Component (i.e. blower) fails to start or fails to turn off

- Unplug your Stove
- Check all connections and power plugs are secure
- Visually inspect wires, blowers and power cord to find cause of possible short circuit



94 of 110

# **Troubleshooting**




# **Blockage Related**



# Black soot on outside of house

- Confirm exhaust path is clean and clear (Zone 1 and 3)
  - Adjust air/fuel ratio using trim adjustment dial (See page 23 for trim adjustment instructions)
- Ensure termination cap has at least 18" clearance to reduce the effects of soot blow-back on home exterior (ie. siding)—if not able, refer to page 10 for alternate installation options





# Rumbling/whistling noise during operation

- Confirm exhaust path is clean and clear (Zone 1 & 3)
  - Adjust air/fuel ratio using trim adjustment dial (See page 18 for trim adjustment instructions)



# Stove will not light

- Confirm firebox is clean and clear (Zone 1)
  - Igniter is getting hot (glows orange)
- Inspect Stove body (Zone 2)
  - Confirm fuel is in hopper, close lid securely
  - Remove right side panel to access and confirm vacuum switch is clear and connected at both ends
  - Confirm all exhaust blower connections secure
  - Confirm the feed assembly and motor are clean and clear of debris
- Confirm exhaust path is clean and clear (Zone 3)

# **Troubleshooting**



# **Blockage Related**



# Fire starts but goes out

- Confirm firebox is clean and clear (Zone 1)
  - Ensure fire pot holes are clear
- Inspect Stove body (Zone 2)
  - Confirm exhaust probe is connected
  - Inspect and clean the exhaust outlet
- Confirm exhaust path is clean and clear (Zone 3)



# Starts and stops frequently in automatic mode

 Determine if your room is experiencing varying temperatures due to repeated opening/ closing of doors or windows—correct if necessary

- Examine Stove body (Zone 2)
  - Inspect ambient probe and confirm that at least 2" is exposed outside of Stove body



# Slow or smoky start-up and/or lazy flame

- Confirm exhaust path is clean and clear (Zone 3)
- Examine Stove body (Zone 2)
  - Align igniter so it is properly placed and centered
  - Review fuel quality (see Pellet Fuel information on page 13)





Symptom	Possible Cause	Corrective Action
Igniter does not turn off	Igniter short circuit. The fuse will be blown and upon replacement of the fuse, the igniter will remain on when Stove has power.	Inspect wires, blowers, and power cord to find cause of short circuit. Replace board and failed component.
Feed motor does not shut off	Feed motor short circuit. The fuse will be blown and upon replacement of the fuse, the feed motor will remain on when Stove has power.	Open hopper to stop the feed motor. Inspect wires feed motor, control board, and power cord to find source of short circuit. Replace control board and failed component.
Stove fails to shut off.	Stove running in maximum or minimum	Turn dial control to Off position. See Also, "Feed Motor Does Not Shut Off". The Stove should go into a shutdown.
Large, lazy flame, orange color. Black ash on glass.	Dirty Stove. Poor fuel quality, high ash content. Incorrect air-fuel adjustment Excessive feeding/Feed Motor locked on	Clean Stove, including fire pot and venting system. Clean exhaust path. Try a different brand of pellets.  Turn fuel adjustment trim dial to COUNTERCLOCK-WISE to increase combustion air speed; see trim pot adjustment section. Follow corrective action for feed motor does not turn off symptom.
Excessive fuel spilling over the fire pot into the ash wells and/or excessive flame	Excessive feeding/Feed Motor locked on	Follow corrective action for feed motor does not turn off.



Following correction of any alarm, turn the dial control to the OFF position, wait 10 seconds and turn back to desired setting OR unplug the Stove, wait 10 seconds then restore power.

Alarm	Possible Cause	Corrective Action
(LED Flashing RED)		
1 Flash: Empty Hopper	No fuel is delivered to the fire pot to sustain flame Hopper empty (most likely) Auger Jam (next likely) No vacuum Hopper lid open	Fill the hopper, inspect the feed tube for jams, inspect the venting and firebox for obstructions and clean if necessary, inspect the exhaust blower to make sure it runs, or close the hopper lid.
	Flame is evident but the exhaust probe is not able to recognize the hot exhaust temperature Exhaust probe not attached to outlet Exhaust path is dirty	Inspect and clean the exhaust outlet, firebox, fire pot, and behind the baffles. Inspect the exhaust probe to see if it is securely attached to the side of the exhaust outlet.
2 Flashes: Exhaust Probe Fail The exhaust probe	The exhaust temperature is above or below the acceptable range.	Plug the probe into the board Replace the component
senses a temperature of less than negative 20 degrees Celsius or above 300 degrees Celsius.	Exhaust Probe Failure Not plugged in Failed component	
3 Flashes: Ambient Probe Alarm The ambient probe senses a temperature of less than negative 20 degrees Celsius or above 70 degrees Celsius.	The ambient temperature is above or below the acceptable range.  Ambient Probe Failure Not plugged in Failed component	Plug the probe into the board Replace the component
4 Flashes: Missed Ignition During the ignition sequence the load does not ignite. The Stove will automatically retry once from the first failed attempt.	Fuel No fuel Hopper Empty Feed Jam Feed doesn't turn Feed motor disconnected or failed  Fire pot Fire pot Dirty so fuel is not near ignition hole in the fire pot	Fill the hopper Inspect and clear jam in the feed tube Inspect the feed motor circuit (hopper lid must be closed, vacuum switch must be closed (ie exhaust blower on), and feed motor must be plugged in.  Clean the fire pot
	Igniter No power Debris in the end of the igniter chamber	Check leads and if the igniter works. Clean the end of the igniter chamber from inside the firebox (removal of the fire pot required for this step).
8 Flashes: Exhaust Over Temperature The exhaust tempera- ture has exceeded the	Fuel Feed Motor Locked On	Review the feed motor and feed rates. Normal feed motor operation is on between 1* and 4* seconds out of every 7 seconds. (*depending on model and burn rate setting)
allowable temperature.	Non-approved fuel used	If the feed motor does not turn off, replace the control board.
	Convection blower Dirty Failed	Review the fuel being used.
	Installation Installation configuration is tight allowing for limited air circulation around the Stove.	Clean Replace Review the installation and move if necessary.



Still having trouble?

Access additional resources at: pelprostoves.com/troubleshooting



# Warranty

lf replacement parts are needed, please note warranty coverage begins on the date of purchase. Retain your original receipt as proof of purchase. The warranty period for covered components is as follows:

Components Covered	Warranty Period (Parts only, Labor not included)
Electrical	1 Year
Steel Parts (excluding fire pot)	5 Years
All replacement parts are covered for remainder of original warranty period or 90 days, whichever is longer	90 Days

Additional terms and limitations apply. See page 28 for complete warranty information.

# Support





Please review the "Maintaining Your Stove" and "Troubleshooting" sections in this manual.



# Visit **pelprostoves.com** to access:

- Order replacement parts
- Installation videos
- Troubleshooting videos
- Use and care videos
- · Manuals and more



To contact a Consumer Care Specialist, email us at Info\_PelPro@hearthnhome.com or call 877-427-3316.

# **Listings and Certifications**



# **Stove Certification**

Series	PP70
Laboratory	OMNI Test Laboratories
Safety Report No.	0135PS040S
Туре	Solid Fuel Room Stove/Pellet Fuel Burning Type
Standard	ASTM E1509-12 and ULC S627-00, Room Stove Pellet Fuel Burning type and (UM) 84-HUD, Mobile Home Approved.



#### Note

This installation must conform with local codes.

In the absence of local codes you must comply with **ASTM E1509-12 and ULC S627-00 by OMNI Test Laboratories and (UM) 84-HUD** 

# **⚠ WARNING!**

- It is critical to have a working smoke detector installed in the home of Stove operation.
- Smoke alarms that are properly installed and maintained play a vital role in reducing fire deaths and injuries. Having a working smoke alarm reduces the chance of fire related injuries.
- Install at least one carbon monoxide detector on each floor of your home.



⚠ WARNING! Asphyxiation Risk.

DO NOT INSTALL IN A SLEEPING ROOM. Your Stove consumes oxygen in the room.

#### Note

This wood stove needs periodic inspection and repair for proper operation. It is against federal regulations to operate this wood heater in a manner inconsistent with operating instructions in this manual.

# Mobile Home Approved

This Stove is approved for mobile home

Installations when not installed in a sleeping room and when an outside combustion air inlet is provided.

- The structural integrity of the mobile home floor, ceiling, and walls must be maintained
- The Stove must be properly grounded to the frame of the mobile home with #8 copper ground wire, and use only listed double-wall connector pipe
- Outside Air Kit provided with each Stove must be installed in a mobile home installation and must remain clear of leaves, debris, ice and/or snow. It must be unrestricted while the Stove is in use to prevent room air starvation which causes smoke spillage.
- The Stove must be secured to the mobile home structure by bolting it to the floor through holes provided at bottom of your cast legs օդ, չգս, Stove.

# **Listings and Certifications**



# **Glass Specifications**

This Stove is equipped with 5mm ceramic glass.

Replace glass only with 5mm ceramic glass. Please contact PelPro for replacement glass.

# **Electrical Rating (On High)**

PP70: 120 VAC, 60 Hz, Start 2.6 Amps,

Run 2.3 Amps


# **BTU & Efficiency Specifications**


Model	PP70
Emissions Report No.	0135PS040E
EPA Certified	0.49 grams/hr
*HHV Tested Efficiency	82.8%
**BTU Input	11,676 - 42,535 / hr
***Heating	750 to 1,450 sq. ft.
Capacity	depending on climate zone
Vent Size	3" or 4" L or PL
Hopper Capacity	130 lbs (Approximate)
Fuel	Wood pellets
Shipping Weight	xxx lbs



This manual describes the installation and operation of the Brand PelPro, Model PP70 wood Stove. This Stove meets the 2020 U.S. Environmental Protection Agency's crib wood emission limits for wood Stoves sold after May 15, 2020. Under specific test conditions this Stove has been shown to deliver heat at rates ranging from 9,603 to 35,278 Btu/hr.

<sup>\*\*\*</sup>Heating capacity depends on climate zone, structure layout, insulation, windows, etc.





102 of 110

<sup>\*</sup>Weighted average HHV efficiency using data collected during EPA emissions test.

<sup>\*\*</sup>BTU input/output will vary, depending on the brand of fuel you use in your Stove.

# **Listings and Certifications**



# Hearth & Home Technologies, Inc. - PelPro Limited Warranty

Hearth & Home Technologies, Inc. (HHT), on behalf of its PelPro brand, extends the following warranty for PelPro Stoves purchased from an authorized retailer.

If you experience issues with your PelPro Stove, Consumer Care is available to assist you with troubleshooting technical issues. Please contact PelPro Consumer Care at 1-877-427-3316 with any product issues rather than contacting the retailer where you purchased your PelPro Stove.

This warranty covers components of the PelPro Stoves as listed in the table below.

#### **Warranty Coverage:**

Subject to the table below, HHT warrants to the owner of the PelPro Stove that the Stove will be free from defects in materials and workmanship at the time of manufacture. After installation, if covered components are found to be defective in materials or workmanship during the applicable warranty period, HHT will replace the covered components.

HHT, at its own discretion, may fully discharge all of its obligations under such warranties by replacing the product itself or refunding the verified purchase price of the product itself. The maximum amount recoverable under this warranty is limited to the purchase price of the product. This warranty is subject to conditions, exclusions, and limitations as described below.

#### **Warranty Period:**

Warranty coverage begins on the date of original purchase. The warranty period for covered components is as follows:

Components Covered	Warranty Period (Parts only, Labor not included)
Electrical	1 Year
Steel Parts (excluding fire pot)	5 Years
All replacement parts are covered for remainder of original warranty period or 90 days, whichever is longer	90 Days

#### Parts Service & Returns:

HHT is proud to offer the best technical and sales support in the industry. If you have any questions about how to operate your Stove or if you need service parts, please visit Pelprostoves.com or call 1-877-427-3316.

#### **Warranty Exclusions:**

Warranty does not cover damage or breakage due to misuse, improper handling or modifications. There is no warranty on the paint, glass, fire pot, fire brick, or any gaskets, or against damage caused from corrosion. There is no expressed or implied performance warranty on PelPro Stoves as HHT has no control over the installation, operation, cleaning, maintenance, or type of fuel burned.

Some states do not allow exclusion or limitation of incidental or consequential damages, or limitations of implied warranties, so the limitations or exclusions set forth in this limited warranty may not apply to you. This limited warranty gives you specific legal rights and you may have other rights, which vary from state to state. Warranty is void if the PelPro Stove has not been installed, operated, cleaned and maintained in strict accordance with HHT's instructions.

NEITHER HHT NOR THE RETAILER FROM WHO YOU PURCHASED YOUR PELPRO Stove SHALL BE RESPONSIBLE, LEGALLY OR OTHERWISE, FOR THE INCIDENTAL OR CONSEQUENTIAL DAMAGE TO PROPERTY OR PERSONS RESULTING FROM THE USE OF THIS PRODUCT. ANY WARRANTY IMPLIED BY LAW, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF THE MERCHANTABILITY OR FITNESS, SHALL BE LIMITED TO ONE (1) YEAR ON THE BREACH OF THIS WARRANTY OR ANY TYPE OF WARRANTY EXPRESSED OR IMPLIED BY LAW. HHT SHALL IN NO EVENT BE LIABLE FOR ANY SPECIAL, INDIRECT, CONSEQUENTIAL OR OTHER DAMAGES OF ANY NATURE WHATSOEVER IN EXCESS OF THE ORIGINAL PURCHASE PRICE OF THIS PRODUCT. ALL WARRANTIES BY HHT ARE SET FORTH HEREIN AND NO CLAIM SHALL BE MADE AGAINST HHT ON ANY ORAL WARRANTY OR REPRESENTATION.

103 of 110






**Service Parts** 

**PP130** 

**Stocked** 

Beginning Manufacturing Date: Apr 2014 **Ending Manufacturing Date: Active** 



IMPORTANT: THIS IS DATED INFORMATION. When requesting service or replacement parts for your appliance please provide model number and serial number. All parts listed in this manual must

be ordered from a dealer.			<b>V</b> - ***	
ITEM	DESCRIPTION	COMMENTS	PART NUMBER	at Depot
1	Hopper Lid Assembly		SRV7086-019	
	Hopper Extension		PPHE200	
	Handle, Hopper Lid		SRV200-0110	
2	Side Curtain, Left Hand		SRV7086-154	
3	Exhaust Combustion Blower		812-4400	Y
	Gasket, Between Blower Housing and Stove		SRV240-0812	Y
	Gasket, Between Blower Housing and Motor		812-4710	Y
4	Snap disc, Manual Reset		SRV230-0080	Y
5	Door Assembly		SRV7086-021	Y
6	Baffle Kit		SRV7077-006	
7	Firepot		SRV7077-003	Y
8	Igniter Chamber Kit		SRV7077-110	
9	Igniter Kit		SRV7000-660	Y
10	Control Board		SRV7077-050	Y
11	Convection Blower		KS-5020-1052	Y
	Convection Blower Bracket		SRV7081-210	
12	Vacuum Switch		SRV7000-531	Y
	Vacuum Hose, 5/32 ID	3 Ft	SRV240-0450	Y
13	Side Curtain, Right Hand		SRV7086-153	Y
14	Dial Control		SRV7083-036	Υ
	Wire Harness, Dial Control		SRV7000-667	Y

See Following page for additional servcie parts

Hopper Switch

104 of 110

Υ 2/18

SRV7000-612






**Service Parts** 

**PP130** 

Beginning Manufacturing Date: Apr 2014 **Ending Manufacturing Date: Active** 

# **#5 Door Assembly**




IMPORTANT: THIS IS DATED INFORMATION. When requesting service or replacement parts for your appliance please provide model number and serial number. All parts listed in this manual must be ordered from a dealer.

	Stocked
•	at Depo

ITEM	DESCRIPTION	COMMENTS	PART NUMBER	
5	Door Assembly		SRV7086-021	Υ
5.1	Glass Assembly		SRV7081-173	
5.2	Rope, Door, 3/4" x 84"		832-1680	
5.3	Hinge Pins	Pkg of 2	433-1590/2	
5.4	Threaded Handle Assembly Kit		SRV7093-024	Υ
5.5	Handle Black Phenolic Kit		KS-5140-1442	Υ

# **#16 Feed Assembly Kit**



16	Feed Assembly Kit		SRV7077-014	Υ
16.1	Feed Motor		SRV7000-670	Υ
16.2	Feed Shaft Bushing	Pkg of 2	7000-600/2	Υ
	Power Cord		812-1180	Υ
	Ambient Probe		SRV7000-668	Υ
	Exhaust Probe		SRV7000-669	Υ
	Wire Harness		SRV7093-184	Υ
	Wire Clip	Pkg of 10	7000-400/10	Υ
	105 of 110			



We recommend that you record the following information for your heating Stove:		
Date purchased/installed:(Attach proof of purchase)		
Serial Number:Location	n on Stove:	
Store purchased from:		
Store Location:		
Maintenance Log:		



Maintenance Log:



Maintenance Log:	



Maintenance Log:



Hearth & Home Technologies® 352 Mountain House Road Halifax, PA 17032