

Loft Forge and Quattro Decorative Fronts

Models: MEZZO-B / MEZZO-C Series (36 / 48 / 60 Inch Models)

Installation & Operating Instructions



Leave this manual with party responsible for use and operation.

CAUTION! Risk of Cuts, Abrasions or Flying Debris. Wear protective gloves and safety glasses during installation. Sheet metal edges are sharp.

DANGER



HOT GLASS WILL CAUSE BURNS.

DO NOT TOUCH GLASS UNTIL COOLED.

NEVER ALLOW CHILDREN TO TOUCH GLASS.

A barrier designed to reduce the risk of burns from the hot viewing glass is provided with this appliance and must be installed for the protection of children and other at-risk individuals.

WARNING! Risk of Fire! Combustible materials MUST NOT overlap or be placed under a surround.

CAUTION! Do not install damaged components.

WARNING! Risk of Fire! DO NOT apply combustible materials beyond the minimum clearances. Comply with all minimum clearances to combustibles as specified. Overlapping materials could ignite and will interfere with proper operation of doors and louvers.

NOTE: The hammered pattern on the Loft Forge decorative front may vary from the showroom display model due to the handcrafted nature of the Loft Forge decorative front.

NOTICE: DO NOT adhere or allow any adhesive backed materials to come into contact with the Loft Forge decorative front surface.

A. Finishing Material/Finishing Template



It's very important to know what kind of finishing material is going to be used on the fireplace. These decorative fronts will overlap finishing materials with a maximum thickness of 1 inch. See Figures 1 and 2. They are referred to as overlap fronts.

The MEZZO models come with a bottom finishing template and top and bottom finishing guards installed.

Note: This instruction applies to Loft Forge and Quattro decorative fronts for both the MEZZO-B series and the MEZZO-C series. The MEZZO-B models are shown in the figures.

WARNING! Risk of Fire! DO NOT cover rectangular holes on bottom access panel when installing overlap fronts.

The non-combustible finishing material, 0-1 inch thick, should be installed up to the fireplace opening on the top and sides. Use the top finishing guard to ensure the finishing material does not extend into the fireplace opening. Non-combustible finishing material should be installed on the bottom up to the finishing template. Do not cover the eight rectangular holes on the bottom access panel.



	INSTALLED DECORATIVE FRONT DEPTH DIMENSION		
	MEZZO36 MEZZO36ST	MEZZO48 MEZZO48ST	MEZZO60 MEZZO60ST
Loft Forge	3/4 IN.	3/4 IN.	3/4 IN.
Quattro	2-1/8 IN.	2-1/8 IN.	2-1/8 IN.

Table 1. Installed Decorative Front Depth Dimensions

B. Decorative front Preparation and Installation

1. Verify that the finishing material has been installed correctly before installing the decorative front. See Figure 3 for minimum finished opening dimensions and refer to Section 10 of appliance installation manual for further information.

- 0-1 inch thickness maximum (overlap fit)
- Greater than 1 inch thickness not permitted
- Inside fit not permitted

WARNING! Risk of Fire! DO NOT cover rectangular holes on bottom access panel when installing overlap fronts.

WARNING! Risk of Fire! DO NOT apply finishing material beyond the finishing guard. Appliance will overheat if finishing material extends into appliance opening.

NOTICE: Decorative front will not fit properly if finishing material is applied beyond the finishing guard.




Figure 3. Minimum Finished Opening Dimensions
- Overlap Fit Method

2. Remove decorative front from the package.
3. Remove other components from package. Components included will depend on the front being installed.
4. Remove the bottom finishing template by removing three screws. See Figure 5.
5. Remove the top and bottom finishing guards. Retain screws. Quantity of screws to be removed will vary depending on appliance model size. See Table 2.

MODEL	#SCREWS
MEZZO36-B / MEZZO36-C	6
MEZZO36ST-B / MEZZO36ST-C	12
MEZZO48-B / MEZZO48-C	7
MEZZO48ST-B / MEZZO48ST-C	14
MEZZO60-B / MEZZO60-C	8
MEZZO60ST-B / MEZZO60ST-C	16

Table 2.




Figure 4. Do Not Cover Rectangular Access Holes

NOTICE: Decorative front will not fit properly if finishing material is applied beyond the finishing guard.

See-Through Models Only:

6. Install bottom glass shield on the side opposite of the controls. Ensure all screws have been reinstalled.

For All Models:

7. Install bottom glass shield above the controls.
8. Install four shoulder bolts as shown in Figure 6 .




Figure 5. Remove Bottom Finishing Template and Finishing Guards

- Hang the decorative front by aligning the slots on the bracket on the back of the decorative front with the four shoulder bolts now installed on the appliance. See Figure 7. Push decorative front toward appliance until it touches the finishing material. Do not allow any part of the decorative front to recess past finishing material.

WARNING! Risk of Fire! DO NOT allow decorative front to recess past finishing material.




Figure 6. Install Shoulder Bolts




Figure 7. Install Decorative Front

Cleaning Instructions for Decorative fronts

Use a microfiber cloth and Windex® Original Glass Cleaner or 03M003 Stove Bright® Glass Cleaner to clean the decorative front immediately after installation to remove acids deposited by the installer or technician. Spray the cleaner onto the microfiber cloth and carefully wipe the entire surface. The decorative front should be cleaned in this manner annually by the homeowner to remove fingerprints or other contaminants. Once oxidation of the paint pigment has occurred, cleaning will not restore the original color.

Service Parts List

DECORATIVE FRONTS	DESCRIPTION	PART NUMBER
QT-36 (BK/NB)	Mesh Assembly	SRV2312-035
QT-48 (BK/NB)	Mesh Assembly	SRV2300-035
QT-60 (BK/NB)	Mesh Assembly	SRV2321-035
LOFTFORGE-36	Mesh Assembly	SRV2312-035
LOFTFORGE-48	Mesh Assembly	SRV2300-035
LOFTFORGE-60	Mesh Assembly	SRV2321-035

Heat & Glo, a brand of Hearth & Home Technologies
 7571 215th Street West, Lakeville, MN 55044
www.heatnglo.com

Please contact your Hearth & Home Technologies dealer with any questions or concerns.
 For the location of your nearest Heat & Glo dealer, please visit www.heatnglo.com