

HARMANTM
BUILT TO A STANDARD, NOT A PRICE

P35i PELLET INSERT



UNRIVALED EFFICIENCY AND TECHNOLOGY IN A COMPACT DESIGN

Sealed hopper holds
up to 62 pounds of
pellets

State-of-the-art,
whisper-quiet,
variable-speed
blower

The control panel is
hidden behind the left
side door



The large hopper
opening makes it easy
to fill with pellets.



Exclusive air wash
system keeps door
glass cleaner, longer

Large fire-viewing
glass door

Easy access to ash pan



0.04 emissions. Lowest emission
pellet appliance on record!

P35i PELLETS INSERT

The new P35i pellet insert delivers Harman's pellet technology in a compact design with all the performance and convenience you've come to expect. This pellet insert saves money with the help of our Pellet Pro Feeder and Burn Pot; the proven technology that burns high ash pellets with maximum efficiency.

The P35i is as cost effective as it is efficient! The P35i is the cleanest pellet stove on the market today, boasting a mere .04 emissions*. This means you can save money and the environment with the P35i.

*See EPA emissions report for more details


**0.04
EMISSIONS**

LOWEST EMISSION
PELLET APPLIANCE
ON RECORD!





Temperature control with the P35i helps maintain a consistent room temperature.



P35i FEATURES

Automatic Temperature Control

The P35i's automatic temperature control system eliminates the warm/cold cycle associated with most thermostatically controlled heating systems. Just set your desired room temperature and the P35i will automatically adjust its fire to keep your home at the temperature you prefer, even turning itself off and relighting as needed.

Automatic Ignition

The P35i Ignition System draws air across a specially designed heating element located in the bottom of the burn pot. The air is then heated to the point where it ignites the pellets as they enter the burn pot.

Harman Service Rail System

This unique optional Service Rail Kit allows the unit to be slid out of the fireplace to be cleaned or serviced without having to disconnect the venting system (Shown bottom right).

Unparalleled Technology and Design

Other innovative features of the P35i include:

- 0.04 emissions. Lowest emission pellet appliance on record!
- Exclusive exhaust sensing probe
- 62-pound hopper capacity
- Exclusive air wash system keeps door glass cleaner, longer
- Power cord can be placed on either side of insert
- Quiet operation
- Harman quality, fit and finish

Additional options for the P35i include:

- Ceramic log set for a wood fire look
- 100% outside air
- 3 in. vent pipe
- Zero clearance housing for use with wood mantle
- Insert Track installation supports
- Finish options include: Charcoal, Goldenfire Brown, and Black
- Available in 19.5" and 23.5" to accommodate various fireplace openings

Finish Options



Black



Charcoal



Goldenfire Brown

TEMPERATURE CONTROL

The secret behind the Harman P35i is its cutting-edge room sensor. Versatile enough to work anywhere in the room, this tiny sensor sends readings directly to the P35i's microprocessor, ensuring that your room temperature will remain constant without the fluctuations that occur with other brands of pellet appliances.

CONSTANT COMFORT

After your set temperature is achieved, it is constantly monitored by a sensing probe. If the temperature in the room drops even slightly, the P35i will increase its flame level. If an outside door is opened and the room temperature drops rapidly, the P35i will increase its fire in proportion to the temperature drop. And, if the outside temperature rises and no heat is needed, the P35i will automatically shut down but continue to monitor the room temperature in case it drops again.

QUALITY CONTROL

In addition to adjusting temperature levels, the P35i will automatically adjust itself for fuel quality. An ESP (Exhaust Sensing Probe) analyzes the output of the fuel being burned and adjusts the feed rate accordingly to increase the stove's efficiency.







Cleaning and maintenance is easy with the P35i's optional **Service Rail Kit**.

SPECIFICATIONS

P35i PELLET INSERT	BTU Range	Hopper Capacity	Heating Capacity ¹	Fuel Type	Blower Size	Outside Air Size	Fuse Rating	Feed Rate	Weight	Firebox Opening
	0 - 35,000	23.5" - 62 lbs. 19.5" - 41.5 lbs	800 - 2,100 sq. ft.	Wood Pellets, 50/50 Corn Mixture	160 cfm	3"	440 watts/ignition, 180 watts/operation	1.4 - 4.1 lbs/hr	262 lbs.	19.5" h x 24" w

CLEARANCES AND DIMENSIONS



SURROUND SIZES	
Standard Surround	31" x 40" x 1.75"
Large Surround	34" x 46" x 1.75"

ZERO CLEARANCE HOUSING (optional)	
24.7"H x 16.75"D	

CLEARANCE TO COMBUSTIBLES	Side wing to trim	Front hearth protection	Top of insert to mantel trim or ledge
	1"	6"	12"

Heat Your Home with Wood Pellets

Wood pellets have become a popular form of heat because they are environmentally friendly, extremely clean-burning, and cost-effective. Made of wood by-products such as, sawdust, wood chips, and other wood waste products, wood pellets typically measure 1/4" in diameter and 3/4" long. Wood pellets vary in cost, depending on the quality and ash content; however, most are conveniently packaged in 40-pound bags for easy handling.



Cleaning Your Pellet Insert

As with all Harman pellet appliances, maintenance is minimal and cleaning is easy. The Harman Insert Track System lets you slide the insert out of the fireplace so that it can be cleaned or serviced without having to disconnect the venting system. This innovative design is only available on Harman pellet inserts and lets you reach key components for yearly cleaning.

At Harman, we strive to provide home heating products that warm your home efficiently, are dependable, and easy to use. The P35i pellet insert keeps with this tradition.

YOUR HARMAN DEALER IS:

HARMAN
BUILT TO A STANDARD, NOT A PRICE

A BRAND OF
HEARTH & HOME TECHNOLOGIES®

352 MOUNTAIN HOUSE ROAD
HALIFAX, PA 17032
WWW.HARMANSTOVES.COM

facebook.com/HarmanStoves
twitter.com/HarmanStoves
youtube.com/HarmanStoves

Limited Lifetime Warranty²

The strongest in the industry, Harman provides a limited lifetime warranty on most important aspects: firebox and heat exchanger.

¹See your local authorized Harman dealer for help in determining the product that best suits your heating needs based on climate and home efficiency.

²For full warranty details, visit www.harmanstoves.com

Actual product appearance, including flame, may differ from image. Tested by OHM-Test Laboratories - ASTM-E1509, ULC-C1482, UL 127, EPA method 28A and 5G. Product specifications and pricing subject to change without notice. The images and descriptions in this brochure are provided to assist you in product selection only. Fuel density and pellet shape may affect hopper capacity. But's may vary depending on type of fuel used. Refer to installation manual for complete clearance requirements and specifications. Fireplace, stove and insert surfaces get extremely HOT and can cause severe burns if touched. Keep a safe distance away. To learn more visit www.fireplaces.com/fireplacesafety