


# COSMO

Clean lines and elegant ambiance never go out of style. Make the look your own with three sizes and several front and interior finishing options. Choose from traditional or driftwood logs. Set the mood with LED accent lighting and a long ribbon of flame. Operate your fireplace from an intuitive and safe control. Add heat management and direct the heat where you want it. Place your TV above with the optional Passive Heat kit.



## FRONT OPTIONS









CLEAN FACE TRIM

<sup>1</sup>Available for 42" only.

## INTERIOR OPTIONS



FADE-RESISTANT REFLECTIVE BLACK GLASS INTERIOR PANELS



DRIFTWOOD LOGS



TRADITIONAL LOGS



LED ACCENT LIGHTING



CRYSTAL GLASS



BLACK GLASS



AMBER GLASS



COBALT GLASS



BLACK GLASS BEADS



WHITE GLASS BEADS



**CLEAR GLASS BEADS** 



RIVER ROCK

## CONTROLS

## INTELLIFIRE APP

All the features of a remote control with an app installed on your smart device. Monitor your fire from anywhere or even control it with the

sound of your voice. IntelliFire is compatible with voice assistants Amazon Alexa and Google Assistant.



## TOUCHSCREEN REMOTE

lights and power vent are

dependent on your fireplace).

Features: on/off, flame height adjustment, fan speed, lights adjustment, thermostat mode, room temperature readout, child lock, timer mode, battery backup, cold climate mode, power vent, wall docking station (fan,

## WIRELESS WALL SWITCH

Features: on/off, battery strength indicator, cold climate mode.



### LED ACCENT LIGHTING CONTROL

LED accent lighting is set to desired color when installed. An optional LED light switch allows user to change the color at any time.



## **TECHNOLOGY**



INTELLIFIRE TOUCH IGNITION SYSTEM

IntelliFire Touch is our most advanced intermittent-pilot

ignition (IPI) system, making operating your appliance simple, smart and safe. Select the IntelliFire app, touch-screen remote control or wireless wall switch for the solution that fits your lifestyle.



DIRECT VENT TECHNOLOGY

Direct Vent fireplaces remove 100% of combustion exhaust and odors outside of the home.

These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality.

## HEAT MANAGEMENT



Solutions to help you manage the heat throughout your house.

#### PASSIVE HEAT™ KIT

Passive heat disperses heat naturally without moving parts, allowing TVs to be mounted 12" above the fireplace without a mantel or shelf.

## **HEAT-ZONE® KIT**

Reduce wall temperatures and redirect up to 50% of the heat from your fireplace to another room in your home.

## **HEAT OUT® KIT**

Redirect up to 40% of the heat from your fireplace and direct it outside for comfort year round.

#### OPTIONAL FAN

Move heat directly into the room for added comfort.




#### **OUR SUSTAINABILITY STORY**


Our history of leadership in the hearth industry compels us to now lead the way in developing manufacturing practices that ensure our planet remains as durable, beautiful and long-lasting as our products. Find out how we are leading the industry in sustainable practices by scanning the code.


MODEL	FRONT WIDTH (A)		HEIGHT (B)		DEPTH (C)		REAR WIDTH (D)		GLASS SIZE	BTU/HR INPUT	
MODEL	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	(E X F)	Brojiikiivi or	
COSMO 32"	36"	37"	38-1/16"	36-1/2"	17-3/4 <b>"</b>	17-3/4"	25-3/4"	37"	27-1/4" x 15-1/4"	19,000 [NG]	
	[914]	[940]	[967]	[927]	[451]	[451]	[654]	[940]	[692 mm x 387]	16,500 [LP]	
COSMO 36"	41"	42"	33-11/16"	32-3/4"	17-3/4"	17-3/4"	30-3/4"	42"	32-1/4" x 15-1/4"	20,500 (NG)	
	[10419]	[1067]	[856]	[832]	[451]	[451]	[781]	[1067]	[819 x 387]	19,000 (LP)	
COSMO 42"	48"	49"	33-11/16"	32-3/4"	17-3/4"	17-3/4 <b>"</b>	37-3/4"	49"	39" x 15-1/4"	25,250 [NG]	
	[1219]	[1245]	[856]	[832]	[451]	[451]	[959]	[1016]	[991 mm x 387]	23,500 [LP]	

#### PRODUCT DIMENSIONS












TOP VIEW

EDAMING DIMENSIONS

FRAMING DIMEN	1210112									
MODEL	А	В	С	D	Е	F <sup>2</sup>	G <sup>2</sup>	Н	I	J
COSMO 32"	8-5/8" [219]	36-1/2" [927]	17-3/4" [451]	37" [940]	31" [787]	0" [0]	0" [0]	1/2" [13]	1/2" [13]	36" [914]
COSMO 36"	8-5/8" (219)	32-3/4" (832)	17-3/4" (451)	42" (1067)	31" (787)	0" (0)	0" (0)	1/2" (13)	1/2" (13)	36" (914)
COSMO 42"	8-5/8" [219]	32-3/4" [832]	17-3/4" [451]	49" [1245]	31" [787]	0" [0]	0" [0]	1/2" [13]	1/2" [13]	36" [914]



Dimensions above are in inches and millimeters. Product information is not complete and is subject to change without notice. Product installation must adhere strictly to instructions shipped with product. We recommend measuring individual units at installation. Assumes the use of 1/2-inch drywall. NOTE: Combustible material should not cover the face. Make sure you do NOT cover the decorative door opening.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Actual product appearance, including flame, may differ from product images.

## **EFFICIENCIES**

EnerGuide (CSA P.4.1-15) EnerGuide is a rating used in Canada to measure annual fireplace efficiency.

COSMO 42	COSMO 36	COSMO 32
63.8% (NG)	63.0% (NG)	51.1% (NG)


For complete information on this model, please contact us at:



No one builds a better fire

Web: heatnglo.com Phone: (888) 427-3973 E-mail: info@heatnglo.com





HNG-1092U-0324





#### LIMITED LIFETIME WARRANTY<sup>3</sup>

The strongest in the industry, Heat & Glo provides a limited lifetime warranty on the most important aspects: firebox and heat exchanger.

<sup>3</sup>For full warranty details see heatnglo.com Fireplace glass and other surfaces get extremely HOT and can cause severe burns if touched. Do not remove the protective safety screen from the front of the glass. Keep a safe distance away. To learn more visit www.heatnglo.com/fireplace safety.

Google, YouTube and Google Home are trademarks of Google LLC. Amazon, Alexa, and all related logos are trademarks of Amazon.com, Inc. or its affiliates.