



FIRE

GAS | WOOD | ELECTRIC | OUTDOOR

HEAT & GLO®



NO ONE
BUILDS
A BETTER
FIRE.

THE PURSUIT OF INNOVATION

Heat and Glo is fueled by innovation and driven to prove “No One Builds A Better Fire.” The brand was founded in 1975 in a small Minnesota garage by brothers Ron and Dan Shimek. In 1987, the brand introduced direct vent technology—forever changing the way fireplaces function.

Much has changed since its beginning. Yet much remains the same. Today, Heat and Glo continues on an endless pursuit; pushing the boundaries of where fire can go and how it can look.

DESIGN

Design is an integral part of form and function. With Heat and Glo, meticulous product development creates cutting-edge designs with creative applications. An expansive breadth of offerings is available, from traditional to ultramodern, with more than 40 models and countless styles.

INNOVATIVE TECHNOLOGY

Heat and Glo holds the most patents, honors and awards in the industry. The brand created fire from water, and also developed exclusive technologies like FireBrick® and IntelliFire® Touch. Heat and Glo is always pushing the envelope with technology for today, and innovation for tomorrow.



FIREPLACE TABLE OF CONTENTS

TRADITIONAL GAS FIREPLACES	10
Premium.....	12
Mid-Range	20
Basic.....	32
MODERN GAS FIREPLACES	38
Premium.....	40
Mid-Range	44
Basic.....	50
GAS FIREPLACE INSERTS	58
Premium.....	60
Mid-Range	62
Basic.....	64
Contemporary	66
TRADITIONAL WOOD FIREPLACES	68
Premium.....	70
Mid-Range	78
Basic.....	80
ELECTRIC FIREPLACES	82
Premium.....	84
Mid-Range	94
Basic.....	98
ELECTRIC FIREPLACE INSERTS	100
INDOOR/OUTDOOR GAS FIREPLACES	104
OUTDOOR FIREPLACES	112

PREMIUM

A product series offering the finest features and options.

MID-RANGE

A product series offering enhanced consumer benefits with improved features and options.

BASIC

A product series offering essential consumer benefits.



✓ CAD DETAILS

✓ REVIT OBJECTS


✓ CSI SPECS

HEAT AND GLO MAKES SPECIFYING SIMPLE

Have confidence in your plans by leveraging our array of design and specification tools including proprietary CAD drawings compatible with the latest AutoCAD software, and 3D Revit BIM objects and families. Heat and Glo also has complete three-part CSI/CSA fireplace specifications for you to add instantly into section 10-31-00 of your construction documents.


DESIGN CONSIDERATIONS

The placement of the fireplace is critical to specifying the right fireplace for the right project.




EXTERIOR WALL

A classic application that suits both traditional and contemporary fireplace models. These applications typically require the least complicated vent runs, but may require an exterior chase or bump out.



CORNER

Best used in floorplans with square footage to spare or where other architectural elements (i.e. windows) take precedence as a focal point. Traditional models or smaller modern linear units work best for these applications.



INTERIOR WALL / ISLAND

An interior island application is an innovative way to enhance a space. See-through models are highly desired for these types of design, particularly in open floorplans. These applications may require a power vent system and a more complex vent run.



Install Virtually Anywhere: Power Vent Technology

Fireplaces aren't just for exterior walls. A fan-powered accessory with slim venting can zigzag throughout your home – up, down, over or under – making it possible to install a gas fireplace virtually anywhere.



SPECIFICATION CHECK LIST

Planning is critical to ensure the model you are specifying will work with your construction plans. When specifying a fireplace model for your building, make sure to work with your local Hearth Expert and consider the following factors:



FRAMING DIMENSIONS

For both the fireplace itself and for any vent pipes that must terminate through a wall.



CONNECTION REQUIREMENTS

Make sure you understand where venting, gas and electrical connection points are on the model you're specifying.



VENT RUN REQUIREMENTS

The maximum and minimum lengths required for vertical, horizontal and mixed vent runs may vary from model to model. Understanding these parameters early on is essential in deciding where best to place the fireplace in your plans.



CLEARANCES TO COMBUSTIBLES


For mantels, surround material and appliances above the fireplace, be sure to consider clearances to combustibles.



EXTERIOR TERMINATION LOCATION

Know the distances needed from the termination cap to nearby windows, overhangs, soffits and sidewalks.

KEY TECHNOLOGIES



DIRECT VENT TECHNOLOGY

Direct vent fireplaces remove 100% of combustion exhaust and odors from the home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality.



POWER VENT TECHNOLOGY

A power vent is a fan-powered accessory allowing for longer more complicated vent runs – making it possible to install a gas fireplace virtually anywhere in a property.



WHISPERTONE TECHNOLOGY

Patent-pending system which allows airflow with minimal sound, the ability to horizontally terminate and an automatic damper which stops air movement when the fireplace is off, thus preventing cold air infiltration into the home.



INTELLIFIRE® IGNITION SYSTEMS

Advanced intermittent pilot ignition systems with memory settings and programmable RC300 or RC400 remote controls. IPI systems constantly monitor ignition, ensures safe functioning and conserves up to \$10/month in energy costs. Options Include IntelliFire, IntelliFire Plus and IntelliFire Touch.



FIREBRICK® TECHNOLOGY

FireBrick is a patented, energy-saving ceramic material molded in a variety of masonry designs. FireBrick produces up to 25% more radiant heat than metal fireboxes – heating rooms faster and using less fuel. This increases efficiency and reduces heating costs.

PRODUCT FEATURES



BLACK GLASS



LED EMBER
BED



ANTI-REFLECTIVE
GLASS



LED ACCENT
LIGHTING



BLUETOOTH




HIGH-DEFINITION
LOGS

HEAT MANAGEMENT SOLUTIONS

Increase homebuyer satisfaction by specifying a model with heat management.



HEAT-ZONE® KIT Draw heat from your fireplace to another room in your home, up to 20 feet away. Redirect up to 50% of the heat, while reducing wall temperatures above the fireplace.



HEAT-OUT® KIT Draw heat from your fireplace and direct it outside. Redirect up to 40% of the heat while reducing wall temperatures above the fireplace.



PASSIVE HEAT KIT Allows heat to disperse naturally (no fan) into the room, reducing surface temperatures. Choose side, front or open wall register.



Side Register



Front Register



Open Wall Register



TRADITIONAL GAS FIREPLACES



WHY A GAS FIREPLACE?

Gas fireplaces offer the most versatility of placement, model variety and technology. A gas fireplace will not only add an unforgettable focal point to your space, but ambiance and comfort to the properties you're creating. Gas-burning fireplaces are clean and efficient. Building and design professionals should add at least one in entry-level new construction homes and a second or third fireplace when planning move-up or luxury/custom properties.

¹ 2016 Realtor.com Homebuyer and Realtor Research, "Fireplace is the #1 Must Have Home Feature"; 2016 Angie's List Homebuyer and Realtor Research, "Both indoor and outdoor fireplaces are one of the most sought after home features by both homebuyers and realtors"
² Marshall and Swift Residential Cost Handbook
³ 2013 NAHB "What Homebuyers Really Want"



Both indoor and outdoor fireplaces remain in the "Top 5" decorative product features by homebuyers.

– 2017 Homebuyer Housing Preferences across Generations, NAHB



Indoor fireplaces are the "#1 must have" home feature for homebuyers.

– 2016 Realtor.com Homebuyer and Realtor Research



Fireplaces, both indoor and outdoor, are one of the top most sought after features by homebuyers and realtors.

– 2016 Angie's List Homebuyer and Realtor Research



Fireplaces/firepits are the #1 most popular outdoor design element.

– 2018 American Society of Landscape Designers
 Annual Residential Landscape Architecture Trends Survey



42"

PHOENIX

TRUEVIEW GAS FIREPLACE

The Phoenix is designed with a large glass-free view and the authentic look of a traditional wood fireplace. Be captivated by the beautiful hand-painted logs, glowing LED ember bed and bold flames in a traditional brick or modern reflective Black Glass interior. Safely place a TV 12" above the opening with no mantel required. Set the mood with mild heat for year round enjoyment and stream music or the sound of a crackling fire through Bluetooth® speakers for a truly immersive experience. Phoenix. The convenience of gas without the glass.

INTERIOR PANELS



FADE-RESISTANT REFLECTIVE BLACK
GLASS INTERIOR PANELS



TRADITIONAL BRICK
INTERIOR PANELS

EMBER BED



GLOWING LED EMBER BED

DOORS




BLACK GRAND VISTA
SCREEN DOORS


SPECIFICATIONS

MODEL	FRONT WIDTH (A)		HEIGHT (B)		DEPTH (C)		REAR WIDTH (D)		VIEWING AREA (E x F)	BTU/HR INPUT
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING		
PHOENIX42-1FT	50-3/8" [1280]	51-3/8" [1305]	74-1/8" [1883]	74-5/8" [1895]	28-1/2" [724]	28" [711]	34-5/8" [879]	51-3/8" [1305]	42" x 28-1/2" [1068 x 723]	65,000


TOP VIEW




FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES



BLUETOOTH



WHISPERTONE



INTELLIFIRE
TOUCH



DIRECT VENT



BLACK GLASS



LED EMBER
BED



HIGH-DEFINITION
LOGS



36" 42" 50"

TRUE


DIRECT VENT GAS FIREPLACE

The TRUE offers the most authentic masonry appearance available in a direct vent gas fireplace. The best fire, cleanest look and largest view available comes in three sizes with high definition logs, LED accent and ember lighting and reflection-free glass. It's an attractive, powerful fireside experience – a TRUE innovation in traditional style.


SPECIFICATIONS

MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE (E x F)	BTU/HOUR INPUT (NG)
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
TRUE-36	61" [1549]	59-1/2" [1511]	59-1/4" [1505]	59-1/2" [1511]	57-5/8" [1464]	56" [1422]	24" [610]	24" [610]	35-7/8" x 31-1/16" [911 x 789]	28,000 - 45,500
TRUE-42	67" [1702]	65-9/16" [1665]	65-5/16" [1659]	65-9/16" [1665]	62-5/8" [1591]	61" [1549]	24" [610]	24" [610]	41-7/8" x 36-1/16" [1064 x 916]	30,500 - 55,500
TRUE-50	75" [1905]	73-9/16" [1869]	73-5/16"	73-9/16" [1869]	66-5/8" [1692]	65" [1651]	24" [610]	24" [610]	49-7/8" x 40-1/16" [1267 x 1018]	36,000 - 65,000


TOP VIEW




FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES



BLACK GLASS



LED EMBER
BED



ANTI-REFLECTIVE
GLASS



LED ACCENT
LIGHTING



DIRECT VENT



HEAT-ZONE



POWER VENT



INTELLIFIRE
TOUCH


FRONTS



FIRESCREEN



FIRESCREEN ARCH




FORGE
Hand-crafted, hammered steel




FORGE ARCH
Hand-crafted, hammered steel


FINISHES FOR FIRESCREEN AND FIRESCREEN ARCH



BLACK



NEW
BRONZE



GUN METAL

INTERIOR PANELS



TRANQUIL GREIGE HERRINGBONE



STRATFORD



FADE RESISTANT REFLECTIVE
BLACK GLASS





36" 42"

CERONA

DIRECT VENT GAS FIREPLACE

The Cerona is the only true-arched fireplace on the market. The arched elegance pairs well with robust flames and impressive efficiency. Patented, heat-radiating FireBrick® material and cantilevered corners provide the beauty of a custom-built masonry fireplace.

CERONA

FRONTS



CHATEAU FORGE available in hand-crafted hammered steel




IRON AGE available in Black, Gun Metal and New Bronze




FIRESCREEN available in Black, Gun Metal and New Bronze


FINISHES



BLACK





GUN METAL




NEW
BRONZE

SPECIFICATIONS


MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE (E x F)	BTU/HR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
CERONA-36-IFT	41-1/8" [1046]	42-1/8" [1070]	28-1/2" [724]	42-1/8" [1070]	49-7/8" [1268]	50-1/2" [1283]	21-3/4" [551]	22-1/4" [565]	30-1/4" X 23-1/2" [767 X 595]	20,000-36,000 (NG)
CERONA-42-IFT	48-1/8" [1223]	49-1/8" [1248]	35-3/8" [900]	49-1/8" [1248]	54" [1372]	54-1/2" [1384]	21-3/4" [551]	22-1/4" [565]	35-7/8" X 27-3/4" [912 X 704]	25,000-48,000 (NG)



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES



INTELLIFIRE
TOUCH



DIRECT VENT



FIREFRICK



HEAT-ZONE



36" 42"

6K and 8K SERIES

DIRECT VENT GAS FIREPLACE

Come home to the comfort of a perfect fire. A remarkable balance of flame, glow and ambiance, the 6K/8K Series from Heat and Glo® offers the look and feel of a traditional fire with the cutting-edge technology of voice control and heat management. Multiple on-trend front styles, choices of interior brick patterns and hand-crafted logs will quickly make a place in front of this fire your favorite spot in the house.

6K and 8K SERIES

SPECIFICATIONS


MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		VIEWING AREA (E X F)
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	
6K-KL-KX	41" (1041)	42" (1067)	28-3/8" (721)	42" (1067)	40-7/8" (1038)	40-1/8" (1019)	21-7/16" (545)	22" (559)	34-1/4" X 24-3/4" (870 X 629)
8K-KL-KX	48-1/16" (1221)	49" (1245)	35-3/8" (899)	49" (1245)	42-7/8" (1089)	42-1/8" (1070)	21-7/16" (545)	22" (559)	41-1/4" X 26-11/16" (1048 X 678)

LEFT VIEW

FRONT VIEW

RIGHT VIEW

TOP VIEW



TECHNOLOGIES



INTELLIFIRE



DIRECT VENT



HEAT-ZONE



POWER VENT



LED ACCENT
LIGHTING



LED EMBER
BED



HIGH-DEFINITION
LOGS



BLACK GLASS



ANTI-REFLECTIVE
GLASS

6K and 8K SERIES

FRONTS



FOLIO
Available in Black




STUDIO
Available in Black, Gun Metal
and New Bronze



PORTRAIT
Available in Black with trim in
Burnished Brass, Vintage Copper or
Satin Nickel



LOFT
Available in Black, Gun Metal
and New Bronze





CHAPEL
Available in Black, Gun Metal
and New Bronze






FORGE
Available in Natural Finish

PORTRAIT FRONT TRIM COLORS



FINISHES



LOG SETS



BIRCH



OAK

INTERIOR PANELS



SERENE JUTE




CALM UMBER



TRANQUIL GREIGE



REFLECTIVE BLACK
GLASS*



MATTE BLACK
GLASS*



* Two-sided interior panel





ESCAPE SEE-THROUGH

DIRECT VENT GAS FIREPLACE

Take comfort to the next level with the Escape model. Flames rise through intricate logs and are complemented by electric embers and accent lighting for a broad fire. Enjoy the Escape See-Through from two rooms, with arched or square front designs.

ESCAPE SEE-THROUGH

FRONT




FIRESCREEN



ARCHED FIRESCREEN


FINISHES



BLACK



NEW
BRONZE



GUN METAL

INTERIOR PANELS




STRATFORD BRICK


SPECIFICATIONS

MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE (E x F)	BTU/HOUR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
ESCAPE SEE-THROUGH (IFT)	59-15/16" [1522]	60-1/4" [1530]	59-15/16" [1524]	60-1/4" [1530]	46-3/8" [1178]	46-1/2" [1181]	30" [762]	30" [762]	39-7/16" x 35-1/8" [1002 X 892]	43,500 - 57,500


TOP VIEW




FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES



INTELLIFIRE



INTELLIFIRE
TOUCH



DIRECT VENT



POWER VENT



LED EMBER
BED



BLACK GLASS



MULTI-SIDED

DIRECT VENT GAS FIREPLACES

Multi-Sided fireplaces present an opportunity to divide a space elegantly, act as a window between rooms or provide dramatic architectural elements. Pier, see-through and left- or right-corner models showcase fire in more ways. Create your own, unique hearth with a variety of sizes, styles and finishing options.



MULTI-SIDED



MULTI-SIDED

FRONT



FIRESCREEN Available in Black

INTERIOR PANELS



WEATHERED TRADITIONAL BRICK
(See-through and Pier only)



REFLECTIVE BLACK GLASS
(See-through and Pier only)



BLACK METAL PANELS
(See-through and Pier only)



BRICK
(Left and Right Corner Only)

INTERIOR MEDIA Available only for See-Through and Pier with optional contemporary kit.



CRYSTAL GLASS



EBONY GLASS



COBALT GLASS



AMBER GLASS



SCARLET GLASS



ICED FOG GLASS




CAST STONES

MULTI-SIDED


PIER SPECIFICATIONS

MODEL	SIDES WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE (E x F)	BTU/HOUR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
PIER-DV36IN	40-1/2" [1029]	40" [1016]	40-1/2" [1029]	40" [1016]	38" [965]	38-1/8" [968]	24" [610]	23" [584]	33" X 21-5/8" [838 X 549]	21,000 - 38,000


TOP VIEW




SIDES VIEW



VIEWABLE END




NON-VIEWABLE END




SEE-THROUGH SPECIFICATIONS

MODEL	SIDES WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE (E x F)	BTU/HOUR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
ST-DV36IN	42-1/2" [1080]	43" [1092]	42-1/2" [1080]	43" [1092]	38" [965]	38-1/8" [968]	24" [610]	23" [584]	33" X 21-5/8" [838 X 549]	21,000 - 38,000


TOP VIEW




FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW




MULTI-SIDED


CORNER SPECIFICATIONS

MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE (E x F)	BTU/HOUR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
LCOR/RCOR-DV36IN	40-1/2" [1029]	40" [1016]	40-1/2" [1029]	40" [1016]	38" [965]	38-1/8" [968]	24-1/2" [622]	24" [610]	33" X 21-5/8" [838 X 549]	21,000 - 38,000


TOP VIEW




FRONT VIEW



VIEWABLE END



NON-VIEWABLE END



TECHNOLOGIES



INTELLIFIRE
TOUCH



DIRECT VENT



POWER VENT



HEAT-ZONE



LED EMBER
BED



BLACK GLASS



28" 32" 36" 42"

SLIMLINE SERIES

DIRECT VENT GAS FIREPLACE


SlimLine fireplaces fit where others don't. Slender profiles make unique installations a reality. Bring your vision to life with multiple models, sizes and finishing options. The ideal combination of flame, glow and logs creates a fireside experience you never want to leave.

SLIMLINE SERIES


SPECIFICATIONS

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		GLASS SIZE	BTU/HR INPUT (NG)
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING		
SL-3X	33" [838]	34" [864]	22-3/4" [578]	34" [864]	32-3/8" [822]	32-3/4" [832]	16-1/4" [413]	16-1/4" [413]	24-1/8" X 16" [613 x 406]	11,500-21,000
SL-5/5X	36" [913]	37" [940]	25-3/4" [653]	37" [940]	34-3/8" [873]	34-3/4" [882]	16-5/16" [415]	16-1/4" [413]	27-3/16" X 18-1/16" [691 x 459]	14,900-21,000 (5) 14,500-27,500 (5X)
SL-7/7X	41" [1041]	42" [1067]	30-3/4" [781]	42" [1067]	37-7/8" [962]	38-1/4" [972]	16-5/16" [415]	16-1/4" [413]	32-1/16" X 21-1/2" [814 x 546]	17,500-25,000 (7) 17,500-30,500 (7X)
SL-9/9X	48" [1218]	49" [1245]	37-3/4" [959]	49" [1245]	39-9/16" [1005]	40-1/4" [1022]	16-5/16" [415]	16-1/4" [413]	39-1/16" X 23-9/16" [992 x 599]	23,500-30,000 (9) 18,000-35,000 (9X)


TOP VIEW




FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES



INTELLIFIRE



DIRECT VENT



POWER VENT



LED EMBER
BED



BLACK GLASS



HEAT-ZONE



HEAT-OUT

SLIMLINE SERIES

FRONTS



CHATEAU FORGE
Handcrafted, hammered steel.
Not available for 3X.



ARCADIA
Black, New Bronze or Gun Metal.
Not available for 3X.



CLEAN FACE
Black, New Bronze or Gun Metal.
Not available for 3X.



HALSTON
Available for all models in Black, New
Bronze or Gun Metal.



FIRESCREEN
Available for all models in Black.

FINISHES

BLACK

NEW
BRONZE

GUN METAL

INTERIOR PANELS



STRATFORD BRICK PANELS
Included standard on X
collection models. Optional
upgrade for SL models.




**FADE-RESISTANT REFLECTIVE BLACK
GLASS PANELS**
Optional upgrade for all models.



TRANQUIL GREIGE BRICK PANELS
Standard on X collection models

SLIMLINE SERIES





36" 42"

REVEAL

B-VENT GAS FIREPLACE

Recreate the timelessness of a wood-burning fire with the open-hearth Reveal. Match your mood and enjoy full, generous flames with the optional doors open or closed.

REVEAL

DOORS



NON-OPERABLE GLASS DOOR



OPERABLE BI-FOLD GLASS DOOR

INTERIOR PANELS




TRADITIONAL


SPECIFICATIONS

MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		VIEWING AREA (E x F)	BTU/HR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
RBV4236	41" [1041]	42" [1067]	23-3/4" [603]	42" [1067]	39-1/2" [1003]	39-3/4" [1010]	21-1/2" [546]	22" [559]	36" x 21" [914 x 533]	40,000 (NG)
RBV4842	47" [1194]	48" [1219]	29-3/4"[756]	48" [1219]	39-1/2" [1003]	39-3/4" [1010]	21-1/2" [546]	22" [559]	42" x 21" [1067 x 533]	43,000 (NG)


TOP VIEW




FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES



INTELLIFIRE



MODERN GAS FIREPLACES



MODERN STYLE, TIMELESS APPEAL

The move to modern fireplaces is a trend that's here to stay. From sleek, modern linear fireplaces to unique models with dazzling features, our line of modern fireplaces will help you create an “impact wall” for your clients that will be the envy of the neighborhood. Make sure to specify a model that matches your project goals – select premium models for luxury properties and mid-range or basic models for move-up and entry-level homes.



PREMIUM

Perfect for mid-size to large rooms and commercial buildings. The combination of seamless, clean-finish options, very active flame, multi-colored LED lighting and standard accessories make these fireplaces one of a kind.



MID-RANGE

Works great for mid-size to large rooms. Comes standard with LED lighting, wireless control and an active flame. Multiple customizable options to fit any type of room.



BASIC

Basic modern fireplaces are ideal for small to mid-size rooms. Calm flame, modest heat output and optional accessories complement your décor.



48" 60" 72"

PRIMO II

DIRECT VENT GAS FIREPLACE

Live in year-round comfort with the Primo II linear gas fireplace and its trailblazing automatic control for low or no heat. The sleek, clean finish, big view of the flames and whisper-quiet operation set the mood for relaxing or entertaining in any season or climate.

PRIMO II


SPECIFICATIONS: SINGLE-SIDED

MODEL	FRONT WIDTH (A)		HEIGHT (B)		DEPTH (C)		GLASS SIZE (D x E)	BTU/HOUR INPUT (NG)
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING ³		
PRIMO-II-48	64-3/8" [1635]	66-3/4" [1695]	40-13/16" [1037]	45" [1143]	18-1/4" [464]	18" [457]	48" x 18" [1219 X 457]	31,500 - 45,000 BTUs (NG) 31,000 - 42,000 BTUs (LP)
PRIMO-II-60	76-3/8" [1940]	78-3/4" [2000]	40-13/16" [1037]	45" [1143]	18-1/4" [464]	18" [457]	60" x 18" [1524 X 457]	39,500 - 57,000 BTUs (NG) 36,500 - 50,000 BTUs (LP)
PRIMO-II-72	88-3/8" [2245]	90-3/4" [2305]	40-13/16" [1037]	45" [1143]	18-1/4" [464]	18" [457]	72" x 18" [1829 X 457]	42,000 - 58,500 BTUs (NG) 40,500 - 55,000 BTUs (LP)


SPECIFICATIONS: DOUBLE-SIDED

MODEL	FRONT WIDTH (A)		HEIGHT (B)		DEPTH (C)		GLASS SIZE (D x E)	BTU/HOUR INPUT (NG)
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING ³		
PRIMO-II-48ST	64-3/8" [1635]	66-3/4" [1695]	40-13/16" [1037]	45" [1143]	18-1/4" [464]	17" [432]	48" x 18" [1219 X 457]	31,500 - 45,000 BTUs (NG) 31,000 - 42,000 BTUs (LP)
PRIMO-II-60ST	76-3/8" [1940]	78-3/4" [2000]	40-13/16" [1037]	45" [1143]	18-1/4" [464]	17" [432]	60" x 18" [1524 X 457]	39,500 - 57,000 BTUs (NG) 36,500 - 50,000 BTUs (LP)
PRIMO-II-72	88-3/8" [2245]	90-3/4" [2305]	40-13/16" [1037]	45" [1143]	18-1/4" [464]	17" [432]	72" x 18" [1829 X 457]	42,000 - 58,500 BTUs (NG) 40,500 - 55,000 BTUs (LP)


TOP VIEW - SEE-THROUGH




TOP VIEW - SINGLE-SIDED




FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES



SAFESURFACE
GLASS



LED ACCENT
LIGHTING



INTELLIFIRE
TOUCH



DIRECT VENT



POWERFLOW II

PRIMO II

SINGLE-SIDED



DOUBLE-SIDED



FIVE INTERIOR PANEL OPTIONS



STONE COLUMN



ARCHITECTURAL



FLUTED BLACK GLASS



MARBEL BLACK GLASS <two-sided panel>



REFLECTIVE BLACK GLASS

THREE LOG SETS



BIRCH



DRIFTWOOD



OAK

FOUR CRUSHED GLASS COLORS + RIVER ROCKS



CRYSTAL GLASS



COPPER GLASS



SMOKED GLASS



GRAPHITE GLASS



RIVER ROCKS

SEVEN LED EMBER BED LIGHTING COLORS




WHITE LIGHT



AQUA LIGHT



BLUE LIGHT



GREEN LIGHT



ORANGE LIGHT



RED LIGHT



MAGENTA LIGHT





36" 48" 60" 72"

MEZZO

DIRECT VENT GAS FIREPLACE

You've never experienced modern design like this. Clean. Discreet. Affordable luxury. In four sizes, with single-sided and see-through models and a variety of finishing options. We spared nothing, to give you everything. It's modern design, redefined.

MEZZO

SINGLE-SIDED




SEE-THROUGH



FRONTS



LOFT FORGE¹
Hammered steel




QUATTRO¹
Black or New Bronze



CLEAN FACE TRIM
Black, New Bronze or Stainless Steel

FINISHES



INTERIORS



CRYSTAL GLASS

EBONY GLASS

AMBER GLASS

COBALT GLASS

SCARLET GLASS

ICED FOG GLASS

NATURAL LOGS²

DRIFTWOOD LOGS²

RIVER ROCKS²

1: Not available for 72-inch model. 2: Requires glass media

SPECIFICATIONS


MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE (E x F)	BTU/HOUR INPUT (NG)
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
MEZZO36, MEZZO36ST	46-3/16" [1173]	48-1/4" [1226]	46-3/16" [1173]	48-1/4" [1226]	41-3/4" [1060]	42" [1067]	17-1/8" [435]	18-1/4" [464] ST: 17" [432]	35-1/2" x 12-1/2" [908 x 318]	17,500 - 30,000
MEZZO48, MEZZO48ST	58" [1473]	60-1/4" [1530]	58" [1473]	60-1/4" [1530]	41-3/4" [1060]	42" [1067]	17-1/8" [435]	18-1/4" [464] ST: 17" [432]	47-1/2" x 12-1/2" [1207 x 318]	21,000 - 40,000
MEZZO60, MEZZO60ST	70" [1778]	72-1/4" [1835]	70" [1778]	72-1/4" [1835]	47-3/4" [1213]	48" [1219]	17-1/8" [435]	18-1/4" [464] ST: 1" [432]	59-1/2" x 12-1/2" [1511 x 318]	26,000 - 50,000
MEZZO72, MEZZO72ST	82" [2083]	84-1/4" [2140]	82" [2083]	84-1/4" [2140]	47-3/4" [1213]	48" [1219]	17-1/8" [435]	18-1/4" [464] ST: 17" [432]	71-1/2" x 12-1/2" [1861 x 318]	30,000 - 58,000

LEFT SIDE VIEW

FRONT VIEW

RIGHT SIDE VIEW

TOP VIEW - SINGLE-SIDED



TECHNOLOGIES



BLACK GLASS


LED ACCENT
LIGHTING

INTELLIFIRE
TOUCH


DIRECT VENT



HEAT-ZONE



PASSIVE HEAT



36" 42"

6K and 8K MODERN

DIRECT VENT GAS FIREPLACES

The Modern version of 6K/8K Series—the best-selling gas fireplace in its category—fits your vibe with clean look in a class by itself. A bigger view, trend-forward design, voice control and heat management are at home in any décor.

6K and 8K

FRONTS



FOLIO
Available in Black



STUDIO
Available in Black, Gun Metal and
New Bronze



PORTRAIT
Available in Black with trim in
Burnished Brass,
Vintage Copper or Satin Nickel



LOFT with ClearVue mesh
Available in Black, Gun Metal and
New Bronze



CHAPEL with ClearVue mesh
Available in Black, Gun Metal and
New Bronze



FORGE with ClearVue mesh
Available in natural finish

FINISHES



BLACK



GUN METAL



NEW BRONZE

PORTRAIT TRIM COLORS



BURNISHED BRASS



SATIN NICKEL



VINTAGE COPPER

PANELS



MATTE BLACK GLASS



REFLECTIVE BLACK GLASS

MEDIA FOR MODERN FIREPLACES



CRYSTAL GLASS



COPPER GLASS



SMOKED GLASS



GRAPHITE GLASS

LOGS AND STONES



DRIFTWOOD LOGS




STONES

6K and 8K


SPECIFICATIONS

MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		VIEWING AREA (E X F)
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	
6K MODERN	41" (1041)	42" (1067)	28-3/8" (721)	42" (1067)	40-7/8" (1038)	40-1/8" (1019)	21-7/16" (545)	22" (559)	34-1/4" X 24-3/4" (870 X 629)
8K MODERN	48-1/16" (1221)	49" (1245)	35-3/8" (899)	49" (1245)	42-7/8" (1089)	42-1/8" (1070)	21-7/16" (545)	22" (559)	41-1/4" X 26-11/16" (1048 X 678)


LEFT VIEW




FRONT VIEW



RIGHT VIEW



TOP VIEW



BTUs	NG
6MOD	17,000 - 34,000
8MOD	18,000 - 36,000

Dimensions are in inches and millimeters. Product information is not complete and is subject to change without notice. Product installation must adhere strictly to instructions shipped with product. We recommend measuring individual units at installation. NOTE: Combustible material should not cover the face. Refer to installation manual for detailed specifications on installing this product. Hearth and Home Technologies reserves the right to update units periodically. Actual product appearance, including flame, may differ from product images.

TECHNOLOGIES



INTELLIFIRE



DIRECT VENT



HEAT-ZONE



POWER VENT



ANTI-REFLECTIVE
GLASS



BLACK GLASS



32" 36" 42"

COSMO

DIRECT VENT GAS FIREPLACE

COSMO gas fireplaces provide warmth, ambiance and chic contemporary detail. Two sizes with multiple finishing options deliver a bold design statement through a functional focal point.

SPECIFICATIONS

MODEL	FRONT WIDTH (A)		HEIGHT (B)		DEPTH (C)		REAR WIDTH (D)		GLASS SIZE (E x F)	BTU/HR INPUT
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING		
COSMO 32	36" [914]	37" [940]	38-1/16" [967]	36-1/2" [927]	17-3/4" [451]	17-3/4" [451]	25-3/4" [654]	37" [940]	27-1/4" x 15-1/4" [692 mm x 387]	19,000 [NG] 16,500 [LP]
COSMO 36"	41" [10419]	42" [1067]	33-11/16" [856]	32-3/4" [832]	17-3/4" [451]	17-3/4" [451]	30-3/4" [781]	42" [1067]	32-1/4" x 15-1/4" [819 x 387]	20,500 (NG) 19,000 (LP)
COSMO 42	48" [1219]	49" [1245]	33-11/16" [856]	32-3/4" [832]	17-3/4" [451]	17-3/4" [451]	37-3/4" [959]	49" [1016]	39" x 15-1/4" [991 mm x 387]	25,250 [NG] 23,500 [LP]






TOP VIEW

FRONT VIEW

LEFT VIEW

32" RIGHT VIEW

36" and 42" RIGHT VIEW



TECHNOLOGIES



BLACK GLASS



LED ACCENT
LIGHTING



INTELLIFIRE
TOUCH



HEAT-ZONE



PASSIVE HEAT



HEAT-OUT

FRONTS



MARTINI FRONT
Graphite and New Bronze



CLEAN FACE TRIM
Graphite, New Bronze, Black and Stainless Steel

FINISHES

BLACK	NEW BRONZE
STAINLESS STEEL ¹	GRAPHITE

INTERIORS



FADE-RESISTANT REFLECTIVE BLACK GLASS
INTERIOR PANELS



DRIFTWOOD LOGS



TRADITIONAL LOGS



LED ACCENT LIGHTING²



CRYSTAL GLASS



BLACK GLASS
STANDARD



AMBER GLASS



BLUE GLASS



BLACK GLASS BEADS



WHITE GLASS BEADS



CLEAR GLASS BEADS



RIVER ROCK





32" 36"

SLIMLINE FUSION


DIRECT VENT GAS FIREPLACE

You can personalize this unique member of the SlimLine Series with modern stones or glass, or traditional logs. Create a style uniquely yours – a fusion of modern and traditional elements.


SPECIFICATIONS

MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE (E x F)	BTU/HOUR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
SL-5F	36" [914]	37" [940]	25-3/4" [654]	37" [940]	34-3/8" [873]	34-3/4" [883]	16-5/16" [414]	16-1/4" [413]	27-3/16" x 18-1/16" [691 x 459]	12,000-19,500 (NG) 13,500-17,000 (LP)
SL-7F	41" [1041]	42" [1067]	30-3/4" [781]	42" [1067]	37-7/8" [962]	38-1/4" [972]	16-5/16" [414]	16-1/4" [413]	32-1/16" x 21-1/2" [814 x 546]	16,500-24,000 (NG) 16,500-20,500 (LP)


TOP VIEW




FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES



BLACK GLASS



INTELLIFIRE



DIRECT VENT



HEAT-ZONE



POWER VENT

FRONTS



FIRESCREEN


Available in Black only




CLEAN FACE

Black, New Bronze, Gun Metal


FINISHES



BLACK



NEW
BRONZE



GUN METAL

STANDARD LOGS OR OPTIONAL GLASS AND STONES



LOGS (STANDARD)



CRYSTAL GLASS



BLACK GLASS



AMBER GLASS



BLUE GLASS



WHITE GLASS BEADS



BLACK GLASS BEADS



CLEAR GLASS BEADS



CERAMIC FIBER STONES





GAS FIREPLACE INSERTS

NO MESS. NO HASSLE.



BEFORE



AFTER

GAS INSERTS: AN INSTANT UPGRADE

Heat and Glo gas inserts provide an instant upgrade to any hearth, designed to fit directly into the existing masonry or manufactured wood-burning fireplace. Inserts instantly transform a drafty, dated fireplace into an easy, efficient and reliable heat source.



30" 35"

ESCAPE

DIRECT VENT GAS INSERT

The Escape revives an existing fireplace with impressive flames and high-efficiency heating. Exclusive FireBrick material provides authentic masonry appearances and greater heat output.

ESCAPE

FRONTS



CHATEAU FORGE
Hand-crafted, Hammered Steel



GALLERIA Black, New Bronze or
Gun Metal



HALSTON Black, New Bronze or
Gun Metal







IRON AGE Black, New Bronze or
Gun Metal



FIRESCREEN Black, New Bronze or
Gun Metal


FINISHES




SPECIFICATIONS

MODEL	FRONT WIDTH (A)		BACK WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE (E x F)	BTU/HOUR INPUT (NG)	CONVECTION BLOWER
	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING	UNIT	MIN. FIREBOX OPENING			
ESCAPE-I35	34-5/8" [879]	35-1/8" [892]	25" [635]	25-1/2" [648]	24-3/8" [619]	24-5/8" [625]	17-7/8" [454]	18-1/8" [460]	31-3/8" x 19-7/8" [797 x 505]	20,000 - 40,000	120 CFM
ESCAPE-I30	30" [762]	30-1/2" [775]	21" [533]	21-1/2" [546]	22-3/8" [568]	22-5/8" [575]	16-3/8" [410]	16-5/8" [422]	26-11/16" x 17-7/8" [678 x 454]	17,000 - 36,000	120 CFM


TOP VIEW




FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES



INTELLIFIRE
TOUCH



DIRECT VENT



FIREBRICK



ANTI-REFLECTIVE
GLASS



25" 30" 35"

SUPREME

DIRECT VENT GAS INSERTS

Transform a dated or drafty fireplace into a beautiful source of warmth. With additional features, these metal gas inserts provide efficient performance in smaller or larger hearth openings.

SUPREME

FRONTS



HALSTON ARCH Black, New Bronze or Gun Metal



IRON AGE Black, New Bronze or Gun Metal




FIRESCREEN Black, New Bronze or Gun Metal




INSIDE FIT Black


FINISHES



BLACK



NEW
BRONZE



GUN METAL

INTERIOR PANELS



BLACK METAL
(Standard)



STRATFORD
TEXTURED BRICK



TRANQUIL GREIGE
HERRINGBONE
BRICK



REFLECTIVE
BLACK GLASS

LOG OPTION




NATURAL BIRCH


SPECIFICATIONS

MODEL	FRONT WIDTH [A]		BACK WIDTH [B]		HEIGHT [C]		DEPTH [D]		GLASS SIZE [E X F]	BTU/HOUR INPUT (NG)	CONVECTION BLOWER
	UNIT	MIN FIREBOX OPENING	UNIT	MIN. OPEN	UNIT	MIN FIREBOX OPENING	UNIT	MIN FIREBOX OPENING			
SUPREME-I25-IFT	26-1/8" [664]	26-5/8" [676]	14-5/8" [372]	15-1/8" [384]	17-1/16" [433]	17-5/16" [439]	14-1/2" [368]	15" [381]	22-1/2" X 12-7/16" [572 X 316]	18,900-27,000	160 CFM
SUPREME-I30-IFT	31-1/8" [791]	31-5/8" [803]	19-5/8" [499]	20-1/8" [511]	20-3/4" [527]	21" [533]	14-1/2" [368]	15" [381]	27-1/2" X 15-15/16" [699 X 405]	22,890-32,700	160 CFM
SUPREME-I35-IFT	36-1/8" [918]	36-5/8" [930]	24-5/8" [626]	25-1/8" [638]	24" [610]	24-1/4" [616]	14-1/2" [368]	15" [381]	32-1/2" X 19-3/8" [826 X 492]	24,500-35,000	160 CFM


LEFT SIDE VIEW




FRONT VIEW



TOP VIEW



RIGHT SIDE VIEW



TECHNOLOGIES



INTELLIFIRE
TOUCH



DIRECT VENT



30" 35"

PROVIDENT

DIRECT VENT GAS INSERT

Go from underused to unbelievable in as little as one day. Designed with value in mind, the Provident gas insert can turn your dated wood fireplace into a beautiful and efficient heat source without a major renovation.

PROVIDENT

FRONTS




FIRESCREEN Black, New Bronze or Gun Metal




INSIDE FIT Black


FINISHES



BLACK



NEW
BRONZE



GUN METAL

INTERIOR PANELS



BLACK METAL
(Standard)




STRATFORD
TEXTURED BRICK


SPECIFICATIONS

MODEL	FRONT WIDTH [A]		BACK WIDTH [B]		HEIGHT [C]		DEPTH [D]		GLASS SIZE [E X F]	BTU/HOUR INPUT (NG)	CONVECTION BLOWER
	UNIT	MIN FIREBOX OPENING	UNIT	MIN. OPEN	UNIT	MIN FIREBOX OPENING	UNIT	MIN FIREBOX OPENING			
PROV-I30-IPI	31-1/8" [791]	31-5/8" [803]	19-5/8" [499]	20-1/8" [511]	20-3/4" [527]	21" [533]	14-1/2" [368mm]	15" [381]	27-1/2" X 15-15/16" [699 X 405m]	21,000-30,000	160 CFM
PROV-I35-IPI	36-1/8" [918]	36-5/8" [930]	24-5/8" [626]	25-1/8" [638]	24" [610]	24-1/4" [616]	14-1/2" [368mm]	15" [381]	32-1/2" X 19-3/8" [826 X 492]	22,890-32,700	160 CFM


LEFT SIDE VIEW



FRONT VIEW



TOP VIEW



RIGHT SIDE VIEW



TECHNOLOGIES



INTELLIFIRE



DIRECT VENT



30" 35"

COSMO

DIRECT VENT GAS INSERT

From modern to transitional design, the COSMO gas insert can transform an existing wood fireplace opening with a stunning fluted reflective black glass interior and dancing flames. Customize the interior with driftwood logs and River Rocks.

COSMO INSERT

FRONTS



HALSTON ARCH Black, New Bronze or Gun Metal



IRON AGE Black, New Bronze or Gun Metal



FIRESCREEN Black, New Bronze or Gun Metal



INSIDE FIT Available in Black.

FINISHES



MEDIA



CLEAR GLASS



EBONY GLASS



AMBER GLASS



COBALT GLASS



SCARLET GLASS



ICED FOG GLASS



CERAMIC RIVER ROCKS
(Optional)




DRIFTWOOD LOGS
(Optional)


SPECIFICATIONS

MODEL	FRONT WIDTH [A]		BACK WIDTH [B]		HEIGHT [C]		DEPTH [D]		GLASS SIZE [E X F]	BTU/HOUR INPUT (NG)	CONVECTION BLOWER
	UNIT	MIN FIREBOX OPENING	UNIT	MIN. OPEN	UNIT	MIN FIREBOX OPENING	UNIT	MIN FIREBOX OPENING			
COSMO-I30-IFT	31-1/8" [791]	31-5/8" [803]	19-5/8" [499]	20-1/8" [511]	20-3/4" [527]	21" [533]	14-1/2" [368]	15" [381]	27-1/2" X 15-15/16" [699 x 405]	19,600-28,000	160 CFM
COSMO-I35-IFT	36-1/8" [918]	36-5/8" [930]	24-5/8" [626]	25-1/8" [638]	24" [610]	24-1/4" [616]	14-1/2" [368]	15" [381]	32-1/2" x 19-3/8" [826 x 492]	21,000-30,000	160 CFM


LEFT SIDE VIEW



FRONT VIEW



TOP VIEW



RIGHT SIDE VIEW



TECHNOLOGIES



INTELLIFIRE
TOUCH



DIRECT VENT




TRADITIONAL WOOD FIREPLACES

WHY A WOOD FIREPLACE?

Heat and Glo wood-burning fireplaces are a robust, reliable and budget-friendly alternative to true masonry fireplaces and are ideal for projects where the hearth is used seasonally or when end-users are seeking the hands-on experience of a wood-fueled appliance. It's important to understand local codes when specifying wood-burning models, particularly when seeking to comply with EPA requirements and other state and city mandates.

Termination Requirements for Wood-Burning Fireplaces

The quality of the fire depends on where you place the chimney and termination components in your design for the specified wood-burning model. It's important to get with a local hearth installer early in the design process to ensure proper termination placement. Variables such as roof angle, prevailing wind location, and nearby overhangs, objects and openings may need to be taken into consideration.





PIONEER III

EPA-CERTIFIED WOOD FIREPLACE

This EPA-approved wood-burning fireplace combines efficiency with rolling flames seen through the cast-iron framed glass door. Smart Burn technology makes it easy to control the fire, enabling you to push a button, set the thermostat and walk away. This whole-house heater is available with rectangular and arched doors with three front choices.

PIONEER III

FRONTS



FORGED ARCH





MISSION ARCH



MISSION RECTANGLE

SPECIFICATIONS



TECHNOLOGIES





PIONEER II


EPA-CERTIFIED WOOD FIREPLACE

Enjoy hassle-free performance that's ideal for everyday use. The efficiency of the EPA-approved Pioneer II supplies long burn times with nonstop rolling flames. Never has it been easier to set the mood for relaxing or just keeping your home or cabin toasty warm.


PIONEER II

SPECIFICATIONS

FRONT VIEW



SIDE VIEW



TECHNOLOGIES





36"

NORTHSTAR


EPA-CERTIFIED WOOD FIREPLACE

The Northstar exceeds the strictest environmental standards in the nation so you can enjoy roaring fires even in areas where conventional wood-burning fireplaces are banned.


SPECIFICATIONS

MODEL	WIDTH		HEIGHT		DEPTH		FIREBOX OPENING
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	
NORTHSTAR-C	40" [1016]	42-1/2" [1080]	40-1/2" [1029]	56-3/4" [1441]	23-1/2" [597]	24" [610]*	37" x 31-1/8" [940 x 791]


TOP VIEW



FRONT VIEW



SIDE VIEW



*If interior of chase will be drywalled, add the thickness to this measurement.



36" 42" 50"

RUTHERFORD


WOOD FIREPLACE

The Rutherford Series offers robust performance and the appearance of a custom-built masonry fireplace – all at a fraction of the cost. Whether a crackle or a blaze, the Rutherford delivers a bold statement in your favorite room.

BI-FOLD GLASS DOORS



DOOR FINISHES



BLACK

INTERIORS



FIREBRICK YELLOW
TRADITIONAL



FIREBRICK YELLOW
HERRINGBONE



NATURAL GRAY
TRADITIONAL



NATURAL GRAY
HERRINGBONE

AVAILABLE GAS LOGS



GRAND OAK GAS LOGS


ANDIRONS




SPECIFICATIONS

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		FIREBOX OPENING
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	
RUTHERFORD-36	46-7/8" [1191]	47-7/8" [1216]	31-1/8" [790]	47-7/8" [1216]	74-1/8" [1883]	74-1/4" [1886]	27-1/2" [699]	28-1/2" [724]	36" x 38" [914 x 965]
RUTHERFORD-42	52-7/8" [1343]	53-7/8" [1368]	37-1/8" [943]	53-7/8" [1368]	74-1/8" [1883]	74-1/2" [1892]	27-1/2" [699]	28-1/2" [724]	42" x 38" [1067 x 965]
RUTHERFORD-50	60-7/8" [1546]	61-7/8" [1572]	45-1/8" [1146]	61-7/8" [1572]	74-1/8" [1883]	74-1/2" [1892]	27-1/2" [699]	28-1/2" [724]	50" x 38" [1270 x 965]

TOP VIEW




FRONT VIEW



SIDE VIEW



RUTHERFORD-42
SIDE VIEW





36" 42" 50"


EXCLAIM

WOOD FIREPLACE

The Exclaim Series offers large viewing areas and attractive brick interiors, bringing warmth and ambiance into your favorite room.

EXCLAIM

DOORS



BI-FOLD GLASS DOORS
Black, Stainless Steel



GRAND VISTA MESH DOORS
Black, Bronze


DOOR FINISHES



INTERIORS



TRADITIONAL




HERRINGBONE


SPECIFICATIONS

MODEL	WIDTH (A)		HEIGHT (B)		DEPTH (C)		VIEWING AREA (D x E)
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	
EXCLAIM-36	44-1/2" [1130]	45-1/2" [1156]	59-1/4" [1505]	59-3/4" [1518]	27-1/2" [699]	28" [711]	36" x 28-1/2" [914 x 724]
EXCLAIM-42	50-1/2" [1283]	51-1/2" [1308]	59-1/4" [1505]	59-3/4" [1518]	27-1/2" [699]	28-1/2" [724]	42 "x 28-1/2" [1067 x 724]
EXCLAIM-50	60-5/8" [1540]	61-5/8" [1565]	70-1/2" [1791]	71" [1803]	29-1/2" [749]	30-1/2" [772]	50" x 33" [1270 x 838]


TOP VIEW



FRONT VIEW



SIDE VIEW






36" 42"

ROYAL HEARTH WOOD FIREPLACE


Enjoy blazing wood-burning fires with the Royal Hearth Series. An easy-to-operate damper, convenient ash lip and invisible smoke shield make staying comfortable even easier.

ROYAL HEARTH

BI-FOLD GLASS DOORS




FINISHES




SPECIFICATIONS

MODEL	WIDTH (A)		HEIGHT (B)		DEPTH (C)		FIREBOX OPENING (D x E)
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	
ROYAL HEARTH 36"	41" [1041]	42" [1067]	39-1/2" [1003]	39-3/4" [1010]	21-3/8" [543]	21-1/2" [546]	36" x 21" [914 x 533]
ROYAL HEARTH 42"	47" [1194]	48" [1219]	39-1/2" [1003]	39-3/4" [1010]	21-3/8" [543]	21-1/2" [546]	42" x 21" [1067 x 533]


TOP VIEW



FRONT VIEW



SIDE VIEW





ELECTRIC FIREPLACES

WHY AN ELECTRIC FIREPLACE?

A fast growing hearth category, electric fireplaces are an excellent option when no other fuel sources are available or when venting gas or wood fireplaces would be difficult.



EASY AND ECONOMICAL

Electric fireplaces provide a unique focal point without expensive installation costs as they require no venting. At an entry price point and costing just pennies a day to operate, they are an ideal hearth solution to specify for any residential or commercial space. Ideal as a second or third fireplace, electric fireplaces can be installed in any room of a property.



HEAT OPTIONAL

The heat output of electric fireplaces can be adjusted or turned off altogether – an excellent solution for projects where the ambiance of a fire is desired without the supplemental warmth. Specify electric models when building in warm climates or for spaces that would benefit from a heat-optional function.



ENVIRONMENTALLY FRIENDLY

Electric fireplaces emit zero combustion by-products and are allowed in all national green building programs.



36

SIMPLIFIRE INCEPTION ELECTRIC FIREPLACE

The Inception from SimpliFire® is the first traditional electric fireplace that brings an authentic fire experience to your home. Simple to install almost anywhere, it creates a safe and relaxing retreat with flickering flames, hand-painted logs and glowing LED embers.

INCEPTION

FRONTS



Folio Front



Halston Front



Chateau Forge Front




Wescott Mantel


SPECIFICATIONS

BTU Output	Width (A)		Height (B)		Depth (C)		Viewing Area (D x E)
	Unit	Framing	Unit	Framing	Unit	Framing	
5,000	41-1/4" [1048]	42" [1067]	35-1/2" [907]	34-7/8" [886]	8-7/8" [225]	8-3/4" [222]	34-1/2" x 19" [876 x 483]


Front View




Side View



Top View



Framing





SIMPLIFIRE FORUM

OUTDOOR ELECTRIC FIREPLACE

The SimpliFire Forum outdoor electric fireplace is the easiest way to turn your patio or deck into a go-to oasis. Designed for outdoors and with the flexibility to place it anywhere, the Forum expands your livable area with freedom from propane tanks, gas lines or wood.

INCLUDED MEDIA



CLEAR CRYSTALS



DRIFTWOOD LOGS

OPTIONAL SHADOWGLO® LOG SETS




ALPINE TIMBER LOGS



NATURAL BIRCH LOGS

SPECIFICATIONS


Model	Width A	Height B	Depth C	Glass Size D x E
SF-OD43	46" [1168]	18-1/8" [460]	8-1/4" [210]	43-1/2" x 15-7/16" [1104 x 392]
SF-OD55	58" [1473]	18-1/8" [460]	8-1/4" [210]	55-1/2" x 15-7/16" [1410 x 392]



Front View



Side View



Top View



43" 55"

SIMPLIFIRE
SCION TRINITY
LINEAR ELECTRIC FIREPLACE

Create an alluring atmosphere from any angle with the SimpliFire Scion Trinity electric fireplace. In three-sided, corner or single-sided configurations, it adds stunning ambiance without the need for gas lines or venting.

SIMPLIFIRE SCION TRINITY

STANDARD MEDIA



DRIFTWOOD LOGS



CLEAR CRYSTALS

OPTIONAL SHADOWGLO® LOG SETS



ALPINE TIMBER LOGS



NATURAL BIRCH LOGS


OPTIONAL FLOATING MANTEL KIT




SPECIFICATIONS

Model	BTU Output	Width (A)		Height (B)		Depth (C)		Viewing Area (D x E)
		Unit	Framing	Unit	Framing	Unit	Framing	
SF-SCT43-BK	5,000	42-1/2" (1080)	42-3/4" (1086)	22" (559)	22-1/4" (565)	11-1/4" (286)	11-1/2" (194)	42-1/2" x 14-3/4" (1080 x 375)
SF-SCT55-BK	5,000	54-1/2" (1384)	54-5/8" (1387)	22" (559)	22-1/4" (565)	11-1/4" (286)	11-1/2" (194)	54-1/16" x 14-3/4" (1373 x 375)


LEFT SIDE VIEW



FRONT VIEW



RIGHT SIDE VIEW



ELECTRICAL ACCESS



43" 55" 78"

SIMPLIFIRE SCION

CLEAN FACE LINEAR
ELECTRIC FIREPLACE

Enjoy warmth and coziness without the need for gas lines or venting. Modern design comes with no mesh screens or visible heat vents, a multitude of flame and ember bed lighting themes, and the ability to bring finishing materials right up to the edge of the fireplace for a flush look.

SIMPLIFIRE SCION

STANDARD MEDIA



DRIFTWOOD LOGS



CLEAR CRYSTALS

OPTIONAL SHADOWGLO® LOG SETS



ALPINE TIMBER LOGS




NATURAL BIRCH LOGS

SPECIFICATIONS


MODEL	BTU OUTPUT	WIDTH (A)*		HEIGHT (B)		DEPTH (C)*		VIEWING AREA (D X E)
		UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	
43" Clean Face Linear SF-SC43-BK	5,000	44-1/2" [1130]	45" [1143]	23-7/8" [606]	24-1/4" [616]	7-5/8" [194]	7-5/8" [194]	41-1/2" x 15" [1054 x 381]
55" Clean Face Linear SF-SC55-BK	5,000	56-1/2" [1435]	57" [1448]	23-7/8" [606]	24-1/4" [616]	7-5/8" [194]	7-5/8" [194]	53-1/4" x 15" [1353 x 381]
78" Clean Face Linear SF-SC78-BK	5,000	80" [2032]	80-1/2" [2045]	23-7/8" [606]	24-1/4" [616]	7-5/8" [194]	7-5/8" [194]	76-7/8" x 15" [1953 x 381]

*Dimensions include louver projection on sides and top panels


TOP VIEW



FRONT VIEW



SIDE VIEW





SIMPLIFIRE
ALLUSION PLATINUM
LINEAR ELECTRIC FIREPLACE

The Allusion Platinum electric fireplace ushers in unparalleled warmth and coziness to any space, without the need for gas lines or venting. Creating an elegant focal point in your home has never been easier.

SIMPLIFIRE ALLUSION PLATINUM

MEDIA



CLEAR CRYSTALS (STANDARD)



CERAMIC STONES (STANDARD)



DRIFTWOOD LOGS

OPTIONAL BOYD BUILD-OUT KIT (50" ONLY)



FARMHOUSE




READY-TO-FINISH

SPECIFICATIONS


MODEL	BTU OUTPUT	WIDTH			HEIGHT			DEPTH		VIEWING AREA (F X G)
		FRONT (A)	BACK (B)	FRAMING	FRONT (C)	BACK (D)	FRAMING	UNIT (E)	FRAMING*	
50" Recessed Linear SF-ALLP50-BK	5,000	52-5/16" [1329]	50-1/2" [1295]	51" [1295]	20-7/16" [519]	19-3/8" [492]	19-1/2" [495]	5-5/8" [143]	2" x 6"	48" x 15" [1219 x 381]
60" Recessed Linear SF-ALLP60-BK	5,000	62-5/16" [1583]	60-1/2" [1537]	61" [1549]	20-7/16" [519]	19-3/8" [492]	19-1/2" [495]	5-5/8" [143]	2" x 6"	58" x 15" [1473 x 381]
72" Recessed Linear SF-ALLP72-BK	5,000	74-5/16" [1888]	72-1/2" [1842]	73" [1854]	20-7/16" [519]	19-3/8" [492]	19-1/2" [495]	5-5/8" [143]	2" x 6"	70" x 15" [1778 x 381]

*Reflects fully recessed into a 6" interior wall. Framing may need to be adjusted when installing in an exterior wall requiring insulation. Refer to installation manual for details.


TOP VIEW



FRONT VIEW



SIDE VIEW





40" 48" 60" 84"

SIMPLIFIRE ALLUSION

RECESSED LINEAR
ELECTRIC FIREPLACE

The Allusion electric fireplace series embraces modern design by combining linear proportions with a multitude of flame and ember bed lighting themes. These fireplaces can be installed fully or partially recessed into the wall anywhere fireplaces can't go or a second or third option is desired, or hung on the wall for instant enjoyment.

SIMPLIFIRE ALLUSION

STANDARD MEDIA



CLEAR CRYSTALS

OPTIONAL MEDIA



DRIFTWOOD LOGS




CERAMIC STONES

SPECIFICATIONS


MODEL	BTU OUTPUT	WIDTH			HEIGHT			DEPTH		VIEWING AREA (F X G)
		FRONT (A)	BACK (B)	FRAMING	FRONT (C)	BACK (D)	FRAMING	UNIT (E)	FRAMING*	
40" Recessed Linear SF-ALL48-BK	5,000	40-1/2" [1029]	35" [889]	36" [914]	20-1/4" [515]	17-13/16" [453]	18-1/8" [461]	5-15/16" [151]	6" [152]	31-3/8" x 11-1/4" [797 x 285]
48" Recessed Linear SF-ALL48-BK	5,000	48-7/16" [1230]	42-13/16" [1088]	44-5/16" [1126]	20-1/4" [515]	17-13/16" [453]	18-1/8" [461]	5-15/16" [151]	6" [152]	39-3/8" x 11-1/4" [1000 x 285]
60" Recessed Linear SF-ALL60-BK	5,000	60-1/4" [1530]	54-5/8" [1388]	56-1/8" [1426]	20-1/4" [515]	17-13/16" [453]	18-1/8" [461]	5-15/16" [151]	6" [152]	51-3/16" x 11-1/4" [1300 x 285]
84" Recessed Linear SF-ALL48-BK	5,000	83-7/8" [2130]	78-1/4" [1988]	79-1/2" [2019]	20-1/4" [515]	17-13/16" [453]	18-1/8" [461]	5-15/16" [151]	6" [152]	74-7/8" x 11-1/4" [1902 x 285]

*Reflects fully recessed into a 6" interior wall. Framing may need to be adjusted when installing in an exterior wall requiring insulation. Refer to installation manual for details.


TOP VIEW



FRONT VIEW



SIDE VIEW





43" 50" 60"

SIMPLIFIRE FORMAT

FLOATING MANTEL ELECTRIC FIREPLACE

The Format wall-mounted electric fireplace is the easiest way to add a modern centerpiece to any space. The minimalist floating-mantel design, available in several lengths, fits contemporary décor with multi-colored accent lighting to set the mood.

SIMPLIFIRE FORMAT

STANDARD MEDIA




SHADOWGLO® ALPINE TIMBER LOG SET



CLEAR CRYSTALS


43" SPECIFICATIONS

Model	BTU Output	Width (A)	Width (B)	Height (C)	Depth (D)	Depth (E)	Viewing Area (F x G)
SF-FM43-WH	5,000	37-13/16" [960]	43-5/16" [1100]	23-5/16" [592]	7-7/8" [200]	9-7/8" [250]	36-1/16" x 12-5/8" [916 x 321]



50" AND 60" SPECIFICATIONS

Model	BTU Output	Width (A)	Height (B)	Depth (C)	Depth (D)	Sides (E)	Viewing Area (F x G)
SF-FM50-WH	5,000	50" [1270]	23-5/16" [592]	7-7/8" [200]	9-7/8" [250]	6-7/8" [175]	36-1/16" x 12-5/8" [916 x 321]
SF-FM60-WH	5,000	59-7/8" [1520]	23-5/16" [592]	7-7/8" [200]	9-7/8" [250]	11-13/16" [300]	36-1/16" x 12-5/8" [916 x 321]





30" 36"

SIMPLIFIRE BUILT-IN ELECTRIC FIREPLACE

Adding the traditional look of a fireplace to your home has never been this easy. A detailed masonry-style interior, textured log set and four different flame intensity levels enhance the appeal of the SimpliFire Built-In electric fireplace series. Enjoy the ambiance – with or without the heat. Experience “Fire Made Simple.”

SIMPLIFIRE BUILT-IN

FRONTS




OPTIONAL FRONT


SPECIFICATIONS

MODEL	FRONT WIDTH (A)		REAR WIDTH (D)		HEIGHT (B)		DEPTH (C)		BTU/HR OUTPUT	
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	120V	240V
SimpliFire Built-In 30	31" (787mm)	32" (813mm)	24" (610mm)	32" (813mm)	26-3/4" (679mm)	26-13/16" (681mm)	11" (279mm)	11-5/8" (295mm)	4,800	10,000
SimpliFire Built-In 36	37" (940mm)	38" (965mm)	30" (762mm)	38" (965mm)	31-7/32" (793mm)	31-7/32" (793mm)	11" (279mm)	11-5/8" (295mm)	4,800	10,000


TOP VIEW



FRONT VIEW



SIDE VIEW





ELECTRIC FIREPLACE INSERTS

EASILY TRANSFORM A DATED FIREPLACE



BEFORE



AFTER

Revamp your dated, drafty fireplace and say hello to warmth and comfort. SimpliFire electric fireplace inserts fit inside your existing fireplace and create a beautiful fire at the touch of a button.



25" 30" 35"

SIMPLIFIRE ELECTRIC FIREPLACE INSERT

There has never been a more economical way to transform a drafty, dated fireplace into an efficient and attractive source of warmth or, add a new, captivating fireplace in any room. Easy to control with accent lighting, beautiful logs and adjustable flames enhancing the allure. Best of all, turn on the ambiance with or without the heat for year-round use.

SIMPLIFIRE ELECTRIC FIREPLACE INSERT

FRONTS



Standard front (included)




Mission Front with operable doors (optional)


SPECIFICATIONS

Model	BTU	Front Width (A)	Rear Width (B)	Height (C)	Depth (D)	Standard Front (E x F)	Viewing Area (G x H)
SF-INS25	5,000	24-7/8" [632]	17-7/8" [454]	16-1/4" [413]	11-1/4" [286]	27-7/8" x 17-1/2" [708 x 445]	22" x 12" [559 x 305]
SF-INS30	5,000	29-7/8" [758]	22-7/8" [581]	20-1/2" [521]	11-1/4" [286]	33" x 21-3/4" [838 x 552]	27" x 16-1/4" [686 x 413]
SF-INS35	5,000	35" [889]	28" [711]	23-1/4" [591]	11-1/4" [286]	38" x 24-1/2" [965 x 622]	32-1/8" x 19" [816 x 483]


FRONT VIEW




TOP VIEW



SIDE VIEW



STANDARD FRONT





INDOOR/OUTDOOR GAS FIREPLACES



WHY AN INDOOR/OUTDOOR FIREPLACE?

Today's hearth technology allows for a vast array of architectural products designed to seamlessly blend inside and outside areas together. Indoor/outdoor gas fireplaces are engineered for two sided applications, creating a beautiful portal to the outdoors while keeping your building envelope secure and thermally efficient. Flank with windows and glass to create a focal point with a view.



TWILIGHT II

INDOOR/OUTDOOR GAS FIREPLACE

Add warmth and fireside views to two spaces with one fireplace. The Twilight II is the world's first see-through indoor/outdoor gas fireplace. Enjoy the fire all year long from either side. An advanced design and strong construction ensures an impressive and consistent performance.

FRONTS/INTERIOR



FIRESCREEN




CONTEMPORARY

FRONT/EXTERIOR



FIRESCREEN

FINISHES




BLACK


SPECIFICATIONS

MODEL	FRONT WIDTH (A)		REAR WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE (E x F)	BTU/HR INPUT
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING		
TWILIGHT II	43" [1091]	44" [1118]	43" [1091]	44" [1118]	46-7/8" [1191]	47-5/8" [1210]	24" [609]	23" [584]	35-5/8" x 21-1/2" [905 x 546]	38,000 (NG), 36,000 (LP)


TOP VIEW




FRONT VIEW INDOOR



FRONT VIEW OUTDOOR



SIDE VIEW



TECHNOLOGIES



INTELLIFIRE



DIRECT VENT



36"

TWILIGHT MODERN

INDOOR/OUTDOOR GAS FIREPLACE

The Twilight Modern is an evolution of the industry's first indoor/outdoor see-through fireplace. This direct vent gas unit offers impressive fireside views whether relaxing inside or enjoying the outdoors. Bolster your favorite room and upgrade your outdoor living space. Let the Twilight deliver modern style, inside and out.

TWILIGHT MODERN

FRONTS/INTERIOR



FIRESCREEN




CONTEMPORARY

FRONT/EXTERIOR



FIRESCREEN

FINISHES



BLACK

MEDIA



CRYSTAL GLASS



BLACK GLASS
(INCLUDED)




AMBER GLASS


SPECIFICATIONS

MODEL	FRONT WIDTH (A)		REAR WIDTH (B)		HEIGHT (C)		DEPTH (D)		GLASS SIZE (E x F)	BTU/HR INPUT
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING		
TWILIGHT II	43" [1091]	44" [1118]	43" [1091]	44" [1118]	46-7/8" [1191]	47-5/8" [1210]	24" [609]	23" [584]	35-5/8" x 21-1/2" [905 x 546]	38,000 (NG), 36,000 (LP)


TOP VIEW




FRONT VIEW INDOOR



FRONT VIEW OUTDOOR



SIDE VIEW



TECHNOLOGIES



INTELLIFIRE



DIRECT VENT



FORTRESS

INDOOR/OUTDOOR GAS FIREPLACE

Seamlessly integrate your indoor and outdoor space with the Fortress see-through gas fireplace. The traditional style, expansive viewing area and authentic look fit perfectly in a variety of spaces. Non-reflective glass, accent lights and multiple interior brick options make this unique fireplace the ultimate in traditional luxury design. Enjoy the view both inside and out with the Fortress.

FORTRESS

INTERIORS



TRADITIONAL BRICK




HERRINGBONE BRICK




SPECIFICATIONS

MODEL	WIDTH (A)		HEIGHT (B)		DEPTH (C)		VIEWING AREA (D x E)	BTU/ HR INPUT
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING		
FORTRESS	49-3/8" [1254]	49-1/2" [1257]	44-3/8" [1154]	44-1/2" [1130]	25-5/8" [650]	23" [584]	36" x 30" [915 x 762]	56,000 (NG/LP)


TOP VIEW




FRONT VIEW



LEFT SIDE VIEW



RIGHT SIDE VIEW



TECHNOLOGIES



INTELLIFIRE
TOUCH



DIRECT VENT



BLACK GLASS



ANTI-REFLECTIVE
GLASS



OUTDOOR FIREPLACES

WHY AN OUTDOOR FIREPLACE?

Adding a fireplace to your outdoor space design will extend its seasonality and deliver a vibrant feature of which your clients will clamor. Designed specifically to withstand the elements, outdoor fireplaces come in a variety of styles to suit the goals of your clients and end-users. Incorporate into your exterior building envelope or as an attractive free-standing island application.



Outdoor fireplaces are in the
TOP 5
most essential and desired
outdoor home features¹.



Fire features are the
MOST POPULAR
outdoor design element².



90%
of real estate agents
say an outdoor
fireplace increases a
home's value³.



70%
of design and build firms
report an increased demand
for outdoor living space⁴.

1: National Association of Home Builders, "Housing Preferences of Homebuyers – The Boomer Generation and How They Compare to Other Homebuyers", 2017

2: Source: American Society of Landscape Architects 2018 Residential Landscape Architecture Trends Survey

3: Source: Houzz.com 2016 Landscaping Study

4: Source: American Institute of Architects




LANAI

OUTDOOR GAS FIREPLACE


Light up your landscape. The Lanai linear gas fireplace offers contemporary style, where end users feel confident enjoying the flames with proven technologies. The night comes alive with glowing flames and a colorful firebed.

LANAI

LED LIGHTING



FRAMED SCREEN




WALL CONTROL




SPECIFICATIONS

MODEL	FRONT WIDTH (A)		HEIGHT (B)		DEPTH (C)		VIEWING AREA (D X E)	BTU/HR INPUT
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING		
LANAI 48"	52-1/8" [1324]	52-3/4" [1340]	39-1/2" [1003]	39-3/4" [1009]	13-3/8" [340]	13-3/8" [340]	47-7/8" x 17" [1216 x 432]	55,000
LANAI 60"	64-1/8" [1629]	64-3/4" [1645]	39-1/2" [1003]	39-3/4" [1009]	13-3/8" [340]	13-3/8" [340]	60" x 17" [1524 x 432]	65,000
LANAI SEE-THROUGH 48"	52-1/8" [1324]	52-3/4" [1340]	39-1/2" [1003]	39-3/4" [1009]	13" [330]	11-5/8" [295]	47-7/8" x 17" [1216 x 432]	55,000


SINGLE-SIDED



SEE-THROUGH



TECHNOLOGIES





36"

42"

COURTYARD

OUTDOOR GAS FIREPLACE

The Courtyard outdoor gas fireplace is the perfect blend of artistry and function: traditional styling with ultra-realistic logs that ignites at the flip of a switch. Mesmerizing flames provide instant ambiance and relaxation. Cozy up with the Courtyard.

COURTYARD

INTERIORS



STANDARD TRADITIONAL




PREMIUM BROWN
TRADITIONAL




PREMIUM GRAY
TRADITIONAL



STAINLESS STEEL



PREMIUM BROWN
HERRINGBONE



PREMIUM GRAY
HERRINGBONE

LOG SETS



STANDARD LOGS



HIGH DEFINITION LOGS


FRAMED MESH BARRIER




SPECIFICATIONS

Model	Front Width A		Back Width B		Height		Depth		Viewing Area	BTU/hr Input
	Unit	Framing	Unit	Framing	Unit	Framing	Unit	Framing		
Courtyard 36"	36" [914]	42-1/2" [1080]	31-1/4" [794]	42-1/2" [1080]	34" [864]	34-1/4" [870]	20" [508]	20-1/4" [514]	36" x 30" [914 x 762]	55,000
Courtyard 42"	42" [1067]	48-1/2" [1232]	37-1/4" [946]	48-1/2" [1232]	34" [864]	34-1/4" [870]	20" [508]	20-1/4" [514]	42" x 30" [1067 x 762]	55,000


Top View



Front View



Side View



TECHNOLOGIES



INTELLIFIRE



HIGH-DEFINITION
LOGS



36" 42"

VESPER

OUTDOOR GAS FIREPLACE

Customers can create a getaway outside their door with the Vesper vent-free outdoor gas fireplace. Stainless-steel construction creates lasting durability. It is available in 36" and 42" openings a full 27" tall, with three attractive log sets to warm up an outdoor space.

VESPER

INTERIOR



STANDARD
TRADITIONAL



PREMIUM
HERRINGBONE

LOG SETS



MEZMER LOGS



MEZMER SPLIT LOGS



MOUNTAIN OAK LOGS

DOORS




STAINLESS STEEL OPERABLE DOORS


SPECIFICATIONS

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		FIREBOX OPENING
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	
VESPER 36"	42" [1067]	42-1/2" [1080]	31-1/4" [794]	42-1/2" [1080]	34" [864]	34-1/4" [870]	20" [508]	19-3/4" [502]	36" x 27" [914 x 686]
VESPER 42"	48" [1219]	48-1/2" [1232]	37-1/4" [946]	48-1/2" [1232]	34" [864]	34-1/4" [870]	20" [508]	19-3/4" [502]]	42" x 27" [1067 x 686]


TOP VIEW



FRONT VIEW



SIDE VIEW





42"

CASTLEWOOD OUTDOOR WOOD FIREPLACE

The Castlewood turns any outdoor area into a welcoming and relaxing living space. A large, high opening provides a dramatic view from across the yard, and a textured brick interior offers masonry-style looks at a fraction of the cost.

CASTLEWOOD

INTERIOR STYLES



TRADITIONAL



HERRINGBONE





DOORS



GLASS DOORS

SPECIFICATIONS

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		FIREPLACE OPENING
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	
CASTLEWOOD-42"	52-7/8" [1343]	53-7/8" [1368]	37-1/8" [943]	40-1/8" [1019]	74-1/8" [1883]	74-1/2" [1892]	27-1/2" [699]	28-1/2" [724]	41-7/8" x 38" [1063 x 965]





36" 42"

COTTAGEWOOD OUTDOOR WOOD FIREPLACE

Turn customers' outdoor spaces into cozy relaxing retreats—a place where they can gather with family and friends around the crackle and aroma of a blazing fire as they take the chill off evenings and extend the outdoor season.

COTTAGEWOOD

INTERIOR STYLES



TRADITIONAL



HERRINGBONE

GLASS DOORS




SPECIFICATIONS

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		VIEWING AREA
	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	UNIT	FRAMING	
COTTAGEWOOD-36"	44-1/2" [1130]	45-1/2" [1156]	28-5/8" [727]	45-1/2" [1156]	59-1/4" [1505]	59-3/4" [1518]	27-1/2" [699]	28" [711]	36" x 28-1/2" [914 x 724]
COTTAGEWOOD-42"	50-1/2" [1283]	51-1/2" [1308]	34-1/2" [876]	51-1/2" [1308]	59-1/4" [1505]	59-3/4" [1518]	27-1/2" [699]	28-1/2" [724]	42" x 28-1/2" [1067 x 724]


Drawings to the right represent the 36" and 42" combined.

MODEL	COTTAGEWOOD 36"	COTTAGEWOOD 42"
A	44-1/2" [1130]	50-1/2" [1283]
B	28-5/8" [727]	34-1/2" [876]
C	36" [914]	42" [1067]


Top View



Front View



Right Side View





36" 42"

VILLAWOOD OUTDOOR WOOD FIREPLACE


The Villawood is a wood-burning fireplace at home in a variety of outdoor spaces. Upgrade your outdoor kitchen or enhance your living area with style and warmth. Attractive stainless steel surround helps accent your décor.

VILLAWOOD

INTERIOR STYLES



TRADITIONAL






HERRINGBONE

GLASS DOORS



SPECIFICATIONS

MODEL	FRONT WIDTH		BACK WIDTH		HEIGHT		DEPTH		FIREPLACE OPENING
	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	ACTUAL	FRAMING	
VILLAWOOD-36"	41" [1041]	42" [1067]	23-3/4" [603]	42" [1067]	39-1/2" [1003]	39-3/4" [1010]	21-3/8" [544]	21-1/2" [546]	36" x 20-7/8" [914 x 532]
VILLAWOOD-42"	47" [1194]	48" [1219]	29-3/4" [756]	48" [1219]	39-1/2" [1003]	39-3/4" [1010]	21-3/8" [544]	21-1/2" [546]	42" x 20-7/8" [1067 x 532]





No one builds a better fire



facebook.com/HeatandGlo

twitter.com/HeatandGlo

youtube.com/HeatandGlo

instagram.com/HeatnGloFireplaces

linkedin.com/company/Heat-n-Glo

Web:
heatnglo.com

E-mail:
prohelpdesk@hearthnhome.com

Product information provided is not complete and is subject to change without notice.
Product installation must adhere strictly to instructions accompanying product to
avoid risk of fire and potential injury.

HNG-1154U-0124